

<b>Description</b>	<b>Price</b>
<b>Agastache, Apricot Sprite (Agastache aurantiaca) M/H</b>	<b>3.00</b>
<b>Agastache, 'Heather Queen' cara A</b>	<b>3.00</b>
<b>Agave (Manfreda virginica) K</b>	<b>7.00</b>
<b>Agrimony (Agrimonia eupatoria) M/H</b>	<b>5.00</b>
<b>Alder, Green (Alnus Crispa) NE/US</b>	<b>10.00</b>
<b>Alder, Smooth (Alnus serrulata) K</b>	<b>15.00</b>
<b>Alexander, Golden (Zizia aurea) K</b>	<b>5.00</b>
<b>Alexander, Heart-leaf Golden (Zizia aptera) K</b>	<b>7.00</b>
<b>Allheal (Prunella vulgaris) M/H</b>	<b>4.00</b>
<b>Alnus rugosa (Speckled Alder) K</b>	<b>15.00</b>
<b>Aloe vera (Aloe barbadensis) M/H</b>	<b>6.00</b>
<b>Alumroot (Heuchera americana) K</b>	<b>6.00</b>
<b>Alumroot, Downy (Heuchera villosa) K</b>	<b>6.00</b>
<b>Alumroot, richardsonii (Heuchera richardsonii) MW/US</b>	<b>7.00</b>
<b>Alyssum, Summer Peaches (Lobularia maritima) A</b>	<b>3.00</b>
<b>Amorpha, Smooth (Amorpha nitens) K</b>	<b>10.00</b>
<b>Anagallis arvensis (Pimpernel) M/H</b>	<b>4.00</b>
<b>Anemone, Canada (Anemone canadensis) K</b>	<b>6.00</b>
<b>Anemone, Carolina (Anemone caroliniana) K</b>	<b>12.00</b>
<b>Anemone, False Rue (Enemion biternatum) K</b>	<b>7.00</b>
<b>Anemone, Rue (Anemonella thalictroides) K</b>	<b>9.00</b>
<b>Anemone, Wood (Anemone quinquefolia) K</b>	<b>7.00</b>
<b>Angelica, Great (Angelica atropurpurea) K</b>	<b>6.00</b>
<b>Anise (Pimpinella anisum) M/H</b>	<b>5.00</b>
<b>Apple Blossom Grass (Gaura lindheimeri) SW/US</b>	<b>5.00</b>
<b>Arbutus, Trailing (Epigaea repens) K</b>	<b>20.00</b>
<b>Arrow Grass (Trigochin maritima) NE/US</b>	<b>5.00</b>
<b>Arrowhead (Sagittaria latifolia) K</b>	<b>6.00</b>
<b>Artichoke, Jerusalem (Helianthus tuberosus) K</b>	<b>7.00</b>
<b>Arum, Arrow (Peltandra virginica) K</b>	<b>12.00</b>
<b>Ash, American Mountain (Sorbus americana) N/US</b>	<b>15.00</b>
<b>Ash, Blue (Fraxinus quadrangulata) K</b>	<b>20.00</b>
<b>Ash, Prickly (Zanthoxylum americanum) K</b>	<b>15.00</b>
<b>Ash, Showy Mountain (Sorbus decora) E/US</b>	<b>15.00</b>
<b>Aspen, Big Tooth (Populus grandidentata) K</b>	<b>17.00</b>
<b>Aspen, Quaking (Populus tremuloides) K</b>	<b>17.00</b>
<b>Aster, Aromatic (Aster oblongifolius) K</b>	<b>5.00</b>
<b>Aster, Arrow-leaved (Aster sagittifolius) K</b>	<b>7.00</b>
<b>Aster, Blue Wood (Symphyotrichum cordifolium) [Aster cordifolius] K</b>	<b>5.00</b>
<b>Aster, Calico 'Lady in Black' (Aster lateriflorus)</b>	<b>7.00</b>
<b>Aster, Calico (Aster lateriflorus) K</b>	<b>5.00</b>
<b>Aster, Claspig (Symphyotrichum patens) K</b>	<b>6.00</b>
<b>Aster, Golden (Chrysopsis villosa) K</b>	<b>5.00</b>
<b>Aster, Hardy (Symphyotrichum dumosum 'Woods Light Blue') [Aster dumosus]</b>	<b>6.00</b>
<b>Aster, Hardy (Symphyotrichum dumosum 'Woods Pink') [Aster dumosus]</b>	<b>6.00</b>
<b>Aster, Hardy (Symphyotrichum Dumosum 'Woods Purple') [Aster dumosus]</b>	<b>6.00</b>
<b>Aster, Hardy (Symphyotrichum dumosum) [Aster dumosus]</b>	<b>4.50</b>
<b>Aster, Large-leaved (Aster macrophyllus) K</b>	<b>6.00</b>
<b>Aster, Lowrie's Blue Wood (Symphyotrichum lowricense) K</b>	<b>6.00</b>

<b>Aster, Maryland Golden (<i>Chrysopsis mariana</i>) K</b>	<b>6.00</b>
<b>Aster, New England, Pink (<i>Aster novae-angliae</i> variaton)</b>	<b>8.00</b>
<b>Aster, New York (<i>Aster novi-belgii</i>) K</b>	<b>5.00</b>
<b>Aster, New-England (<i>Aster novae-angliae</i>) K</b>	<b>5.00</b>
<b>Aster, Prairie / Oldfield Lavender (<i>Symphotrichum priceae</i>) K</b>	<b>7.00</b>
<b>Aster, Prostrata 'Snow Flurry', (<i>Aster ericoides</i>) (syn. 'Prostrata') K</b>	<b>6.00</b>
<b>Aster, Rockcastle (<i>Eurybia saxicastellii</i>) K</b>	<b>10.00</b>
<b>Aster, Short's (<i>Aster shortii</i>) K</b>	<b>5.00</b>
<b>Aster, Showy (<i>Aster spectabilis</i>) E/US</b>	<b>6.00</b>
<b>Aster, Silky (<i>Aster sericeus</i>) K</b>	<b>7.00</b>
<b>Aster, Sky Blue (<i>Aster azureus</i>) K</b>	<b>5.00</b>
<b>Aster, Sky Blue (<i>Aster azureus</i>) Ky geno</b>	<b>7.00</b>
<b>Aster, Smooth (<i>Aster laevis</i>) K</b>	<b>5.00</b>
<b>Aster, Sneezewort (<i>Aster ptarmicoides</i>) K</b>	<b>6.00</b>
<b>Aster, Stiff (<i>Aster linarifolius</i>) K</b>	<b>6.00</b>
<b>Aster, Stoke's (<i>Stokesia laevis</i>) SE/US</b>	<b>6.00</b>
<b>Aster, Swamp (<i>Aster puniceus</i>) K</b>	<b>5.00</b>
<b>Aster, White Wood (<i>Aster divaricatus</i>) K</b>	<b>5.00</b>
<b>Aster, Willow (<i>Aster praealtus</i>) K</b>	<b>9.00</b>
<b>Aster, Woodland (<i>Aster anomalus</i>) K</b>	<b>5.00</b>
<b>Aster, Zigzag (<i>Symphotrichum prenanthoides</i>) K</b>	<b>7.00</b>
<b>Astragalus crassocarpus (Ground Plum) Cen/US</b>	<b>7.00</b>
<b>Azalea, Carolina (<i>Rhododendron carolinianum</i>) E/US</b>	<b>15.00</b>
<b>Azalea, Cumberland (<i>Rhododendron cumberlandense</i>) K</b>	<b>20.00</b>
<b>Azalea, Dwarf (<i>Rhododendron atlanticum</i>) E/USA</b>	<b>15.00</b>
<b>Azalea, Flame (<i>Rhododendron calendulaceum</i>) K</b>	<b>12.00</b>
<b>Azalea, Mountain Rosebay (<i>Rhododendron catawbiense</i>) K</b>	<b>12.00</b>
<b>Azalea, Piedmont (<i>Rhododendron canescens</i>) K</b>	<b>15.00</b>
<b>Azalea, Pinkshell (<i>Rhododendron vaseyi</i>) E/US</b>	<b>12.00</b>
<b>Azalea, Pinxter-Bloom (<i>Rhododendron periclymenoides</i>) K</b>	<b>12.00</b>
<b>Azalea, Plum Leaf (<i>Rhododendron prunifolium</i>)</b>	<b>15.00</b>
<b>Azalea, Roseshell (<i>Rhododendron prinophyllum</i>) K</b>	<b>12.00</b>
<b>Azalea, Smooth (<i>Rhododendron arborescens</i>) K</b>	<b>12.00</b>
<b>Azalea, Swamp (<i>Rhododendron viscosum</i>) E/US</b>	<b>12.00</b>
<b>Balloon Flower (<i>Platycondon grandiflorus</i>) M/H</b>	<b>6.00</b>
<b>Baneberry, Red (<i>Actea rubra</i>) N/US</b>	<b>17.00</b>
<b>Baneberry, White (<i>Actaea pachypoda</i>) K</b>	<b>12.00</b>
<b>Basil, African (<i>Ocimum canum</i>) M/H</b>	<b>3.00</b>
<b>Basil, Cameo Container (<i>Ocimum basiicum</i>)</b>	<b>1.00</b>
<b>Basil, Citrus (<i>Ocimum spp</i>) M/H</b>	<b>3.00</b>
<b>Basil, Genovese (<i>Ocimum basilicum</i>) M/H</b>	<b>3.00</b>
<b>Basil, Greek (<i>Ocimum minimum</i>) M/H</b>	<b>3.00</b>
<b>Basil, Itslisl Pesto (<i>Ocimum basilicum</i>)</b>	<b>1.00</b>
<b>Basil, Kilimanjaro (<i>Ocimum kilmandscharicum</i>) M/H</b>	<b>3.00</b>
<b>Basil, Lime (<i>Ocimum spp</i>) M/H</b>	<b>3.00</b>
<b>Basil, Queenette True Thai (<i>Ocimum basilicum</i>)</b>	<b>1.00</b>
<b>Basil, Sacred (<i>Ocimum tenuiflorum</i>) M/H</b>	<b>4.00</b>
<b>Basil, Sweet Lettuce (<i>Ocimum basilicum</i>) M/H</b>	<b>3.00</b>
<b>Basil, Tai (<i>Ocimum basilicum</i>) M/H</b>	<b>3.00</b>
<b>Basil, Wild (<i>Clinopodium vulgare</i>) M/H</b>	<b>6.00</b>

<b>Basil, Wild (<i>Satureja vulgaris</i>) K</b>	<b>5.00</b>
<b>Basswood, American Linden (<i>Tilia americana</i>) K</b>	<b>15.00</b>
<b>Bayberry, Northern (<i>Myrica pensylvanica</i>) E/US</b>	<b>15.00</b>
<b>Bearberry (<i>Arctostaphylos uva-ursi</i>) E/US</b>	<b>10.00</b>
<b>Beardtongue, Appalacian (<i>Penstemon canescens</i>) K</b>	<b>5.00</b>
<b>Beardtongue, Dwarf (<i>Penstemon hirsutus</i> 'Pygmaeus')</b>	<b>6.00</b>
<b>Beardtongue, Eastern White (<i>Penstemon tenuiflorus</i>) K</b>	<b>7.00</b>
<b>Beardtongue, Foxglove (<i>Penstemon digitalis</i>) K</b>	<b>5.00</b>
<b>Beardtongue, Hairy (<i>Penstemon hirsutus</i>) K</b>	<b>5.00</b>
<b>Beardtongue, Large Flowered (<i>Penstemon grandiflorus</i>) MW/US</b>	<b>10.00</b>
<b>Beardtongue, Navajo Red (<i>Penstemon barbatus</i>) M/H</b>	<b>6.00</b>
<b>Beardtongue, Pale (<i>Penstemon pallidus</i>) K</b>	<b>5.00</b>
<b>Beardtongue, Palmer (<i>Penstemon palmer</i>) W/US</b>	<b>6.00</b>
<b>Beardtongue, Pineleaf (<i>Penstemon pinifolius</i>) W/US</b>	<b>6.00</b>
<b>Beardtongue, Purple (<i>Penstemon cobaea</i>) E/US</b>	<b>10.00</b>
<b>Beardtongue, Rocky Mountain (<i>Penstemon strictus</i>) W</b>	<b>6.00</b>
<b>Beardtongue, Showy (<i>Penstemon laevigatus</i>) K</b>	<b>10.00</b>
<b>Beardtongue, Sky Pilot (<i>Penstemon serrulatus</i>) W/US</b>	<b>6.00</b>
<b>Beardtongue, Small's (<i>Penstemon smallii</i>) K</b>	<b>5.00</b>
<b>Beardtongue, Smooth (<i>Penstemon calycossus</i>) K</b>	<b>5.00</b>
<b>Beardtongue, Tube (<i>Penstemon tubaeflorus</i>) K</b>	<b>7.00</b>
<b>Beardtounge, Arkansas (<i>Penstemon Arkansas</i>) W/US</b>	<b>7.00</b>
<b>Beautyberry, American (<i>Callicarpa americana</i>) SE/US</b>	<b>17.00</b>
<b>Bedstraw, Yellow (<i>Galium verum</i>) M/H</b>	<b>6.00</b>
<b>Bee Balm (<i>Monarda didyma</i>) K</b>	<b>5.00</b>
<b>Bee Balm, Basil (<i>Monarda clinepodia</i>) K</b>	<b>6.00</b>
<b>Bee Balm, Russell's (<i>Monarda russeliana</i>) K</b>	<b>7.00</b>
<b>Beech (<i>Fagus grandifolia</i>) K</b>	<b>15.00</b>
<b>Belladonna (<i>Atropa belladonna</i>) M/H</b>	<b>4.00</b>
<b>Bellflower, Tall (<i>Campanula americana</i>) K</b>	<b>5.00</b>
<b>Bellwort / Great Merrybells (<i>Uvularia grandiflora</i>) K</b>	<b>12.00</b>
<b>Bergamot, Butterfly Mondara Bouquet (<i>Monarda hybrida</i>) A</b>	<b>3.00</b>
<b>Bergamot, Eastern (<i>Monarda bradburiana</i>) K</b>	<b>5.00</b>
<b>Bergamot, Lemon (<i>Monarda citriodora</i>) M/H</b>	<b>3.00</b>
<b>Bergamot, Wild (<i>Monarda fistulosa</i>) K</b>	<b>6.00</b>
<b>Betony (<i>Stachy's officinalis</i>) M/H</b>	<b>6.00</b>
<b>Birch, Gray (<i>Betula populifolia</i>) E/US</b>	<b>12.00</b>
<b>Birch, River (<i>Betula nigra</i>) K</b>	<b>12.00</b>
<b>Birch, Roundleaf (<i>Betula uber</i>) E/US</b>	<b>17.00</b>
<b>Birch, Sweet (<i>Betula lenta</i>) K</b>	<b>12.00</b>
<b>Birch, Yellow (<i>Betula alleghaniensis</i>) K</b>	<b>12.00</b>
<b>Bishops Cap (<i>Mitella diphylla</i>) K</b>	<b>7.00</b>
<b>Bittersweet (<i>Celastrus scandens</i>) K</b>	<b>12.00</b>
<b>Blackberry (<i>Rubus allegheniensis</i>) K</b>	<b>12.00</b>
<b>Bladdernut (<i>Staphylea trifolia</i>) K</b>	<b>20.00</b>
<b>Blazing Star, Button (<i>Liatris squarosa</i>) K</b>	<b>6.00</b>
<b>Blazing Star, Cusp (<i>Liatris mucronata</i>) MW/US</b>	<b>7.00</b>
<b>Blazing Star, Dotted (<i>Liatris punctata</i>) MW/US</b>	<b>6.00</b>
<b>Blazing Star, Dwarf (<i>Liatris cylindracea</i>) K</b>	<b>6.00</b>
<b>Blazing Star, Largeheaded (<i>Liatris ligulistylis</i>) MW/US</b>	<b>6.00</b>

<b>Blazing Star, New England (<i>Liatris scariosa novae-angliae</i>) K</b>	<b>6.00</b>
<b>Blazing Star, Northern (<i>Liatris scariosa</i>) E/US</b>	<b>6.00</b>
<b>Blazing Star, Prairie (<i>Liatris pycnostachya</i>) K</b>	<b>6.00</b>
<b>Blazing Star, Rough (<i>Liatris aspera</i>) K</b>	<b>6.00</b>
<b>Blazing Star, Savannah (<i>Liatris scariosa nieuwlandii</i>) NE/US</b>	<b>6.00</b>
<b>Blazing Star, Shaggy (<i>Liatris pilosa</i>) E/US</b>	<b>6.00</b>
<b>Blazing Star, Southern (<i>Liatris squarrulosa</i>) K</b>	<b>7.00</b>
<b>Blazing Star, Spiked (<i>Liatris spicata</i>) K</b>	<b>6.00</b>
<b>Blazing Star, Sweet (<i>Liatris acidota</i>) MW/US</b>	<b>7.00</b>
<b>Blazing Star, Tiny-Headed (<i>Liatris microcephala</i>) K</b>	<b>6.00</b>
<b>Blazing Star, Tiny-Headed White (<i>Liatris microcephalis alba</i>)</b>	<b>7.00</b>
<b>Bleeding Heart, Wild (<i>Dicentra eximia</i>) K</b>	<b>9.00</b>
<b>Bloodroot (<i>Sanguinaria canadensis</i>) K</b>	<b>12.00</b>
<b>Blue Flag, Slender (<i>Iris prismatica</i>) K</b>	<b>7.00</b>
<b>Blue Star (<i>Amsonia tabernaemontana</i>) K</b>	<b>5.00</b>
<b>Blue Star, Narrow-leaf (<i>Amsonia ciliata</i> v. <i>filiformis</i>) S/US</b>	<b>8.00</b>
<b>Blue Star, Thread-leaf (<i>Amsonia hubrichtii</i>) MW</b>	<b>6.00</b>
<b>Blueberry, Highbush (<i>Vaccinium corymbosum</i>) K</b>	<b>17.00</b>
<b>Blueberry, Hillside (<i>Vaccinium pallidum</i>) K</b>	<b>15.00</b>
<b>Blueberry, Lowbush (<i>Vaccinium angustifolium</i>) K</b>	<b>12.00</b>
<b>Blueberry, Velvet (<i>Vaccinium myrtilloides</i>) E/US</b>	<b>12.00</b>
<b>Blue-eyed Grass, Common (<i>Sisyrinchium albidum</i>) K</b>	<b>6.00</b>
<b>Blue-eyed Grass, Needle-tipped (<i>Sisyrinchium muctonatum</i>) K</b>	<b>7.00</b>
<b>Blue-eyed Grass, Prairie (<i>Sisyrinchium campestre</i>) M/US</b>	<b>7.00</b>
<b>Blue-eyed Grass, Stout (<i>Sisyrinchium angustifolium</i>) K</b>	<b>6.00</b>
<b>Blue-eyed Grass, White (<i>Sisyrinchium albidum</i>) K</b>	<b>9.00</b>
<b>Bluet, Glade (<i>Houstonia angustifolia</i>) K</b>	<b>9.00</b>
<b>Bluets, Longleaf (<i>Houstonia longifolia</i>) K</b>	<b>12.00</b>
<b>Bluets, Purple (<i>Houstonia purpurea</i>) K</b>	<b>12.00</b>
<b>Bog Bilberry (<i>Vaccinium uliginosum</i>) N/US</b>	<b>12.00</b>
<b>Boltonia (<i>Boltonia asteroides</i>) K</b>	<b>5.00</b>
<b>Boltonia, Pink (<i>Boltonia asteroides</i> 'Pink Beauty')</b>	<b>5.00</b>
<b>Boneset (<i>Eupatorium perfoliatum</i>) K</b>	<b>5.00</b>
<b>Boneset, Tall (<i>Eupatorium altissimum</i>) K</b>	<b>7.00</b>
<b>Borage (<i>Borago officinalis</i>) M/H</b>	<b>3.00</b>
<b>Bottlebursh Buckeye, Alabama (<i>Aesculus parviflora serotina</i>) SE/US</b>	<b>15.00</b>
<b>Bowman's Root (<i>Gillenia trifoliata</i>) K</b>	<b>6.00</b>
<b>Box Elder (<i>Acer negundo</i>) K</b>	<b>10.00</b>
<b>Breadroot, Purple (<i>Pedicularis subcaerulea</i>) SE/US</b>	<b>12.00</b>
<b>Buckeye, Bottlebrush (<i>Aesculus parviflora</i>) E</b>	<b>15.00</b>
<b>Buckeye, Dwarf Red (<i>Aesculus pavia</i>) K</b>	<b>15.00</b>
<b>Buckeye, Ohio (<i>Aesculus glabra</i>) K</b>	<b>15.00</b>
<b>Buckeye, Painted (<i>Aesculus sylvatica</i>) SE/US</b>	<b>15.00</b>
<b>Buckeye, Yellow (<i>Aesculus octandra</i>) K</b>	<b>15.00</b>
<b>Buckthorn, Carolina (<i>Rhamnus caroliniana</i>) K</b>	<b>15.00</b>
<b>Buffaloberry, Russett (<i>Shepherdia canadensis</i>) N</b>	<b>20.00</b>
<b>Bugbane (<i>Cimicifuga americana</i>) K</b>	<b>12.00</b>
<b>Bugloss, Viper's (<i>Echium vulgare</i>) M/H</b>	<b>5.00</b>
<b>Bulrush, Dark Green (<i>Scirpus atrovirens</i>) K</b>	<b>5.00</b>
<b>Bulrush, Softstem (<i>Scirpus tabernaemontani</i> [validus]) K</b>	<b>6.00</b>

<b>Bunchberry (<i>Cornus canadensis</i>) NE/US</b>	<b>15.00</b>
<b>Bunchflower (<i>Melanthium virginicum</i>) K</b>	<b>7.00</b>
<b>Bundleflower (<i>Desmanthus illinoensis</i>) K</b>	<b>5.00</b>
<b>Burnet (<i>Sanguisorba canadensis</i>) K</b>	<b>12.00</b>
<b>Bush-Honeysuckle, Dwarf (<i>Diervilla lonicera</i>) (E/US)</b>	<b>12.00</b>
<b>Bush-Honeysuckle, Southern (<i>Diervilla sessilifolia</i>) E/US</b>	<b>12.00</b>
<b>Buttercup, Early (<i>Ranunculus fascicularis</i>) K</b>	<b>7.00</b>
<b>Buttercup, Prairie (<i>Ranunculus rhomboideus</i>) N/US</b>	<b>7.00</b>
<b>Buttercup, Swamp (<i>Ranunculus hispidus</i>) K</b>	<b>7.00</b>
<b>Butterfly-Pea (<i>Clitoria ternatea</i>) M/H</b>	<b>4.50</b>
<b>Buttonbush (<i>Cephalanthus occidentalis</i>) K</b>	<b>10.00</b>
<b>Calendula (<i>Calendula camphora</i>) M/H</b>	<b>3.00</b>
<b>Camass, White (<i>Zigadenus elegans</i>) E/US</b>	<b>12.00</b>
<b>Cannaceae <i>Canna warscewizii</i></b>	<b>0.004</b>
<b>Cardamon (<i>Elettaria cardamomum</i>) M/H</b>	<b>6.00</b>
<b>Carex sp (Sedge, Ghost)</b>	<b>5.00</b>
<b>Carolina Alspice (<i>Calycanthus floridus</i>) K</b>	<b>15.00</b>
<b>Carrot, Nantes (<i>Daucus carota sativus</i> 'Nantes') M/H</b>	<b>4.00</b>
<b>Carrots, Yellowstone / Nantes Forto mix</b>	<b>1.00</b>
<b>Catalpa (<i>Catalpa bignonioides</i>) K</b>	<b>15.00</b>
<b>Catnip, Catnip (<i>Nepeta cataria</i> ssp. <i>citriodora</i> 'Lemony') M/H</b>	<b>6.00</b>
<b>Catnip, Lemon (<i>Nepeta catarua</i> ssp. <i>citriodora</i> 'Lemony')</b>	<b>4.00</b>
<b>Catsfoot (<i>Antennaria dioica</i>) M/H</b>	<b>3.00</b>
<b>Cattail, Common (<i>Typha latifolia</i>) K</b>	<b>4.50</b>
<b>Cattail, Narrow Leaf (<i>Typha angustifolia</i>) K</b>	<b>6.00</b>
<b>Cedar, Eastern Red (<i>Juniperus virginiana</i>) K</b>	<b>12.00</b>
<b>Cedar, Western Red (<i>Thuja plicata</i>) W/US</b>	<b>12.00</b>
<b>Cedar, White (<i>Thuja occidentalis</i>) K</b>	<b>12.00</b>
<b>Celandine Poppy (<i>Stylophorum diphyllum</i>) K</b>	<b>5.00</b>
<b>Chamomile (<i>Matricaria recutita</i>) M/H</b>	<b>3.00</b>
<b>Chamomile, Roman (<i>Chamaemelum nobile</i>) M/H</b>	<b>6.00</b>
<b>Chard, Italian Silver Rib</b>	<b>1.00</b>
<b>Chaste Tree (<i>Vitex agnus-castus</i>) M/H</b>	<b>10.00</b>
<b>Chenopodium botrys (Ambrosia) M/H</b>	<b>4.00</b>
<b>Cherry, Choke (<i>Prunus virginiana</i>) K</b>	<b>15.00</b>
<b>Cherry, Creeping Sand (<i>Prunus pumila</i> Var. <i>depressa</i>) W/US</b>	<b>15.00</b>
<b>Cherry, Eastern Sand (<i>Prunus pumila</i>) E/US</b>	<b>12.00</b>
<b>Cherry, Pin (<i>Prunus pensylvanica</i>) K</b>	<b>12.00</b>
<b>Cherry, Wild Black (<i>Prunus serotina</i>) K</b>	<b>12.00</b>
<b>Chestnut, American (<i>Castanea dentata</i>) K</b>	<b>20.00</b>
<b>Chestnut, Dwarf (<i>Castanea pumila</i>) K</b>	<b>15.00</b>
<b>Chestnut, Species (<i>Castanea species</i>)</b>	<b>10.00</b>
<b>Chinese Milkvetch (<i>Astragalus membranaceus</i>) M/H</b>	<b>5.00</b>
<b>Chives (<i>Allium schoenoprasum</i>) M/H</b>	<b>6.00</b>
<b>Chives, Mauve Garlic (<i>Allium</i> sp.) M/H</b>	<b>6.00</b>
<b>Chokeberry, Appleleaf (<i>Aronia melanocarpa grandifolia</i>) K</b>	<b>10.00</b>
<b>Chokeberry, Black (<i>Aronia melanocarpa</i>) K</b>	<b>10.00</b>
<b>Chokeberry, Glossy Black (<i>Aronia melanocarpa elata</i>) E/US</b>	<b>10.00</b>
<b>Chokeberry, Purple (<i>Aronia prunifolia</i>) K</b>	<b>10.00</b>
<b>Chokeberry, Red (<i>Aronia arbutifolia</i>) K</b>	<b>10.00</b>

<b>Cinquefoil, Bush / Potentilla (Potentilla fruticosa) E/US</b>	<b>10.00</b>
<b>Cinquefoil, Wine-leaf / Three-toothed (Potentilla tridentata) E/US</b>	<b>10.00</b>
<b>Citronella Balm (Melissa officinalis 'Citronella) M/H</b>	<b>6.00</b>
<b>Clematis, Fremont's (Clematis fremontii) Cen/US</b>	<b>15.00</b>
<b>Clematis, Purple (Clematis verticillaris) E/US</b>	<b>20.00</b>
<b>Clematis, Virgin's Bower (Clematis virginiana) K</b>	<b>12.00</b>
<b>Clove-pink (dianthus caryophyllus 'Grenadin') M/H</b>	<b>6.00</b>
<b>Clover, Leafy Prairie (Petalostemum foliosum) E/US</b>	<b>7.00</b>
<b>Clover, Purple Prairie (Dalea purpurea) K</b>	<b>5.00</b>
<b>Clover, Round-headed Bush (Lespedeza capitata) K</b>	<b>5.00</b>
<b>Clover, Slender Bush (Lespedeza virginica) K</b>	<b>6.00</b>
<b>Clover, Violet Bush (Lespedeza violacea) K</b>	<b>6.00</b>
<b>Clover, White Prairie (Dalea candida) K</b>	<b>5.00</b>
<b>Cohosh, Black (Cimicifuga racemosa) K</b>	<b>15.00</b>
<b>Cohosh, Blue (Caulophyllum thalictroides) K</b>	<b>12.00</b>
<b>Coltsfoot (Tussilago farfara) M/H</b>	<b>9.00</b>
<b>Columbine, Wild (Aquilegia canadensis) K</b>	<b>5.00</b>
<b>Columbo, American (Frasera caroliniensis) K</b>	<b>9.00</b>
<b>Comfrey, Common (Symthytum officinale ) M/H</b>	<b>6.00</b>
<b>Compass Plant (Silphium laciniatum) K</b>	<b>6.00</b>
<b>Coneflower, Appalacian (Echinacea laevigata) E/US</b>	<b>10.00</b>
<b>Coneflower, Bush's/Yellow (Echinacea paradoxa) MW/US</b>	<b>5.00</b>
<b>Coneflower, Glade (Echinacea simulata) K</b>	<b>6.00</b>
<b>Coneflower, Gray Headed (Ratibida pinnata) K</b>	<b>6.00</b>
<b>Coneflower, Greenheaded / Golden glow (Rudbeckia laciniata) K</b>	<b>6.00</b>
<b>Coneflower, Narrowleaved (Echinacea angustifolia) K</b>	<b>5.00</b>
<b>Coneflower, Orange (Rudbeckia fulgida) K</b>	<b>5.00</b>
<b>Coneflower, Pale Purple (Echinacea pallida) K</b>	<b>5.00</b>
<b>Coneflower, Purple (Echinacea purpurea) K</b>	<b>5.00</b>
<b>Coneflower, Reflexed (Echinacea atrorubens) MW/US</b>	<b>7.00</b>
<b>Coneflower, Sanguin (Echinacea sanguinea) MW/US</b>	<b>6.00</b>
<b>Coneflower, Tennessee (Echinacea tennesseensis) Tenn</b>	<b>10.00</b>
<b>Coral Bean (Erythrina herbaca) S/US</b>	<b>6.00</b>
<b>Coralberry (Symphoricarpos orbiculatus) K</b>	<b>10.00</b>
<b>Coreopsis, Eared (Coreopsis auriculata) K</b>	<b>6.00</b>
<b>Coreopsis, Fernleaf (Coreopsis verticillata) K</b>	<b>5.00</b>
<b>Coreopsis, Hairy (Coreopsis pubescens) K</b>	<b>6.00</b>
<b>Coreopsis, Lanceleaf (Coreopsis lanceolata) K</b>	<b>5.00</b>
<b>Coreopsis, Pink (Coreopsis rosea) E/US</b>	<b>6.00</b>
<b>Coreopsis, Prairie (Coreopsis palmata) E/US</b>	<b>7.00</b>
<b>Coreopsis, Tall (Coreopsis tripteris) K</b>	<b>5.00</b>
<b>Coreopsis, Whorled (Coreopsis Major) K</b>	<b>6.00</b>
<b>Corn Poppy (Papaver rhoeas) M/H</b>	<b>5.00</b>
<b>Cosmos Sonata Mix (Cosmos Bipinnatus) A</b>	<b>3.00</b>
<b>Cosmos, Double Click (Cosmos bipinnatus) A</b>	<b>3.00</b>
<b>Cosmos, White Cosmos Snow Sonata (Comos bipinnatus) A</b>	<b>3.00</b>
<b>Cottonwood (Populus deltoides) K</b>	<b>17.00</b>
<b>Cowslip (Primula veris) M/H</b>	<b>6.00</b>
<b>Crabapple, Prairie (Malus ioensis) K</b>	<b>15.00</b>
<b>Crabapple, Sweet (Malus coronarius) K</b>	<b>15.00</b>

<b>Cranberry, Large (<i>Vaccinium macrocarpon</i>) E/US</b>	<b>12.00</b>
<b>Cranberry, Mountain (<i>Vaccinium vitis-idaea majus</i>) N/US</b>	<b>12.00</b>
<b>Cranberry, Small (<i>Vaccinium oxycoccos</i>) NE/US</b>	<b>12.00</b>
<b>Cranefly Orchid (<i>Tipularia discolor</i>) K</b>	<b>15.00</b>
<b>Cross Vine (<i>Bignonia capreolata</i>) K</b>	<b>17.00</b>
<b>Cucumber, Lemon (<i>Cucumis sativus</i> 'Lemon')</b>	<b>4.00</b>
<b>Cucumber, Wild (<i>Echinocystis lobata</i>) K</b>	<b>7.00</b>
<b>Culver's Root (<i>Veronicastrum virginicum</i>) K</b>	<b>6.00</b>
<b>Culver's Root, Pink (<i>Veronicastrum virginicum</i> 'La Towers' )</b>	<b>7.00</b>
<b>Cumin (<i>Cuminum cyminum</i>) M/H</b>	<b>4.00</b>
<b>Cup Plant (<i>Silphium perfoliatum</i>) K</b>	<b>5.00</b>
<b>Cup Plant, Virginia (<i>Silphium connatum</i>) E/US</b>	<b>7.00</b>
<b>Currant, American Black (<i>Ribes americanum</i>) K</b>	<b>12.00</b>
<b>Currant, Golden / Clove (<i>Ribes odoratum</i>) E/US</b>	<b>15.00</b>
<b>Cypress, Bald (<i>Taxodium distichum</i>) K</b>	<b>15.00</b>
<b>Cypress, Pond (<i>Taxodium ascendens</i>) SE/US</b>	<b>15.00</b>
<b>Dawn Redwood (<i>Metasequoia gliptostroboides</i>) W</b>	<b>20.00</b>
<b>Dill, Bouquet (<i>Anethum graveolens</i>) M/H</b>	<b>5.00</b>
<b>Dittany ( <i>Cunila organoides</i>) K</b>	<b>7.00</b>
<b>Dog Hobble (<i>Leucothoe fontanesiana</i>) K</b>	<b>15.00</b>
<b>Dogwood, Flowering (<i>Cornus florida</i>) K</b>	<b>15.00</b>
<b>Dogwood, Gray (<i>Cornus racemosa</i>) K</b>	<b>12.00</b>
<b>Dogwood, Pagoda (<i>Cornus alternifolia</i>) K</b>	<b>12.00</b>
<b>Dogwood, Pale (<i>Cornus obliqua</i>) NE/US</b>	<b>15.00</b>
<b>Dogwood, Redtwig (<i>Cornus sericea</i>) K</b>	<b>15.00</b>
<b>Dogwood, Rough-leaf (<i>Cornus drummondii</i>) K</b>	<b>12.00</b>
<b>Dogwood, Silky (<i>Cornus amomum</i>) K</b>	<b>12.00</b>
<b>Dogwood, Yellowtwig (<i>Cornus sericea</i>) E/US</b>	<b>15.00</b>
<b>Dragon Head (<i>Dracocephalum moldavica</i>) M/H</b>	<b>1.60</b>
<b>Dropwort (<i>Filipendula vulgaris</i>) M/H</b>	<b>6.00</b>
<b>Dumbo's Ears, (<i>Rudbeckia maxima</i>) MW/US</b>	<b>6.00</b>
<b>Dusty Miller (<i>Senecio cineraria</i>) M/H</b>	<b>6.00</b>
<b>Dutchman's Breeches (<i>Dicentra cucullaria</i>) K</b>	<b>9.00</b>
<b>Dutchman's Pipe (<i>Aristolochia macrophylla</i>) K</b>	<b>17.00</b>
<b>Dutchman's Pipe, Woolly (<i>Aristolochia tomentosa</i>) K</b>	<b>17.00</b>
<b>Eastern Gamagrass (<i>Tripsacum dactyloides</i>) K</b>	<b>6.00</b>
<b>Elderberry (<i>Sambucus canadensis</i>) K</b>	<b>12.00</b>
<b>Elderberry, Red-berried (<i>Sambucus racemosa</i>) K</b>	<b>15.00</b>
<b>Elecampane (<i>Inula helenium</i>) M/H</b>	<b>6.00</b>
<b>Elecampane, Magnificent (<i>Inula magnifica</i>) M/H</b>	<b>4.00</b>
<b>Elm, American (<i>Ulmus americana</i>) K</b>	<b>12.00</b>
<b>Elm, Slippery (<i>Ulmus rubra</i>) K</b>	<b>8.00</b>
<b>Ephedra, American (<i>Ephedra nevadensis</i>) M/H</b>	<b>7.00</b>
<b>Ephedra, Green (<i>Ephedra viridis</i>) M/H</b>	<b>7.00</b>
<b>False Foxglove, Fascicled (<i>Agalinas fasciculata</i>) K</b>	<b>7.00</b>
<b>False Foxglove, Purple (<i>Gerardia purpurea</i>) K</b>	<b>6.00</b>
<b>False Foxglove, Slender (<i>Gerardia tenifolia</i>) K</b>	<b>6.00</b>
<b>Fameflower (<i>Talinum calcaricum</i>) K</b>	<b>6.00</b>
<b>Farkleberry / Sparkleberry (<i>Vaccinium arboreum</i>) K</b>	<b>20.00</b>
<b>Featherbells, Eastern (<i>Stenanthium gramineum robustum</i>) K</b>	<b>10.00</b>

<b>Fennel, Smokey Bronze (Foenicium vulgare var.)</b>	<b>4.00</b>
<b>Fennel, Sweet (Foeniculum vulgare dulce) M/H</b>	<b>4.00</b>
<b>Fenugreek (Trigonella foenum-graecum) M/H</b>	<b>4.00</b>
<b>Fern, Beech (Phogopteris hexagonapter ) K</b>	<b>12.00</b>
<b>Fern, Blunt Lobed (Woodsia obtusa) K</b>	<b>7.00</b>
<b>Fern, Bracken (Pteridium latiuscolum) K</b>	<b>7.00</b>
<b>Fern, Christmas (Polystichum acrostichoides) K</b>	<b>7.00</b>
<b>Fern, Cinnamon (Osmunda cinnamomea) K</b>	<b>7.00</b>
<b>Fern, Climbing (Lygodium palmatum) K</b>	<b>15.00</b>
<b>Fern, Common Grape (Betrychium dissectum) K</b>	<b>12.00</b>
<b>Fern, Dixie Wood [Dryopteris x australis (D.celsa x ludoviciana)] SE/US</b>	<b>7.00</b>
<b>Fern, Fancy (Dryopteris intermedia) K</b>	<b>7.00</b>
<b>Fern, Goldies' / Giant Wood Fern (Dryopteris goldiana) K</b>	<b>7.00</b>
<b>Fern, Hairy Lip (Cheilanthes lanosa) K</b>	<b>7.00</b>
<b>Fern, Hay-scented (Dennstaedtia punctilobula) K</b>	<b>7.00</b>
<b>Fern, Interrupted (Osmunda claytoniana) K</b>	<b>8.00</b>
<b>Fern, Lady (Athyrium felix-femina) K</b>	<b>7.00</b>
<b>Fern, 'Lady in Red' (Athyrium felix-femina 'Lady in Red')</b>	<b>7.00</b>
<b>Fern, Leatherwood (Dryopteris marginalis) K</b>	<b>7.00</b>
<b>Fern, Log (Dryopteris celsa) K</b>	<b>7.00</b>
<b>Fern, Maidenhair (Adiantum pedatum) K</b>	<b>12.00</b>
<b>Fern, Marsh (Thelypteris palustris) K</b>	<b>7.00</b>
<b>Fern, Mountain Wood (Dryopteris campyloptera) K</b>	<b>7.00</b>
<b>Fern, Netted Chain (Woodwardia areolata) K</b>	<b>7.00</b>
<b>Fern, New York (Thelypteris noveboracensis) K</b>	<b>7.00</b>
<b>Fern, Ostrich (Matteuccia struthiopteris var pensylvanica) N/US</b>	<b>7.00</b>
<b>Fern, Rock Cap (Polypodium virginianum) SE/US</b>	<b>9.00</b>
<b>Fern, Royal (Osmunda regalis) K</b>	<b>7.00</b>
<b>Fern, Sensitive (Onoclea sensibilis) K</b>	<b>6.00</b>
<b>Fern, Silvery Glade (Deparia acrosichoides) K</b>	<b>7.00</b>
<b>Fern, Southern Lady (Athyrium filix-femina var. aspleniodes) K</b>	<b>7.00</b>
<b>Fern, Spleenwort (Asplenium platyneuron) K</b>	<b>12.00</b>
<b>Fern, Tennessee Ostrich (Diplazium pycnocarpon) K</b>	<b>7.00</b>
<b>Fern, Walking (Camptosorus shizophyllus) K</b>	<b>12.00</b>
<b>Fern, Wood (Dryopteris spinulosa) K</b>	<b>8.00</b>
<b>Fern, Woolly Lip (Cheilanthes tomentosa) K</b>	<b>7.00</b>
<b>Feverfew (Tanacetum parthenium) M/H</b>	<b>6.00</b>
<b>Figwort, Late (Scrophularia marilandica) K</b>	<b>7.00</b>
<b>Fireweed (Epilobium angustifolium) C/US</b>	<b>7.00</b>
<b>Flax, Brown (Linum usitatissimum) M/H</b>	<b>3.00</b>
<b>Flax, Grooved Yellow (Linum sulcatum) K</b>	<b>9.00</b>
<b>Flowering Spurge (Euphorbia corollata) K</b>	<b>6.00</b>
<b>Foamflower (Tiarella cordifolia) K</b>	<b>7.00</b>
<b>Foamflower, Clumping (Tiarella cordifolia var. collina) K</b>	<b>7.00</b>
<b>Fothergilla, Large (Fothergilla major) E/US</b>	<b>15.00</b>
<b>Fothergilla, Small (Fothergilla gardenii) E/US</b>	<b>15.00</b>
<b>Foxglove, Purple (Digitalis purpurea) M/H</b>	<b>5.00</b>
<b>Foxglove, Yellow (Digitalis grandiflora) M/H</b>	<b>4.00</b>
<b>Franklin Tree (Franklinia alatamaha) E/US</b>	<b>25.00</b>
<b>Free plant enclosed. Thank you for allowing us to substitute.</b>	<b>0.00</b>



<b>French Grass (<i>Orbexilum onobranchis</i>) K</b>	<b>7.00</b>
<b>Fringe-tree (<i>Chionanthus virginicus</i>) K</b>	<b>15.00</b>
<b>Galax (<i>Galax urceolata</i>) K</b>	<b>12.00</b>
<b>Garden Collection, Butterfly</b>	<b>136.00</b>
<b>Garden Collection, Hummingbird</b>	<b>120.00</b>
<b>Garden Collection, Sunny Side</b>	<b>80.00</b>
<b>Garden Collection, Woodland Niche</b>	<b>71.00</b>
<b>Garden Phlox, Lavendar (<i>Phlox paniculata</i> 'David's Lavendar')</b>	<b>6.00</b>
<b>Garden Phlox, Magenta (<i>Phlox paniculata</i> 'Nicky')</b>	<b>6.00</b>
<b>Garden Phlox, Pink (<i>Phlox paniculata</i> 'Robert Poore' )</b>	<b>6.00</b>
<b>Garden Phlox, Purple/Blue (<i>Phlox paniculata</i> 'Blue paradise')</b>	<b>6.00</b>
<b>Garden Phlox, White (<i>Phlox paniculata</i> 'Delta Snow')</b>	<b>6.00</b>
<b>Gaura, Biennial (<i>Gaura biennis</i>) K</b>	<b>5.00</b>
<b>Gaura, Large-flowered (<i>Gaura longiflora</i>) K</b>	<b>7.00</b>
<b>Gaura, Scarlet (<i>Gaura coccinea</i>) C/US</b>	<b>7.00</b>
<b>Genista tinctoria (<i>Dyer's Broom</i>) M/H</b>	<b>4.00</b>
<b>Gentian, Bottle (<i>Gentiana clausa</i>) E/US</b>	<b>9.00</b>
<b>Gentian, Bottle (<i>Gentiana clausa</i>) E/US</b>	<b>9.00</b>
<b>Gentian, Cream (<i>Gentiana flavida</i>) K</b>	<b>12.00</b>
<b>Gentian, Downey (<i>Gentiana puberulanta</i>) K</b>	<b>15.00</b>
<b>Gentian, Fringed (<i>Gentiana crinita</i>) E/US</b>	<b>9.00</b>
<b>Gentian, Prairie (<i>Gentiana andrewsii</i>) K</b>	<b>9.00</b>
<b>Gentian, Small Fringed (<i>Gentiana procera</i>) N/US</b>	<b>12.00</b>
<b>Gentian, Stiff (<i>Gentiana quinquefolia</i>) K</b>	<b>12.00</b>
<b>Gentian, White (<i>Gentiana alba</i>) K</b>	<b>12.00</b>
<b>Geranium, Wild (<i>Geranium maculatum</i>) K</b>	<b>7.00</b>
<b>Germander, Canadian (<i>Teucrium canadense</i>) K</b>	<b>7.00</b>
<b>Ginger, Wild (<i>Asarum canadense</i>) K</b>	<b>7.00</b>
<b>Ginkgo (<i>Ginkgo Biloba</i>) M/H</b>	<b>15.00</b>
<b>Ginseng (<i>Panax quinquefolia</i>) K</b>	<b>15.00</b>
<b>Ginseng, Dwarf (<i>Panax Trifolium</i>) K</b>	<b>15.00</b>
<b>Ginseng, Siberian (<i>Eleutherococcus senticosus</i>) M/H</b>	<b>15.00</b>
<b>Globemallow, Scarlet (<i>Sphaeralcea coccinea</i>) W/US</b>	<b>7.00</b>
<b>Goat's Rue (<i>Tephrosia virginiana</i>) K</b>	<b>10.00</b>
<b>Goatsbeard (<i>Aruncus dioicus</i>) K</b>	<b>7.00</b>
<b>Golden Marguerite / Dyer's Chamomile (<i>Anthemis tinctoria</i> 'Kelwayi') M/H</b>	<b>6.00</b>
<b>Goldenrod, Dwarf (<i>Solidago cutleri</i>) E/US</b>	<b>6.00</b>
<b>Goldenrod, Early (<i>Solidago juncea</i>) K</b>	<b>5.00</b>
<b>Goldenrod, Elm-leaved (<i>Solidago ulmifolia</i>) K</b>	<b>6.00</b>
<b>Goldenrod, Grassleaved (<i>Solidago graminifolia</i>) K</b>	<b>5.00</b>
<b>Goldenrod, Gray (<i>Solidago nemoralis</i>) K</b>	<b>5.00</b>
<b>Goldenrod, Licorice/Sweet (<i>Solidago odora</i>) K</b>	<b>7.00</b>
<b>Goldenrod, Ohio (<i>Solidago ohioensis</i>) GLR</b>	<b>5.00</b>
<b>Goldenrod, Riddell's (<i>Solidago riddellii</i>) E/US</b>	<b>6.00</b>
<b>Goldenrod, Rigid (<i>Solidago rigida</i>) K</b>	<b>5.00</b>
<b>Goldenrod, Rough-leaved (<i>Solidago rugosa</i>) K</b>	<b>7.00</b>
<b>Goldenrod, Showy (<i>Solidago speciosa</i>) K</b>	<b>6.00</b>
<b>Goldenrod, Woodland (<i>Solidago caesia</i>) K</b>	<b>6.00</b>
<b>Goldenrod, Zig-Zag (<i>Solidago flexicaulis</i>) K</b>	<b>5.00</b>
<b>Goldenseal (<i>Hydrastis canadensis</i>) K</b>	<b>9.00</b>

<b>Gooseberry, Missouri (<i>Ribes missouriense</i>) K</b>	<b>15.00</b>
<b>Grape, Muscadine (<i>Vitis rotundifolia</i>) K</b>	<b>15.00</b>
<b>Grass of Parnassus (<i>Parnassia glauca</i>) E/US</b>	<b>9.00</b>
<b>Grass, Beach (<i>Panicum amarum</i> 'Dewey Blue') E/US</b>	<b>5.00</b>
<b>Grass, Beak (<i>Diarrhena americana</i>) K</b>	<b>6.00</b>
<b>Grass, Beech / Panic (<i>Panicum amarum</i>) E/US</b>	<b>5.00</b>
<b>Grass, Big Bluestem (<i>Andropogon gerardii</i>) K</b>	<b>5.00</b>
<b>Grass, Blue Love (<i>Eragrostis elliotii</i>) SE/US</b>	<b>6.00</b>
<b>Grass, Bluejoint (<i>Calamagrostis canadensis</i>) K</b>	<b>6.00</b>
<b>Grass, Bottlebrush (<i>Elymus hystrix</i>) K</b>	<b>5.00</b>
<b>Grass, Broomsedge (<i>Andropogon virginicus</i>) K</b>	<b>5.00</b>
<b>Grass, Buffalo Grass (<i>Buchloe dactyloides</i>) W/US</b>	<b>7.00</b>
<b>Grass, Bushy Beard (<i>Andropogon glomeratus</i>) K</b>	<b>6.00</b>
<b>Grass, Common Hair (<i>Deschampsia flexuosa</i>) K</b>	<b>6.00</b>
<b>Grass, Fowl Manna (<i>Glyceria striata</i>) K</b>	<b>6.00</b>
<b>Grass, Freshwater Cordgrass (<i>Spartina pectinata</i>) K</b>	<b>5.00</b>
<b>Grass, French (<i>Psoralea onobrychis</i>) K</b>	<b>7.00</b>
<b>Grass, Indian (<i>Sorghastrum nutans</i>) K</b>	<b>5.00</b>
<b>Grass, June (<i>Koeleria macrantha</i>) K</b>	<b>5.00</b>
<b>Grass, Little Bluestem, (<i>Schizachyrium scoparium</i>) K</b>	<b>6.00</b>
<b>Grass, Mosquito/ Blue Grama (<i>Bouteloua gracilis</i>) E/US</b>	<b>6.00</b>
<b>Grass, Narrowleaf Woodoats (<i>Chasmanthium sessiliflorum</i>) SE/US</b>	<b>6.00</b>
<b>Grass, Pink Muhly (<i>Muhlenbergi capillaris</i>) K</b>	<b>7.00</b>
<b>Grass, Poverty Oat (<i>Danthonia spicata</i>) K</b>	<b>5.00</b>
<b>Grass, Prairie Dropseed (<i>Sporobolus heterolepis</i>) K</b>	<b>7.00</b>
<b>Grass, Prairie Switchgrass (<i>Panicum virgatum</i>) K</b>	<b>5.00</b>
<b>Grass, Prairie Switchgrass 'Cloud Nine' (<i>Panicum virgatum</i> 'Cloud Nine')</b>	<b>7.00</b>
<b>Grass, Prairie Switchgrass 'Dallas Blue' (<i>Panicum virgatum</i> 'Dallas Blue')</b>	<b>7.00</b>
<b>Grass, Prairie Switchgrass 'Heavy Metal' (<i>Panicum virgatum</i> 'Heavy Metal')</b>	<b>7.00</b>
<b>Grass, Prairie Switchgrass 'Northwind' (<i>Panicum virgatum</i> 'Northwind')</b>	<b>7.00</b>
<b>Grass, Prairie Switchgrass 'Shenandoah' (<i>Panicum virgatum</i> 'Shenandoah')</b>	<b>7.00</b>
<b>Grass, Prairie Switchgrass, 'Prairie Sky' (<i>Panicum virgatum</i> 'Prairie Sky')</b>	<b>7.00</b>
<b>Grass, Purple Love (<i>Eragrostis spectabilis</i>) K</b>	<b>6.00</b>
<b>Grass, River Oats (<i>Uniola latifolia</i>) K</b>	<b>5.00</b>
<b>Grass, Rye, Nodding Wild (<i>Elymus canadensis</i>) K</b>	<b>5.00</b>
<b>Grass, Rye, Silky Wild (<i>Elymus villosus</i>) K</b>	<b>5.00</b>
<b>Grass, Sand Dropseed (<i>Sporobolus crypandrus</i>) K</b>	<b>7.00</b>
<b>Grass, Silver Beard (<i>Andropogon ternarius</i>) K</b>	<b>6.00</b>
<b>Grass, Silver Cane Plume (<i>Saccharum giganteum</i>) E/US</b>	<b>7.00</b>
<b>Grass, Tawny Cotton (<i>Eriophorum virginicum</i>) K</b>	<b>8.00</b>
<b>Grass, Tufted Hair (<i>Deschampsia cespitosa</i>) K</b>	<b>6.00</b>
<b>Grass, Wool (<i>Scipus cyperinus</i>) K</b>	<b>6.00</b>
<b>Green and Gold (<i>Chrysogonum virginianum</i>) K</b>	<b>6.00</b>
<b>Green Dragon (<i>Arisaema dracontium</i>) K</b>	<b>9.00</b>
<b>Hackberry (<i>Celtis occidentalis</i>) K</b>	<b>10.00</b>
<b>Harebell (<i>Campanula rotundifolia</i>) E/US</b>	<b>6.00</b>
<b>Harebell, Southern (<i>Campanula divaricata</i>) K</b>	<b>7.00</b>
<b>Hawkweed, Hairy (<i>Hieracium longipilum</i>) K</b>	<b>5.00</b>
<b>Hawkweed, Rough (<i>Hieracium scabrum</i>) K</b>	<b>5.00</b>
<b>Hawthorn (<i>Crataegus macracantha</i>) E/US</b>	<b>12.00</b>

<b>Hawthorn, Cockspur (<i>Crataegus crus-galli</i>) K</b>	<b>15.00</b>
<b>Hawthorn, Dotted (<i>Crataegus punctata</i>) K</b>	<b>15.00</b>
<b>Hawthorn, Downy (<i>Crataegus mollis</i>) K</b>	<b>15.00</b>
<b>Hawthorn, Pear (<i>Crataegus celpodendron</i>) K</b>	<b>15.00</b>
<b>Hawthorn, Washington (<i>Crataegus phaenopyrum</i>) E/US</b>	<b>15.00</b>
<b>Hazelnut (<i>Corylus americana</i>) K</b>	<b>15.00</b>
<b>Hazelnut, Beaked (<i>Corylus cornuta</i>) E/US</b>	<b>15.00</b>
<b>Heartsease / Johnny jump up (<i>Viola tricolor</i>) M/H</b>	<b>5.00</b>
<b>Heliotrope, Mariane (<i>Heliotropium arborescens</i>)A</b>	<b>3.00</b>
<b>Hemlock, Carolina (<i>Tsuga caroliniana</i>) E/US</b>	<b>15.00</b>
<b>Hemlock, Eastern (<i>Tsuga canadensis</i>) K</b>	<b>12.00</b>
<b>Henbane (<i>Hyoscyamus niger</i>) M/H</b>	<b>3.00</b>
<b>Hepatica, Round-lobed (<i>Hepatica americana</i>) K</b>	<b>12.00</b>
<b>Hepatica, Sharp-lobed (<i>Hepatica acutiloba</i>) K</b>	<b>12.00</b>
<b>Hickory, Bitternut (<i>Carya cordiformis</i>) K</b>	<b>15.00</b>
<b>Hickory, Mockernut (<i>Carya tomentosa</i>) K</b>	<b>15.00</b>
<b>Hickory, Pignut (<i>Carya glabra</i>) K</b>	<b>15.00</b>
<b>Hickory, Shagbark (<i>Carya ovata</i>) K</b>	<b>15.00</b>
<b>Hickory, Shellbark (<i>Carya laciniosa</i>) K</b>	<b>17.00</b>
<b>Holly, American (<i>Ilex opaca</i>) K</b>	<b>15.00</b>
<b>Holly, Deciduous (<i>Ilex decidua</i>) K</b>	<b>12.00</b>
<b>Holly, Deciduous, female (<i>Ilex decidua</i>) K</b>	<b>15.00</b>
<b>Holly, Deciduous, male (<i>Ilex decidua</i>) K</b>	<b>15.00</b>
<b>Holly, Ink Berry (<i>Ilex glabra</i>) E/US</b>	<b>12.00</b>
<b>Holly, Mountain (<i>Nemopanthus mucronatus</i>) E/US</b>	<b>20.00</b>
<b>Holly, Winterberry (<i>Ilex verticillata</i>) K</b>	<b>12.00</b>
<b>Holly, Winterberry, female (<i>Ilex verticillata</i>) K</b>	<b>17.00</b>
<b>Holly, Winterberry, male (<i>Ilex verticillata</i>) K</b>	<b>15.00</b>
<b>Honeysuckle, Trumpet (<i>Lonicera sempervirens</i>) K</b>	<b>12.00</b>
<b>Honeysuckle, Wild (<i>Lonicera dioica</i>) K</b>	<b>15.00</b>
<b>Hop-Hornbeam / Ironwood (<i>Ostrya virginiana</i>) K</b>	<b>15.00</b>
<b>Hops (<i>Humulus lupulus</i>) M/H</b>	<b>6.00</b>
<b>Horehound (<i>Marrubium vulgare</i>) M/H</b>	<b>6.00</b>
<b>Horehound, Water (<i>Lycopus americanus</i>) K</b>	<b>5.00</b>
<b>Hornbeam, American (<i>Carpinus caroliniana</i>) K</b>	<b>15.00</b>
<b>Horsemint (<i>Monarda punctata</i>) K</b>	<b>5.00</b>
<b>Huckleberry, Black (<i>Gaylussacia baccata</i>) K</b>	<b>15.00</b>
<b>Hyacinth, Narrow Wild (<i>Camassia angusta</i>) M/US</b>	<b>7.00</b>
<b>Hyacinth, Wild (<i>Camassia scilloides</i>) K</b>	<b>6.00</b>
<b>Hydrangea, Oakleaf (<i>Hydrangea quercifolia</i>) E/US</b>	<b>15.00</b>
<b>Hydrangea, Showy (<i>Hydrangea arborescens grandiflora</i>) E/US</b>	<b>15.00</b>
<b>Hydrangea, Wild (<i>Hydrangea arborescens</i>) K</b>	<b>15.00</b>
<b>Hyssop, Anise (<i>Agastache foeniculum</i>) MW</b>	<b>5.00</b>
<b>Hyssop, Anise Rock (<i>Agastache rupestris</i>) W/US</b>	<b>5.00</b>
<b>Hyssop, Giant Purple (<i>Agastache scrophulariifolia</i>) K</b>	<b>5.00</b>
<b>Hyssop, Giant Yellow (<i>Agastache nepetoides</i>) K</b>	<b>6.00</b>
<b>Hyssop, Official (<i>Hyssopus officinalis</i>) M/H</b>	<b>4.00</b>
<b>Indian Cucumber Root (<i>Medeola virginiana</i>) K</b>	<b>12.00</b>
<b>Indian Hemp (<i>Apocynum cannabinum</i>) K</b>	<b>5.00</b>
<b>Indian Paintbrush (<i>Castilleja coccinea</i>) K</b>	<b>12.00</b>

<b>Indian Physic (<i>Porterabthus stipulatus</i>) [<i>Gillenia stipulata</i>] K</b>	<b>5.00</b>
<b>Indian Tobacco (<i>Lobelia inflata</i>) K</b>	<b>3.00</b>
<b>Indigo Bush (<i>Amorpha fruticosa</i>) K</b>	<b>10.00</b>
<b>Indigo, Dwarf Wild (<i>Baptisia minor</i>) C/US</b>	<b>6.00</b>
<b>Indigo, Dwarf (<i>Amorpha nana</i>) E/US</b>	<b>10.00</b>
<b>Indigo, False Blue (<i>Baptisia australis</i>) K</b>	<b>5.00</b>
<b>Indigo, False Cream (<i>Baptisia leucophaea</i>) K</b>	<b>7.00</b>
<b>Indigo, False White (<i>Baptisia lactea</i>, formerly <i>B. leucantha</i>) K</b>	<b>5.00</b>
<b>Indigo, False Yellow (<i>Baptisia tinctoria</i>) K</b>	<b>10.00</b>
<b>Indigo, Wild Yellow (<i>Baptisia sphaerocarpa</i>) MW/US</b>	<b>7.00</b>
<b>Iris, American Sweet Flag (<i>Acorus americanus</i>) K</b>	<b>6.00</b>
<b>Iris, Beach-head (<i>Iris setosa</i>) N/US</b>	<b>7.00</b>
<b>Iris, Blue Flag (<i>Iris versicolor</i>) K</b>	<b>6.00</b>
<b>Iris, Butterfly (<i>Iris Spuria</i>) non native</b>	<b>10.00</b>
<b>Iris, Copper (<i>Iris fulva</i>) K</b>	<b>6.00</b>
<b>Iris, Dwarf (<i>Iris verna</i>) K</b>	<b>7.00</b>
<b>Iris, Dwarf Crested (<i>Iris cristata</i>) K</b>	<b>7.00</b>
<b>Iris, Sweet Flag (<i>Acorus calamus</i>) K</b>	<b>6.00</b>
<b>Iris, Wild Yellow (<i>Iris pseudacorus</i>) K</b>	<b>6.00</b>
<b>Iris, Zigzag (<i>Iris brevicaulis</i>) K</b>	<b>9.00</b>
<b>Ironweed (<i>Vernonia altissima</i>) K</b>	<b>5.00</b>
<b>Ironweed, Arkansas (<i>Veronia arkansana</i>) E/US</b>	<b>6.00</b>
<b>Ironweed, Giant (<i>Veronia gigantea</i> ssp. <i>gigantea</i>) K</b>	<b>7.00</b>
<b>Ironweed, Missouri (<i>Vernonia missurica</i>) K</b>	<b>7.00</b>
<b>Ironweed, New York (<i>Vernonia noveboracensis</i>) K</b>	<b>5.00</b>
<b>Ironweed, Upland (<i>Vernonia glauca</i>) E/US</b>	<b>5.00</b>
<b>Ironweed, White New York (<i>Veronia noveboracensis</i> f. <i>albiflora</i>) K</b>	<b>7.00</b>
<b>Jack in the Pulpit (<i>Arisaema triphyllum</i>) K</b>	<b>9.00</b>
<b>Jacob's Ladder (<i>Polemonium reptans</i>) K</b>	<b>5.00</b>
<b>Jasmine, Carolina (<i>Gelsemium sempervirens</i>) S/US</b>	<b>15.00</b>
<b>Jewelweed, Yellow (<i>Impatiens pallida</i>) K</b>	<b>4.50</b>
<b>Joe-Pye-Weed (<i>Eupatorium fistulosum</i>) K</b>	<b>5.00</b>
<b>Joe-Pye-Weed, Purple / Sweet (<i>Eupatorium purpureum</i>) K</b>	<b>5.00</b>
<b>Joe-Pye-Weed, Spotted (<i>Eupatorium maculatum</i>) K</b>	<b>5.00</b>
<b>Joe-Pye-Weed, Three-nerved (<i>Eupatorium dubium</i>) E/US</b>	<b>5.00</b>
<b>Joe-Pye-Weed, White (<i>Eupatorium rugosum</i>) K</b>	<b>4.50</b>
<b>Jujube, Chinese (<i>Zizphus spinosa</i>) M/H</b>	<b>8.00</b>
<b>Juniper, Old Field (<i>Juniperus communis</i> var. <i>depressa</i>) E/US</b>	<b>12.00</b>
<b>Kentucky Coffee Tree (<i>Gymnocladus dioica</i>) K</b>	<b>15.00</b>
<b>King of the meadow (<i>Thalicturm polygamamum</i> [<i>pubescens</i>]) K</b>	<b>7.00</b>
<b>Ladies' Tresses (<i>Spiranthes odorata</i>) K</b>	<b>15.00</b>
<b>Lady's-slipper, Kentucky (<i>Cypripedium kentuckiense</i>) K</b>	<b>15.00</b>
<b>Lady's-slipper, Large yellow (<i>Cypripedium pubescens</i>) K</b>	<b>15.00</b>
<b>Lady's-slipper, Large-flowered Yellow (<i>Cypripedium parviflorum</i>) K</b>	<b>15.00</b>
<b>Lady's-slipper, Showy (<i>Cypripedium reginae</i>) K</b>	<b>20.00</b>
<b>Lady's-slipper, Showy White (<i>Cypripedium reginae</i> <i>albolabium</i>) SW/US</b>	<b>20.00</b>
<b>Larkspur (<i>Delphinium tricorne</i>) K</b>	<b>9.00</b>
<b>Larkspur, Prairie (<i>Delphinium virescens</i>) K</b>	<b>7.00</b>
<b>Larkspur, Tall (<i>Delphinium exaltatum</i>) K</b>	<b>9.00</b>
<b>Larkspur, Wild Blue (<i>Delphinium carolinianum</i>) K</b>	<b>9.00</b>

<b>Laurel, Bog (<i>Kalmia polifolia</i>) E/US</b>	<b>15.00</b>
<b>Laurel, Great (<i>Rhododendron maximum</i>) K</b>	<b>12.00</b>
<b>Laurel, Mountain (<i>Kalmia latifolia</i>) K</b>	<b>15.00</b>
<b>Laurel, Sheep (<i>Kalmia angustifolia</i>) E/US</b>	<b>15.00</b>
<b>Lavender, English - Munstead (<i>Lavendula angustifolia</i>-Munstead) M/H</b>	<b>5.00</b>
<b>Lavender, Fragrant Butterfly (<i>Lavandula stoechas penunculata</i>) M/H</b>	<b>5.00</b>
<b>Lavender, Lady (<i>Lavendula angustifolia</i>) M/H</b>	<b>5.00</b>
<b>Lavender, Purple Ribbon (<i>Lavendula stoechas</i>) M/H</b>	<b>4.00</b>
<b>Lavender, Spanish Eyes (<i>Lavendula multifida</i>) M/H</b>	<b>4.00</b>
<b>Leadplant (<i>Amorpha canescens</i>) MW/US</b>	<b>10.00</b>
<b>Leatherfeaf (<i>Chamaedaphne calyculata</i>) E/US</b>	<b>15.00</b>
<b>Leatherwood Tree (<i>Dirca palustris</i>) K</b>	<b>20.00</b>
<b>Leichtlin's Camas (<i>Camassia leichtlinii v. suksdorfii</i>) W/US</b>	<b>7.00</b>
<b>Lemongrass, Indian (<i>Cymbopogon flexuosus</i>) M/H</b>	<b>5.00</b>
<b>Leontopodium alpinum</b>	<b>5.00</b>
<b>Leucothoe, Redtwig Mountain (<i>Leucothoe recurva</i>) K</b>	<b>12.00</b>
<b>Leucothoe, Swamp (<i>Leucothoe racemosa</i>) E/US</b>	<b>12.00</b>
<b>Licorice, Official (<i>Glycyrrhiza glabra</i>) M/H</b>	<b>6.00</b>
<b>Life-of-Man (<i>Aralia racemosa</i>) K</b>	<b>12.00</b>
<b>Lily, Bluebead (<i>Clintonia umbellulata</i>) K</b>	<b>15.00</b>
<b>Lily, Canada (<i>Lilium canadense</i>) K</b>	<b>17.00</b>
<b>Lily, Leopard (<i>Belamcanda chinensis</i>) M/H</b>	<b>6.00</b>
<b>Lily, Michigan (<i>Lilium michiganense</i>) K</b>	<b>17.00</b>
<b>Lily, Prairie (<i>Lilium philadelphicum</i>) K</b>	<b>10.00</b>
<b>Lily, Spider (<i>Hymenocallis caroliniana</i>) K</b>	<b>12.00</b>
<b>Lily, Turk's-Cap (<i>Lilium superbum</i>) K</b>	<b>12.00</b>
<b>Lily, White Water (<i>Nymphaea odorata</i>) K</b>	<b>15.00</b>
<b>Lily, Yellow Water (<i>Nuphar lutea</i>) K</b>	<b>15.00</b>
<b>Lily-of-the-Valley (<i>Convallaria montana</i>) K</b>	<b>9.00</b>
<b>Lion's Foot (<i>Prenanthes alba</i>) K</b>	<b>9.00</b>
<b>Little Brown Jug (<i>Hexastylis arifolium</i>) K</b>	<b>12.00</b>
<b>Lizard Tail (<i>Saururus cernuus</i>) K</b>	<b>6.00</b>
<b>Lobelia, Great Blue (<i>Lobelia siphilitica</i>) K</b>	<b>5.00</b>
<b>Lobelia, Red / Cardinal Flower (<i>Lobelia cardinalis</i>) K</b>	<b>5.00</b>
<b>Lobelia, Spiked (<i>Lobelia spicata</i>) K</b>	<b>6.00</b>
<b>Lobelia, White (<i>Lobelia siphiliica</i> Var. <i>alba</i>) K</b>	<b>5.00</b>
<b>Locust, Honey (<i>Gleditsia triacanthos</i>)</b>	<b>12.00</b>
<b>Locust, Thornless Honey (<i>Gleditsia triacanthos</i> var <i>inermis</i>) K</b>	<b>15.00</b>
<b>Loosestrife, Lanceleaf (<i>Lysimachia lanceolata</i>) K</b>	<b>5.00</b>
<b>Loosestrife, Winged (<i>Lythrum alatum</i>) K</b>	<b>6.00</b>
<b>Lopseed (<i>Phryma leptostachya</i>) K</b>	<b>6.00</b>
<b>Lovage (<i>Levisticum officinale</i>) M/H</b>	<b>6.00</b>
<b>Love in the Mist (<i>Nigella damascena</i>) M/H</b>	<b>3.00</b>
<b>Lupine (<i>Lupinus perennis</i>) K</b>	<b>7.00</b>
<b>Lupine, Carolina (<i>Thermopsis caroliniana</i>) [<i>villosa</i>] K</b>	<b>5.00</b>
<b>Ma Huang (<i>Ephedra sinica</i>) M/H</b>	<b>9.00</b>
<b>Magnolia, Cucumber (<i>Magnolia acuminata</i>) K</b>	<b>17.00</b>
<b>Magnolia, Large Leaf (<i>Magnolia macrophylla</i>) K</b>	<b>17.00</b>
<b>Magnolia, Southern (<i>Magnolia grandiflora</i>) S/US</b>	<b>17.00</b>
<b>Magnolia, Sweetbay (<i>Magnolia virginiana</i>) E/US</b>	<b>17.00</b>

<b>Magnolia, Umbrella Leaf (<i>Magnolia tripetala</i>) K</b>	<b>17.00</b>
<b>Maleberry (<i>Lyonia ligustrina</i>) K</b>	<b>20.00</b>
<b>Mandarin, Yellow (<i>Disporium lanuginosum</i>) K</b>	<b>12.00</b>
<b>Maple, Black (<i>Acer nigrum</i>) K</b>	<b>15.00</b>
<b>Maple, Drummond Red (<i>Acer drummondii</i>) K</b>	<b>15.00</b>
<b>Maple, Flame Amur (<i>Acer ginnala</i>) E/US</b>	<b>17.00</b>
<b>Maple, Mountain (<i>Acer spicatum</i>) K</b>	<b>15.00</b>
<b>Maple, Red (<i>Acer rubrum</i>) K</b>	<b>15.00</b>
<b>Maple, Silver (<i>Acer saccharinum</i>) K</b>	<b>10.00</b>
<b>Maple, Striped (<i>Acer pensylvanicum</i>) K</b>	<b>15.00</b>
<b>Maple, Sugar (<i>Acer saccharum</i>) K</b>	<b>15.00</b>
<b>Maralroot (<i>Leuzea carthamoides</i> 'Lujza') M/H</b>	<b>12.00</b>
<b>Marbleseed (<i>Onosmodium molle</i>) K</b>	<b>9.00</b>
<b>Marigold, Red Gem (<i>Tagetes tenuifolia</i>) M/H</b>	<b>4.50</b>
<b>Marigold, Summer Splash (<i>Tagetes patula x erecta</i>) A</b>	<b>3.00</b>
<b>Marjoram, Oregano (<i>Origanum majorana</i>) M/H</b>	<b>4.00</b>
<b>Marsh Marigold (<i>Caltha palustris</i>) K</b>	<b>5.00</b>
<b>Marshmallow (<i>Althaea officinalis</i>) M/H</b>	<b>4.00</b>
<b>May Apple (<i>Podophyllum peltatum</i>) K</b>	<b>12.00</b>
<b>Meadow Beauty (<i>Rhexia virginiana</i>) K</b>	<b>6.00</b>
<b>Meadow Beauty, Pale (<i>Rhexia interior</i>) K</b>	<b>7.00</b>
<b>Meadow Rue, Early (<i>Thalictrum dioicum</i>) K</b>	<b>7.00</b>
<b>Meadow Rue, Purple (<i>Thalictrum dasycarpum</i>) K</b>	<b>5.00</b>
<b>Meadowsweet (<i>Spirea ulmaria</i> / <i>Filpendula ulmaria</i>) M/H</b>	<b>5.00</b>
<b>Meadowsweet, White (<i>Spirea ulmeria alba</i>) M/H</b>	<b>6.00</b>
<b>Meehania, Creeping Mint (<i>Meehania cordata</i>) K</b>	<b>7.00</b>
<b>Merrybells, Little (<i>Uvularia sessilifolia</i>) K</b>	<b>9.00</b>
<b>Mignonette (<i>Reseda odorata</i>) M/H</b>	<b>5.00</b>
<b>Milk-vetch, Canadian (<i>Astragalus canadensis</i>) K</b>	<b>5.00</b>
<b>Milk-vetch, Tennessee (<i>Astragalus tenesensis</i>) SE/US</b>	<b>6.00</b>
<b>Milkweed, Butterfly (<i>Asclepias tuberosa</i>) K</b>	<b>6.00</b>
<b>Milkweed, Climbing (<i>Mikania scandens</i>) K</b>	<b>10.00</b>
<b>Milkweed, Common (<i>Asclepias syriaca</i>) K</b>	<b>5.00</b>
<b>Milkweed, Green (<i>Asclepias viridis</i>) K</b>	<b>12.00</b>
<b>Milkweed, Marsh (<i>Asclepias incarnata</i>) K</b>	<b>5.00</b>
<b>Milkweed, Poke (<i>Asclepias exaltata</i>) K</b>	<b>12.00</b>
<b>Milkweed, Prairie (<i>Asclepias sullivantii</i>) K</b>	<b>12.00</b>
<b>Milkweed, Purple (<i>Asclepias purpurascens</i>) K</b>	<b>7.00</b>
<b>Milkweed, Sand (<i>Asclepias amplexicaulis</i>) K</b>	<b>12.00</b>
<b>Milkweed, Showy (<i>Asclepias speciosa</i>) E/US</b>	<b>9.00</b>
<b>Milkweed, Tall Green (<i>Asclepias hirtella</i>) K</b>	<b>12.00</b>
<b>Milkweed, White Marsh (<i>Asclepias incarnata</i> "Ice Ballet")</b>	<b>6.00</b>
<b>Milkweed, Whorled (<i>Asclepias verticillata</i>) K</b>	<b>6.00</b>
<b>Minibush (<i>Menzesia pilosa</i>) E/US</b>	<b>20.00</b>
<b>Mint, Basil Mountain, (<i>Pycnanthemum clinopodiodes</i>) E/US</b>	<b>6.00</b>
<b>Mint, Hairy Mountain (<i>Pycnanthemum pilosum</i>) K</b>	<b>5.00</b>
<b>Mint, Hairy Wood (<i>Blephilia hirsuta</i>) (Wood Mint, Hairy) K</b>	<b>6.00</b>
<b>Mint, Short Tooth Mountain (<i>Pycnanthemum muticum</i>) K</b>	<b>5.00</b>
<b>Mint, Slender Mountain (<i>Pycnanthemum tenuifolium</i>) K</b>	<b>5.00</b>
<b>Mint, Torrey's Mountain (<i>Pycnanthemom torrei</i>) K</b>	<b>7.00</b>

<b>Mint, Virginia Mountain (<i>Pycnanthemum virginianum</i>) K</b>	<b>5.00</b>
<b>Mint, Wood (<i>Blephilia ciliata</i>) K</b>	<b>6.00</b>
<b>Mistflower (<i>Eupatorium coelestinum</i>) K</b>	<b>5.00</b>
<b>Mock-Orange, Appalachian (<i>Philadelphus inodorus</i>) K</b>	<b>17.00</b>
<b>Moleplant (<i>Euphorbia lathyri</i>) M/H</b>	<b>6.00</b>
<b>Monkey Flower (<i>Mimulus alatus</i>) K</b>	<b>5.00</b>
<b>Monkey Flower, Seep (<i>Mimulus guttatus</i>) E/US</b>	<b>6.00</b>
<b>Monkey-Face Orchid (<i>Plantanthera integrilabia</i>) K</b>	<b>15.00</b>
<b>Monkshood / Aconite (<i>Aconitum napellus</i>) M/H</b>	<b>6.00</b>
<b>Monkshood Vine, Southern (<i>Aconitum uncinatum</i>) K</b>	<b>15.00</b>
<b>Moonseed Vine (<i>Menispermum canadense</i>) K</b>	<b>12.00</b>
<b>Motherwort, Official (<i>Leonurus cardiaca</i>) M/H</b>	<b>4.00</b>
<b>Mountain Lover (<i>Paxistima canbyi</i>) K</b>	<b>15.00</b>
<b>Mulberry, Black (<i>Morus nigra</i>) K</b>	<b>15.00</b>
<b>Mulberry, Red (<i>Morus rubra</i>) K</b>	<b>15.00</b>
<b>Nasturtium Empress Of India (<i>Tropaeolum majus</i>) A</b>	<b>3.00</b>
<b>Nasturtium, Copper Sunset Mounding (<i>Tropaeolum majus</i>) A</b>	<b>3.00</b>
<b>Nasturtium, Creamsicle (<i>Tropaeolum majus</i>) A</b>	<b>3.00</b>
<b>Nettle, Stinging (<i>Urtica dioica</i>) K</b>	<b>4.00</b>
<b>Nine Bark (<i>Physocarpus opulifolius</i>) K</b>	<b>15.00</b>
<b>Oak, Basket (<i>Quercus michauxii</i>) K</b>	<b>20.00</b>
<b>Oak, Bear (<i>Quercus ilicifolia</i>) K</b>	<b>20.00</b>
<b>Oak, Black (<i>Quercus velutina</i>) K</b>	<b>15.00</b>
<b>Oak, Blackjack (<i>Quercus marilandica</i>) K</b>	<b>15.00</b>
<b>Oak, Bur (<i>Quercus macrocarpa</i>) K</b>	<b>15.00</b>
<b>Oak, Cherry Bark (<i>Quercus falcata pagodaefolia</i>) K</b>	<b>15.00</b>
<b>Oak, Chestnut (<i>Quercus prinus</i>) K</b>	<b>15.00</b>
<b>Oak, Chinkapin (<i>Quercus muehlenbergii</i>) K</b>	<b>15.00</b>
<b>Oak, Live (<i>Quercus virginiana</i>) SE/US</b>	<b>15.00</b>
<b>Oak, Northern Pin (<i>Quercus ellipsoidalis</i>) N/US</b>	<b>15.00</b>
<b>Oak, Northern Red (<i>Quercus borealis</i>) K</b>	<b>15.00</b>
<b>Oak, Nuttall (<i>Quercus nuttallii</i>) K</b>	<b>15.00</b>
<b>Oak, Overcup (<i>Quercus lyrata</i>) K</b>	<b>15.00</b>
<b>Oak, Pin (<i>Quercus palustris</i>) K</b>	<b>15.00</b>
<b>Oak, Post (<i>Quercus stellata</i>) K</b>	<b>15.00</b>
<b>Oak, Red (<i>Quercus rubra</i>) K</b>	<b>15.00</b>
<b>Oak, Scarlet (<i>Quercus coccinea</i>) K</b>	<b>15.00</b>
<b>Oak, Shingle (<i>Quercus imbricaria</i>) K</b>	<b>15.00</b>
<b>Oak, Shumard (<i>Quercus shumardii</i>) K</b>	<b>15.00</b>
<b>Oak, Spanish (<i>Quercus falcata</i>) K</b>	<b>15.00</b>
<b>Oak, Swamp Chestnut (<i>Quercus prinoides</i>) E/US</b>	<b>15.00</b>
<b>Oak, Swamp White (<i>Quercus bicolor</i>) K</b>	<b>15.00</b>
<b>Oak, White (<i>Quercus alba</i>) K</b>	<b>15.00</b>
<b>Oak, Willow (<i>Quercus phellos</i>) K</b>	<b>15.00</b>
<b>Obedient Plant (<i>Physostegia virginiana</i>) K</b>	<b>5.00</b>
<b>Onion, Nodding Pink (<i>Allium stellatum</i>) MW/US</b>	<b>6.00</b>
<b>Onion, Nodding Wild (<i>Allium cernuum</i>) K</b>	<b>5.00</b>
<b>Oregano, Greek (<i>Origanum heracleoticum</i>) M/H</b>	<b>4.00</b>
<b>Oregano, Wild (<i>Origanum vulgare</i>) M/H</b>	<b>4.00</b>
<b>Oregano, Zaatar (<i>Origanum syriacum</i>) M/H</b>	<b>3.00</b>

<b>Osage Orange (Maclura pomifera) S/US</b>	<b>12.00</b>
<b>Pachysandra, Allegheny Spurge (Pachysandra procumbens) K</b>	<b>9.00</b>
<b>Pan-Pacific Greens, Stirfry Mix A</b>	<b>1.00</b>
<b>Parsley, Chinese (Coriandrum sativum) M/H</b>	<b>5.00</b>
<b>Parsley, Curly (Petroselinum crispum - crispum) M/H</b>	<b>3.00</b>
<b>Parsley, Italian Flat (Petroselinum crispum neaplitanum) M/H</b>	<b>3.00</b>
<b>Partridge Berry (Mitchella repens) K</b>	<b>12.00</b>
<b>Partridge Pea (Cassia fasciculata) K</b>	<b>25.00</b>
<b>Partridge-pea (Chamaecrista fasciculata) [Cassia] K</b>	<b>5.00</b>
<b>Pasque Flower (Anemone patens wolfgangiana) MW/US</b>	<b>6.00</b>
<b>Pasque Flower (Anemone pulsatilla) M/H</b>	<b>6.00</b>
<b>Passion-flower, Maypop (Passiflora incarnata) K</b>	<b>12.00</b>
<b>Passion-flower, Yellow (Passiflora lutea) K</b>	<b>20.00</b>
<b>Paw Paw (Asimina triloba) K</b>	<b>15.00</b>
<b>Pea, Scurfy (Psoralea tenuiflora) K</b>	<b>7.00</b>
<b>Pearly Everlasting (Anaphalis margaritacea) K</b>	<b>6.00</b>
<b>Pearly Everlasting, Red (Antennaria dioica 'Rubra') M/US</b>	<b>6.00</b>
<b>Pecan (Carya illinoensis) K</b>	<b>17.00</b>
<b>Pennyroyal (Mentha pulegium) M/H</b>	<b>6.00</b>
<b>Persimmon (Diospyros virginiana) K</b>	<b>15.00</b>
<b>Petroselinum crispum (Sweet Curly Parsley) M/H</b>	<b>1.00</b>
<b>Petunia, Carolina (Ruellia caroliniensis) K</b>	<b>5.00</b>
<b>Petunia, Wild (Ruellia humilis) K</b>	<b>5.00</b>
<b>Phacelia (Phacelia bipinnatifida) K</b>	<b>6.00</b>
<b>Phlox, Blue Creeping (Phlox stolonifera 'Blue Ridge') K</b>	<b>6.00</b>
<b>Phlox, Carolina (Phlox carolinia 'Miss Lingard') E/US</b>	<b>6.00</b>
<b>Phlox, Carolina (Phlox carolinia Var. angusta) E/US</b>	<b>6.00</b>
<b>Phlox, Chattahoochee (Phlox x 'Chatahoochee') E/US</b>	<b>6.00</b>
<b>Phlox, Creeping (Phlox stolonifera) K</b>	<b>6.00</b>
<b>Phlox, Creeping / Moss (Phlox subulata) K</b>	<b>6.00</b>
<b>Phlox, Downy (Phlox pilosa) K</b>	<b>6.00</b>
<b>Phlox, Drummondii (Mountain Pink) A</b>	<b>4.50</b>
<b>Phlox, Garden (Phlox paniculata) K</b>	<b>5.00</b>
<b>Phlox, Marsh (Phlox glaberrima interior) K</b>	<b>7.00</b>
<b>Phlox, Meadow (Phlox maculata) K</b>	<b>6.00</b>
<b>Phlox, Pale Wild Blue (Phlox divaricata 'May breeze') E/US</b>	<b>6.00</b>
<b>Phlox, Purple Creeping (Phlox stolonifera 'Sherwood Purple') K</b>	<b>6.00</b>
<b>Phlox, Sand (Phlox bifida) K</b>	<b>4.50</b>
<b>Phlox, Smooth (Phlox amoena) K</b>	<b>4.50</b>
<b>Phlox, Three-flowered (Phlox glaberrima) K</b>	<b>6.00</b>
<b>Phlox, Wild Blue (Phlox divaricata) K</b>	<b>6.00</b>
<b>Phlox, Wild Blue Purple (Phlox divaricata 'Parksville Beach') K</b>	<b>6.00</b>
<b>Phlox, Wild Sweet William (Phlox divaricata, 'London Grove Blue') E/US</b>	<b>6.00</b>
<b>Pimpernel, Yellow (Taenedia integerrima) K</b>	<b>7.00</b>
<b>Pine, Eastern White (Pinus strobus) K</b>	<b>12.00</b>
<b>Pine, Loblolly (Pinus taeda) K</b>	<b>15.00</b>
<b>Pine, Pitch (Pinus rigida) K</b>	<b>15.00</b>
<b>Pine, Virginia (Pinus virginiana) K</b>	<b>17.00</b>
<b>Pink, Compact Wild (Silene caroliniana ssp. wherryi) E/US</b>	<b>7.00</b>
<b>Pink, Fire (Silene virginica) K</b>	<b>6.00</b>



<b>Pink, Indian (<i>Spigelia marilandica</i>) K</b>	<b>9.00</b>
<b>Pink, Meadow (<i>Sabatia angularis</i>) K</b>	<b>6.00</b>
<b>Pink, Pennsylvania Wild (<i>Silene caroliniana</i> ssp. <i>pennsylvanica</i>) E/US</b>	<b>7.00</b>
<b>Pink, Swamp (<i>Helonias bullata</i>) E/US</b>	<b>10.00</b>
<b>Pink, Sweet (<i>Dianthus x hybrida</i> 'Rainbow Loveliness') A</b>	<b>3.00</b>
<b>Pink, Wild (<i>Silene caroliniana</i>) K</b>	<b>5.00</b>
<b>Plantain, Great Indian (<i>Cacalia muhlenbergii</i>) K</b>	<b>7.00</b>
<b>Plantain, Robin's (<i>Erigeron pulchellus</i>) K</b>	<b>7.00</b>
<b>Plum, American (<i>Prunus americana</i>) K</b>	<b>12.00</b>
<b>Plum, Chickasaw (<i>Prunus angustifolia</i>) K</b>	<b>15.00</b>
<b>Poppies, Legion of Honor (<i>Papaver rhoeas</i>) A</b>	<b>3.00</b>
<b>Poppy Mallow (<i>Callirhoe papaver</i>) MW/US</b>	<b>7.00</b>
<b>Poppy Mallow, Bush's (<i>Callirhoe bushii</i>) MW/US</b>	<b>7.00</b>
<b>Poppy Mallow, Clustered (<i>Callirhoe triangulata</i>) MW/US</b>	<b>12.00</b>
<b>Poppy Mallow, Purple (<i>Callirhoe involucrata</i>) MW/US</b>	<b>7.00</b>
<b>Poppy, California (<i>Eshscholzia californica</i>) M/H</b>	<b>3.00</b>
<b>Poppy, Hungarian (<i>Papavar somniferum h</i>) M/H</b>	<b>3.00</b>
<b>Poppy, Hungarian Breadseed (<i>Papaver spp.</i>) A</b>	<b>3.00</b>
<b>Poppy, Pepperbox Breadseed (<i>Papaver spp.</i>) A</b>	<b>3.00</b>
<b>Poppy, Zahir (<i>Papavar somniferum z</i>) M/H</b>	<b>3.00</b>
<b>Porcelainberry, Heart-leaf (<i>Ampelopsis cordata</i>) K</b>	<b>10.00</b>
<b>Powdery Thalia (<i>Thalia dealbata</i>) SE/US</b>	<b>15.00</b>
<b>Prairie Dock (<i>Silphium terebinthinaceum</i>) K</b>	<b>6.00</b>
<b>Prairie Smoke (<i>Geum triflorum</i>) N</b>	<b>6.00</b>
<b>Prickly-Pear (<i>Opuntia humifusa</i>) K</b>	<b>15.00</b>
<b>Primrose, Evening (<i>Oenothera biennis</i>) K</b>	<b>4.50</b>
<b>Primrose, Large-flowering Evening (<i>Oenothera grandiflora</i>) K</b>	<b>5.00</b>
<b>Primrose, Missouri (<i>Oenothera missouriensis</i>) MW/US</b>	<b>6.00</b>
<b>Primrose, Showy (<i>Oenothera speciosa</i>) K</b>	<b>6.00</b>
<b>Primrose, stemless / sessile (<i>Oenothera triloba</i>) K</b>	<b>12.00</b>
<b>Princess Pine (<i>Lycopodium obscurum</i>) K</b>	<b>20.00</b>
<b>Pumpkin, Cinderella's Carriage A</b>	<b>1.00</b>
<b>Purple Rocket (<i>Iodanthus pinnatifidus</i>) K</b>	<b>6.00</b>
<b>Pussytoes (<i>Antennaria plantaginifolia</i>) K</b>	<b>6.00</b>
<b>Pussytoes, Single-headed (<i>Antennaria solitaria</i>) K</b>	<b>6.00</b>
<b>Putty Root (<i>Aplectrum hyemale</i>) K</b>	<b>15.00</b>
<b>Pyrethrum (<i>Chrysanthemum coccineum</i>) M/H</b>	<b>4.00</b>
<b>Pyrethrum, Painted Daisy (<i>Tanacetum coccineum</i>) M/H</b>	<b>6.00</b>
<b>Queen of the Prairie (<i>Filipendula rubra</i>) N/US</b>	<b>7.00</b>
<b>Quinine, Wild (<i>Parthenium integrifolium</i>) K</b>	<b>5.00</b>
<b>Ragwort, Golden (<i>Senecio aureus</i>) K</b>	<b>5.00</b>
<b>Ragwort, Prairie (<i>Senecio plattensis</i>) K</b>	<b>7.00</b>
<b>Raspberry, Black (<i>Rubus occidentalis</i>) K</b>	<b>12.00</b>
<b>Raspberry, Northern Red (<i>Rubus idaeus canadensis</i>) NE/US</b>	<b>12.00</b>
<b>Rattlebox (<i>Crotalaria sagittalis</i>) K</b>	<b>5.00</b>
<b>Rattlesnake Master (<i>Eryngium yuccifolium</i>) K</b>	<b>6.00</b>
<b>Rattlesnake Plantain (<i>Goodyera pubescens</i>) K</b>	<b>17.00</b>
<b>Rattlesnake Plantain, Dwarf (<i>Goodyera repens</i>) K</b>	<b>17.00</b>
<b>Rattlesnake Root (<i>Prenanthes racemosa</i>) E/US</b>	<b>7.00</b>
<b>Redbud (<i>Cercis canadensis</i>) K</b>	<b>10.00</b>

<b>Reed, Broadfruit Bur (<i>Sparganium eurycarpum</i>) K</b>	<b>7.00</b>
<b>Rock Cress (<i>Arabis hirsuta</i>) non-native</b>	<b>5.00</b>
<b>Rose Mallow (<i>Hibiscus moscheutos</i>) K</b>	<b>6.00</b>
<b>Rose Mallow, Scarlet (<i>Hibiscus coccineus</i>) SE/US</b>	<b>6.00</b>
<b>Rose Mallow, Smooth (<i>Hibiscus laevis</i> [<i>militaris</i>]) K</b>	<b>6.00</b>
<b>Rose Mallow, Swamp (<i>Hibiscus palustris</i>) E/US</b>	<b>6.00</b>
<b>Rose Mallow, Woolly Swamp (<i>Hibiscus lasiocarpus</i>) K</b>	<b>6.00</b>
<b>Rose Verbena (<i>Verbena canadensis</i>) K</b>	<b>5.00</b>
<b>Rose, Carolina (<i>Rosa carolina</i>) K</b>	<b>15.00</b>
<b>Rose, Dog (<i>Rosa canina</i>) M/H</b>	<b>10.00</b>
<b>Rose, Meadow (<i>Rosa blanda</i>) K</b>	<b>15.00</b>
<b>Rose, Prairie (<i>Rosa setigera</i>) K</b>	<b>15.00</b>
<b>Rose, Seet Briar (<i>Rosa rubiginosa</i>) M/H</b>	<b>10.00</b>
<b>Rose, Swamp (<i>Rosa palustris</i>) K</b>	<b>15.00</b>
<b>Rose, Virginia (<i>Rosa virginiana</i>) K</b>	<b>15.00</b>
<b>Rose, Wild Prairie (<i>Rosa arkansana</i>) Cen/US</b>	<b>12.00</b>
<b>Rose, Wood's (<i>Rosa woodsii</i>) W/US</b>	<b>15.00</b>
<b>Rosemary (<i>Rosmarinus officinalis</i>) M/H</b>	<b>6.00</b>
<b>Rosemary, Bog (<i>Andromeda glaucophylla</i>) NE/US</b>	<b>12.00</b>
<b>Rosinweed (<i>Silphium integrifolium</i>) K</b>	<b>6.00</b>
<b>Rosinweed, Cut-leaf (<i>Silphium pinnatifidum</i>) K</b>	<b>7.00</b>
<b>Rosinweed, Whorled (<i>Silphium trifoliatum</i>) K</b>	<b>6.00</b>
<b>Royal Catchfly (<i>Silene regia</i>) K</b>	<b>6.00</b>
<b>Rue, Carolina Tassel (<i>Trautvetteria caroliniensis</i>) K</b>	<b>8.00</b>
<b>Running Ground Pine (<i>Lycopodium clavatum</i>) K</b>	<b>20.00</b>
<b>Rupturewort (<i>Herniaria glabra</i>) M/H</b>	<b>6.00</b>
<b>Rush, Black (<i>Juncus gerardii</i>) K</b>	<b>6.00</b>
<b>Rush, Common (<i>Juncus effusus</i>) K</b>	<b>5.00</b>
<b>Rush, Corkscrew (<i>Juncus effusus</i> 'spiralis') K</b>	<b>7.00</b>
<b>Rush, Creeping Spike (<i>Eleocharis erythropoda</i>) K</b>	<b>6.00</b>
<b>Rush, Curly Wurly, Corkscrew Rush (<i>Juncus effusus</i>) K</b>	<b>7.00</b>
<b>Rush, Dwarf Scouring (<i>Equisetum scirpodes</i>) N/US</b>	<b>7.00</b>
<b>Rush, Giant Spiral (<i>Juncus effusus</i> 'Unicorn') K</b>	<b>7.00</b>
<b>Rush, Needle Spike (<i>Eleocharis acicularis</i>) K</b>	<b>5.00</b>
<b>Rush, Pickerel (<i>Pontederia cordata</i>) K</b>	<b>6.00</b>
<b>Rush, Scouring (<i>Equisetum hyemale</i>) K</b>	<b>4.50</b>
<b>Rush, Slender Path (<i>Juncus tenuis</i>) K</b>	<b>6.00</b>
<b>Sage, Blue (<i>Salvia azurea</i>) K</b>	<b>6.00</b>
<b>Sage, Clary (<i>Salvia sclarea</i>) M/H</b>	<b>4.00</b>
<b>Sage, Garden (<i>Salvia officinalis</i>) M/H</b>	<b>5.00</b>
<b>Sage, Lyre leafed (<i>Salvia lyrata</i> var. <i>purpurea</i>) 'Purple Knockout' K</b>	<b>5.00</b>
<b>Sage, Lyre-leaf (<i>Salvia lyrata</i>) K</b>	<b>6.00</b>
<b>Sage, Meadow (<i>Salvia pratensis</i>) M/H</b>	<b>6.00</b>
<b>Sage, Pineapple (<i>Salvia elegans</i>) M/H</b>	<b>5.00</b>
<b>Sage, Scarlet (<i>Salvia coccinea</i>) M/H</b>	<b>4.00</b>
<b>Sage, White (<i>Salvia apiana</i>) M/H</b>	<b>5.00</b>
<b>Saint John's-wort (<i>Hypericum densiflorum</i>) K</b>	<b>10.00</b>
<b>Saint John's-wort, Dotted (<i>Hypericum virginicum</i>) K</b>	<b>7.00</b>
<b>Saint John's-wort, Golden (<i>Hypericum frondosum</i>) K</b>	<b>15.00</b>
<b>Saint John's-wort, Great (<i>Hypericum pyramidatum</i>) E/US</b>	<b>10.00</b>

<b>Saint John's-wort, Kalm (<i>Hypericum kalmianum</i>) MW/US</b>	<b>10.00</b>
<b>Saint John's-wort, Round-fruited (<i>Hypericum sphaerocarpum</i>) K</b>	<b>12.00</b>
<b>Saint John's-wort, Shrubby (<i>Hypericum prolificum</i>) K</b>	<b>10.00</b>
<b>Saint John's-wort, Spotted (<i>Hypericum punctatum</i>) K</b>	<b>7.00</b>
<b>Saltwort (<i>salsola komarovii</i>) M/H</b>	<b>5.00</b>
<b>Sassafras (<i>Sassafras albidum</i>) K</b>	<b>15.00</b>
<b>Saxifrage, Early (<i>Saxifraga virginiensis</i>) K</b>	<b>12.00</b>
<b>Saxifrage, Swamp (<i>Saxifraga pensylvanica</i>) K</b>	<b>12.00</b>
<b>Scurvygrass (<i>Cochlraria officinalis</i>) M/H</b>	<b>5.00</b>
<b>Sea Lavender (<i>Limonium latifolium</i>) M/H</b>	<b>7.00</b>
<b>Seabuckthorn (<i>Hippophae rhamnoides</i>) M/H</b>	<b>10.00</b>
<b>Seaholly (<i>Eryngium campestr</i>) M/H</b>	<b>10.00</b>
<b>Sedge, Appalachian (<i>Carex appalachian</i>) K</b>	<b>6.00</b>
<b>Sedge, Barberpole (<i>Scirpus microcarpus</i>) K</b>	<b>7.00</b>
<b>Sedge, Blue Satin (<i>Carex platyphylla</i>) K</b>	<b>6.00</b>
<b>Sedge, Blue Wood (<i>Carex flaccosperma</i>) K</b>	<b>6.00</b>
<b>Sedge, Broad-leaved Woolly (<i>Carex pellita</i>) K</b>	<b>10.00</b>
<b>Sedge, Curley-styled Wood (<i>Carex rosea</i>) K</b>	<b>7.00</b>
<b>Sedge, Dwarf Varigated 'Oehme' (<i>Carex muskingumensis</i> 'Oehme') C/US</b>	<b>6.00</b>
<b>Sedge, Emoryi (<i>Carex emoryi</i>) K</b>	<b>6.00</b>
<b>Sedge, Fox (<i>Carex vulpinoidea</i>) K</b>	<b>5.00</b>
<b>Sedge, Frank's (<i>Carex frankii</i>) K</b>	<b>5.00</b>
<b>Sedge, Gray (<i>Carex amphibola</i>) K</b>	<b>6.00</b>
<b>Sedge, Gray's (<i>Carex grayi</i>) K</b>	<b>5.00</b>
<b>Sedge, Hairy Green (<i>Carex hirsutella</i>) K</b>	<b>7.00</b>
<b>Sedge, Long-awned Bracted (<i>Carex gravida</i>) K</b>	<b>7.00</b>
<b>Sedge, Lurid (<i>Carex lurida</i>) K</b>	<b>5.00</b>
<b>Sedge, Miniature Palm (<i>Carex muskingumensis</i> 'Little Midge') C/US</b>	<b>6.00</b>
<b>Sedge, Palm (<i>Carex muskingumensis</i>) K</b>	<b>6.00</b>
<b>Sedge, Pennsylvania (<i>Carex pensylvanica</i>) K</b>	<b>6.00</b>
<b>Sedge, Seersucker (<i>Carex plantaginea</i>) K</b>	<b>6.00</b>
<b>Sedge, Tussock (<i>Carex stricta</i>) K</b>	<b>6.00</b>
<b>Sedum, Allegheny Spurge (<i>Sedum telephioides</i>) K</b>	<b>6.00</b>
<b>Sedum, Nevii Stonecrop (<i>Sedum nevii</i>) SE/US</b>	<b>6.00</b>
<b>Sedum, Three-leaved (<i>Sedum ternatum</i>) K</b>	<b>6.00</b>
<b>Sedum, Widow's Cross (<i>Sedum pulchellum</i>) K</b>	<b>6.00</b>
<b>Seedbox (<i>Ludwigia alternifolia</i>) K</b>	<b>5.00</b>
<b>Senna, Wild (<i>Cassia hebecarpa</i>) K</b>	<b>7.00</b>
<b>Senna, Wild (<i>Cassia marilandica</i>) K</b>	<b>7.00</b>
<b>Sensitive Briar, Littleleaf (<i>Schrankia microphylla</i>) K</b>	<b>5.00</b>
<b>Serviceberry, Allegheny (<i>Amelanchier laevis</i>) K</b>	<b>15.00</b>
<b>Serviceberry, Apple (<i>Amelanchier x grandiflora</i>) E/US</b>	<b>15.00</b>
<b>Serviceberry, Downy (<i>Amelanchier arborea</i>) K</b>	<b>15.00</b>
<b>Serviceberry, Running (<i>Amelanchier stolonifera</i>) EUS</b>	<b>12.00</b>
<b>Serviceberry, Shadblow (<i>Amelanchier canadensis</i>) K</b>	<b>15.00</b>
<b>Shooting Star (<i>Dodecatheon meadia</i>) K</b>	<b>9.00</b>
<b>Shooting Star, Dark Throated (<i>Dodecatheon pulchellum</i>) W/US</b>	<b>10.00</b>
<b>Shooting Star, Purple (<i>Dodecatheon amethystinum</i>) C/US</b>	<b>15.00</b>
<b>Shortia galacifolia (Oconee Bells) SE/US</b>	<b>10.00</b>
<b>Sideoats Grama (<i>Bouteloua curtipendula</i>) K</b>	<b>5.00</b>

<b>Silene armenia (Sweet William catchfly)</b>	<b>6.00</b>
<b>Silverbell, Carolina (Halesia carolina) K</b>	<b>15.00</b>
<b>Silverbell, Mountain (Halesia monticola) E/US</b>	<b>20.00</b>
<b>Skullcap, Baical (Scutellaria baicalensis) M/H</b>	<b>4.00</b>
<b>Skullcap, Barbat (Scutellaria barbata) M/H</b>	<b>4.00</b>
<b>Skullcap, Heart-leaved (Scutellaria ovata) K</b>	<b>6.00</b>
<b>Skullcap, Hyssop (Scutellaria incana) K</b>	<b>5.00</b>
<b>Skullcap, Official (Scutellaria lateriflora) K</b>	<b>6.00</b>
<b>Smartweed, Pennsylvania (Polygonum pensylvanicum) K</b>	<b>5.00</b>
<b>Smoketree, American (Cotinus obovatus) K</b>	<b>15.00</b>
<b>Snailseed Vine (Cocculus carolinus) K</b>	<b>12.00</b>
<b>Sneezeweed (Helenium autumnale) K</b>	<b>5.00</b>
<b>Sneezeweed, Purple-headed (Helenium nudiflorum) K</b>	<b>5.00</b>
<b>Snow Wreath (Neviusia alabamensis) SE/US</b>	<b>20.00</b>
<b>Snowbell, Fragrant (Styrax americanus) K</b>	<b>30.00</b>
<b>Snowbell, Frangrant (Styrax obassia) Japan</b>	<b>25.00</b>
<b>Snowberry (Symphoricarpus albus) K</b>	<b>10.00</b>
<b>Snowberry, Creeping (Gaultheria hispidula) NE/US</b>	<b>15.00</b>
<b>Solomon's Seal (Polygonatum biflorum) K</b>	<b>12.00</b>
<b>Solomon's Seal, False (Smilicina racemosa) K</b>	<b>12.00</b>
<b>Sourwood (Oxydendrum arboreum) K</b>	<b>20.00</b>
<b>Spearmint (Mentha spicata) M/H</b>	<b>6.00</b>
<b>Spearmint, Improved (Mentha spicata 'Kentucky Colonel') M/H</b>	<b>6.00</b>
<b>Species Collection, Aster K</b>	<b>38.00</b>
<b>Species Collection, Blazing Stars</b>	<b>26.00</b>
<b>Species Collection, Goldenrods</b>	<b>38.00</b>
<b>Species Collection, Milkweed</b>	<b>26.00</b>
<b>Species Collection, Phlox</b>	<b>26.00</b>
<b>Species Collection, Sunflowers</b>	<b>26.00</b>
<b>Spicebush (Lindera benzoin) K</b>	<b>15.00</b>
<b>Spiderwort, Dwarf (Tradescantia longipe) W/US</b>	<b>9.00</b>
<b>Spiderwort, Dwarf Blue (Tradescantia longipes 'Blue') M/US</b>	<b>9.00</b>
<b>Spiderwort, Dwarf Pink ( Tradescantia longipes 'Pink') M/US</b>	<b>9.00</b>
<b>Spiderwort, Ohio (Tradescantia ohiensis) K</b>	<b>5.00</b>
<b>Spiderwort, Prairie (Tradescantia bracteata) K</b>	<b>6.00</b>
<b>Spiderwort, Virginia (Tradescantia virginiana) K</b>	<b>5.00</b>
<b>Spikenard, Devil's Club (Aralia spinosa) K</b>	<b>15.00</b>
<b>Spring Beauty (Claytonia virginica) K</b>	<b>9.00</b>
<b>Spring Beauty, Carolina (Claytonia caroliniana) K</b>	<b>12.00</b>
<b>Spruce, White (Picea glauca) N/US</b>	<b>12.00</b>
<b>Squirrel Corn (Dicentra canadensis) K</b>	<b>9.00</b>
<b>Staggerbush (Lyonia mariana) E/US</b>	<b>12.00</b>
<b>Star Flower (Smilacina stellata) E/US</b>	<b>12.00</b>
<b>Star Grass, Yellow (Hypoxis hirsuta) K</b>	<b>12.00</b>
<b>Starry Champion (Silene stellata) K</b>	<b>6.00</b>
<b>Steeplebush (Spirea tomentosa) K</b>	<b>12.00</b>
<b>Steeplebush, White (Spiraea alba) K</b>	<b>12.00</b>
<b>Stevia (Stevia rebaudiana) M/H</b>	<b>6.00</b>
<b>Stewartia (Stewartia ovata) K</b>	<b>30.00</b>
<b>Stock (Mattiola incana) A</b>	<b>3.00</b>

<b>Stonecrop, Ditch (<i>Penthorum sedoides</i>) K</b>	<b>5.00</b>
<b>Stoneroot (<i>Collinsonia canadensis</i>) K</b>	<b>6.00</b>
<b>Strawberry Bush (<i>Euonymus americanus</i>) K</b>	<b>12.00</b>
<b>Strawberry Bush, Running (<i>Euonymus obovatus</i>) K</b>	<b>15.00</b>
<b>Strawberry, Wild (<i>Fragaria virginiana</i>) K</b>	<b>6.00</b>
<b>Sugarberry (<i>Celtis laevigata</i>) K</b>	<b>10.00</b>
<b>Sumac, Flameleaf (<i>Rhus copallina</i>) K</b>	<b>12.00</b>
<b>Sumac, Fragrant (<i>Rhus aromatica</i>) K</b>	<b>10.00</b>
<b>Sumac, Smooth (<i>Rhus glabra</i>) K</b>	<b>10.00</b>
<b>Sumac, Staghorn (<i>Rhus typhina</i>) K</b>	<b>10.00</b>
<b>Summersweet (<i>Clethra alnifolia</i>) K</b>	<b>12.00</b>
<b>Summersweet, Mountain / Mountain Pepperbush (<i>Clethra acuminata</i>) K</b>	<b>12.00</b>
<b>Sundrops (<i>Oenothera fruticosa</i>) K</b>	<b>6.00</b>
<b>Sunflower, Cinnamon Sun (<i>Helianthus annuus</i>) A</b>	<b>3.00</b>
<b>Sunflower, Downy (<i>Helianthus mollis</i>) K</b>	<b>5.00</b>
<b>Sunflower, Eggert's (<i>Helianthus eggerii</i>) K</b>	<b>9.00</b>
<b>Sunflower, Maximillon (<i>Helianthus maximiliani</i>) K</b>	<b>6.00</b>
<b>Sunflower, Narrow-leaved (<i>Helianthus angustifolius</i>) K</b>	<b>7.00</b>
<b>Sunflower, Ox-eye (<i>Heliopsis helianthoides</i>) K</b>	<b>5.00</b>
<b>Sunflower, Saw-toothed (<i>Helianthus grosseserratus</i>) MW/US</b>	<b>5.00</b>
<b>Sunflower, Showy (<i>Helianthus laetiflorus</i>) E/US</b>	<b>6.00</b>
<b>Sunflower, Tall / Swamp (<i>Helianthus giganteus</i>) K</b>	<b>9.00</b>
<b>Sunflower, Thin-leaved (<i>Helianthus decapetalus</i>) K</b>	<b>6.00</b>
<b>Sunflower, Tiny Headed ( <i>Helianthus microcephalus</i>) K</b>	<b>6.00</b>
<b>Sunflower, Van Gogh (<i>Helianthus annuus</i>) A</b>	<b>3.00</b>
<b>Sunflower, Western (<i>Helianthus occidentalis</i>) K</b>	<b>5.00</b>
<b>Sunflower, Woodland (<i>Helianthus divaricatus</i>) K</b>	<b>7.00</b>
<b>Susan, Black-eyed (<i>Rudbeckia hirta</i>) K</b>	<b>5.00</b>
<b>Susan, Brown-eyed (<i>Rudbeckia triloba</i>) K</b>	<b>5.00</b>
<b>Susan, Sweet / Sweet Coneflower (<i>Rudbeckia subtomentosa</i>) K</b>	<b>5.00</b>
<b>Swamp Candles (<i>Lysimachia terrestris</i>) K</b>	<b>7.00</b>
<b>Sweet Cicely (<i>Myrrhis odorata</i>) M/H</b>	<b>6.00</b>
<b>Sweet Cicely (<i>Osmorhiza claytonii</i>) K</b>	<b>6.00</b>
<b>Sweet Gale (<i>Myrica gale</i>) N/US</b>	<b>17.00</b>
<b>Sweet grass (<i>Hierochlow odorata</i>) E/US</b>	<b>6.00</b>
<b>Sweet Pea, Painted Lady (<i>Lathyrus odoratus</i>) A</b>	<b>3.00</b>
<b>Sweet Peas, Zinfandel (<i>Lathyrus odotatus</i>) A</b>	<b>3.00</b>
<b>Sweet Shrub (<i>Calycanthus fertilis</i>) K</b>	<b>15.00</b>
<b>Sweetfern Sage (<i>Comptonia peregrina</i>) K</b>	<b>12.00</b>
<b>Sweetgum (<i>Liquidambar styraciflua</i>) K</b>	<b>20.00</b>
<b>Sycamore (<i>Platanus occidentalis</i>) K</b>	<b>17.00</b>
<b>Tamarack / American Larch (<i>Larix laricina</i>) N/US</b>	<b>15.00</b>
<b>Tarragon, French (<i>Artemisia dracunculus sativa</i>) M/H</b>	<b>4.00</b>
<b>Tea, Inland (<i>Ceanothus ovatus</i>) NE</b>	<b>12.00</b>
<b>Tea, Labrador (<i>Ledum groenlandicum</i>) E/US</b>	<b>12.00</b>
<b>Tea, New Jersey (<i>Ceanothus americanus</i>) K</b>	<b>12.00</b>
<b>Thimbleberry (<i>Rubus parviflorus</i>) MW/US</b>	<b>15.00</b>
<b>Thimbleberry, Purple-bloom (<i>Rubus odoratus</i>) K</b>	<b>15.00</b>
<b>Thimbleflower (<i>Anemone virginiana</i>) K</b>	<b>5.00</b>
<b>Thoroughwort, Hyssop-leaved, (<i>Eupatorium hyssopifolium</i>) K</b>	<b>5.00</b>

<b>Thyme, Coconut (Thymus sp-coc) M/H</b>	<b>4.00</b>
<b>Thyme, Creeping (Thymus serphyllum) M/H</b>	<b>4.00</b>
<b>Thyme, English (Thymus vulgaris) M/H</b>	<b>4.00</b>
<b>Thyme, Lavender (Thymus thracicus) M/H</b>	<b>4.00</b>
<b>Thyme, Orange Spice (Thymus TM95) M/H</b>	<b>4.00</b>
<b>Thyme, Wooley (Thymus pseudolanuginosus) M/H</b>	<b>4.00</b>
<b>Tick Trefoil, Cluster-leaf (Desmodium glutinosum) K</b>	<b>7.00</b>
<b>Tick Trefoil, Hairy Bracted (Desmodium cuspidatum longifolium) K</b>	<b>7.00</b>
<b>Tick Trefoil, Showy (Desmodium canadense) K</b>	<b>6.00</b>
<b>Tithonia, Torch (Tithonia rotundifolia) A</b>	<b>3.00</b>
<b>Tobacco, Midewiwan Sacred (Nicotiana rustica) M/H</b>	<b>6.00</b>
<b>Tomato: Amish Gold</b>	<b>4.00</b>
<b>Tomato: Arkansas marvel</b>	<b>4.00</b>
<b>Tomato: Aunt Ginny's Purple</b>	<b>4.00</b>
<b>Tomato: Aunt Lucy's Italian Paste</b>	<b>4.00</b>
<b>Tomato: Beefsteak</b>	<b>4.00</b>
<b>Tomato: Big Beef</b>	<b>4.00</b>
<b>Tomato: Black Cherry</b>	<b>4.00</b>
<b>Tomato: Black Crimson</b>	<b>4.00</b>
<b>Tomato: Black Prince</b>	<b>4.00</b>
<b>Tomato: Black Sea Man</b>	<b>4.00</b>
<b>Tomato: Bloody Butcher</b>	<b>4.00</b>
<b>Tomato: Blue Fruit</b>	<b>4.00</b>
<b>Tomato: Box Car Willie</b>	<b>4.00</b>
<b>Tomato: Brandywine, Red</b>	<b>4.00</b>
<b>Tomato: Cherokee Purple</b>	<b>4.00</b>
<b>Tomato: Evergreen</b>	<b>4.00</b>
<b>Tomato: Flamme</b>	<b>4.00</b>
<b>Tomato: Garden Peach</b>	<b>4.00</b>
<b>Tomato: Ghost Cherry</b>	<b>4.00</b>
<b>Tomato: Gigantesque</b>	<b>4.00</b>
<b>Tomato: Gold Medal</b>	<b>4.00</b>
<b>Tomato: Grandfather Ashlock</b>	<b>4.00</b>
<b>Tomato: Granny Cantrell's German Pink</b>	<b>4.00</b>
<b>Tomato: Homer Fike's Yellow Oxheart</b>	<b>4.00</b>
<b>Tomato: Japanese Black Trifele</b>	<b>4.00</b>
<b>Tomato: Kentucky Beefsteak</b>	<b>4.00</b>
<b>Tomato: Marianna's Peace</b>	<b>4.00</b>
<b>Tomato: Matt's Wild Cherry</b>	<b>4.00</b>
<b>Tomato: Mortgage Lifter, Radiator Charlie's</b>	<b>4.00</b>
<b>Tomato: Mortgage Lifter, Bi-Color</b>	<b>4.00</b>
<b>Tomato: Piccolo</b>	<b>4.00</b>
<b>Tomato: Rutgers Improved</b>	<b>4.00</b>
<b>Tomato: Silvery Fir Tree</b>	<b>4.00</b>
<b>Tomato: Super Snow White</b>	<b>4.00</b>
<b>Tomato: Tigerella</b>	<b>4.00</b>
<b>Tomato: Tim's Black Ruffles</b>	<b>4.00</b>
<b>Tomato: Yellow Ruffled</b>	<b>4.00</b>
<b>Toothache Plant (Spilanthes acmella) M/H</b>	<b>6.00</b>
<b>Toothwort, Five-parted (Dentaria laciniata) K</b>	<b>10.00</b>

<b>Tormentil (<i>Potentilla tormentilla</i>) M/H</b>	<b>4.00</b>
<b>Touch-me-not, Spotted (<i>Impatiens capensis</i>) K</b>	<b>4.50</b>
<b>Trillium, Yellow form of trillium erectum (<i>Trillium erectum luteum</i>) K</b>	<b>15.00</b>
<b>Trillium, Dwarf White (<i>Trillium Pusillum</i>) K</b>	<b>15.00</b>
<b>Trillium, Large Flowering White (<i>Trillium grandiflorum</i>) K</b>	<b>15.00</b>
<b>Trillium, Large Yellow (<i>Trillium luteum</i>) K</b>	<b>15.00</b>
<b>Trillium, Nodding / Bent (<i>Trillium flexipes</i>) K</b>	<b>15.00</b>
<b>Trillium, Prairie (<i>Trillium recurvatum</i>) K</b>	<b>15.00</b>
<b>Trillium, Red (<i>Trillium erectum</i>) K</b>	<b>15.00</b>
<b>Trillium, Red Toadshade (<i>Trillium sessile</i>) K</b>	<b>15.00</b>
<b>Trillium, Toad Shade (<i>Trillium cuneatum</i>) K</b>	<b>15.00</b>
<b>Trout Lily, Yellow (<i>Erythronium americanum</i>) K</b>	<b>9.00</b>
<b>Trout Lily/Dogtooth Violet, White (<i>Erythronium albidum</i>) K</b>	<b>12.00</b>
<b>Trumpet Creeper (<i>Campsis radicans</i>) K</b>	<b>10.00</b>
<b>Tuliptree (<i>Liriodendron tulipifera</i>) K</b>	<b>15.00</b>
<b>Tupelo, Black (<i>Nyssa sylvatica</i>) K</b>	<b>15.00</b>
<b>Turtlehead, Pink (<i>Chelone obliqua</i>) K</b>	<b>6.00</b>
<b>Turtlehead, Purple (<i>Chelone lyonii</i> 'Hot Lips') E/US</b>	<b>7.00</b>
<b>Turtlehead, White (<i>Chelone glabra</i>) K</b>	<b>6.00</b>
<b>Twinleaf (<i>Jeffersonia diphylla</i>) K</b>	<b>15.00</b>
<b>Twisted Stalk (<i>Streptopus roses</i>) K</b>	<b>15.00</b>
<b>Umbrella Leaf (<i>Diphylleia cymosa</i>) SE/US</b>	<b>10.00</b>
<b>Unicorn Root (<i>Aletris farinosa</i>) K</b>	<b>12.00</b>
<b>Valerian, Official (<i>Valeriana officinalis</i>) M/H</b>	<b>4.00</b>
<b>Verbena, Lemon (<i>Aloysia triphylla</i>) M/H</b>	<b>6.00</b>
<b>Vervain, Blue (<i>Verbena hastata</i>) K</b>	<b>5.00</b>
<b>Vervain, Hoary (<i>Verbena stricta</i>) K</b>	<b>5.00</b>
<b>Viburnum, American Cranberry (<i>Viburnum trilobum</i>) EUS</b>	<b>15.00</b>
<b>Viburnum, Arrow-wood (compact) (<i>Viburnum dentatum</i>) K</b>	<b>15.00</b>
<b>Viburnum, Arrow-wood (<i>Viburnum dentatum</i>) K</b>	<b>15.00</b>
<b>Viburnum, Black-haw (<i>Viburnum prunifolium</i>) K</b>	<b>15.00</b>
<b>Viburnum, Downy Arrow-Wood (<i>Viburnum dentatum pubescens</i>) E/US</b>	<b>15.00</b>
<b>Viburnum, Hobblebush (<i>Viburnum lantanoides [alnifolium]</i>) K</b>	<b>10.00</b>
<b>Viburnum, Kentucky (<i>Viburnum molle</i>) K</b>	<b>20.00</b>
<b>Viburnum, Mapleleaf (<i>Viburnum acerifolium</i>) K</b>	<b>15.00</b>
<b>Viburnum, Nannyberry (<i>Viburnum lentago</i>) K</b>	<b>15.00</b>
<b>Viburnum, Possum-haw (<i>Viburnum nudum</i>) K</b>	<b>15.00</b>
<b>Viburnum, Southern Black-haw (<i>Viburnum rufidulum</i>) K</b>	<b>15.00</b>
<b>Viburnum, Winterthur Possum-haw (<i>Viburnum Nudum</i> 'Winterthur')</b>	<b>15.00</b>
<b>Viburnum, Withrod / Northern Wild Raisin (<i>Viburnum cassinoides</i>) K</b>	<b>15.00</b>
<b>Violet, Bird's Foot (<i>Viola pedata</i>) K</b>	<b>9.00</b>
<b>Violet, Blue (<i>Viola papilionacea</i>) K</b>	<b>5.00</b>
<b>Violet, Britton's (<i>Viola brittoniana</i>) NE/US</b>	<b>6.00</b>
<b>Violet, Canada (<i>Viola canadensis</i>) K</b>	<b>6.00</b>
<b>Violet, Crowfoot / Prairie (<i>Viola pedatifida</i>) MW/US</b>	<b>9.00</b>
<b>Violet, Glade (<i>Viola egglestonii</i>) K</b>	<b>7.00</b>
<b>Violet, Green (<i>Hybanthus concolor</i>) K</b>	<b>6.00</b>
<b>Violet, Labrador (<i>Viola labradorica</i>) NE/US</b>	<b>6.00</b>
<b>Violet, Long-Spurred (<i>Viola Rostrata</i>) K</b>	<b>7.00</b>
<b>Violet, Prairie (<i>Viola nuttallii</i>) C/US</b>	<b>6.00</b>

<b>Violet, Striped (<i>Viola striata</i>) K</b>	<b>6.00</b>
<b>Violet, Sweet (<i>Viola odorata</i>) M/H</b>	<b>6.00</b>
<b>Violet, White (<i>Viola blanda</i>) K</b>	<b>6.00</b>
<b>Violet, Yellow (<i>Viola pubescens</i>) K</b>	<b>5.00</b>
<b>Virginia Bluebells (<i>Mertensia virginica</i>) K</b>	<b>12.00</b>
<b>Virginia Creeper (<i>Parthenocissus quinquefolia</i>) K</b>	<b>12.00</b>
<b>Virginia Sweetspire (<i>Itea virginica</i>) K</b>	<b>12.00</b>
<b>Virginia Willow, Little Henry (<i>Itea virginica</i> 'Sprich') E/US</b>	<b>12.00</b>
<b>Visnaga (<i>Ammi visnaga</i>) M/H</b>	<b>6.00</b>
<b>Wafer-ash (<i>Ptelea trifoliata</i>) K</b>	<b>15.00</b>
<b>Wahoo (<i>Euonymus atropurpureus</i>) K</b>	<b>15.00</b>
<b>Wallflower, Scented Gold (<i>Erysimum perovskianum</i>) A</b>	<b>3.00</b>
<b>Walnut, Black (<i>Juglans nigra</i>) K</b>	<b>12.00</b>
<b>Walnut, White / Butternut (<i>Juglans cinerea</i>) K</b>	<b>15.00</b>
<b>Water Avens (<i>Geum rivale</i>) E&amp;W/US</b>	<b>10.00</b>
<b>Water Plantain (<i>Alisma subcordatum</i>) K</b>	<b>6.00</b>
<b>Water Plantain Large-flowered (<i>Alisma triviale</i>) E/US</b>	<b>7.00</b>
<b>Watercress (<i>Nasturtium officinale</i>) M/H</b>	<b>6.00</b>
<b>Waterleaf, Great (<i>Hydrophyllum appendiculatum</i>) K</b>	<b>7.00</b>
<b>Waterleaf, Virginia (<i>Hydrophyllum virginianum</i>) K</b>	<b>9.00</b>
<b>Whitlow Grass (<i>Draba verna</i>) K</b>	<b>7.00</b>
<b>Willow, Black (<i>Salix nigra</i>) K</b>	<b>10.00</b>
<b>Willow, Coyote (<i>Salix humilis</i>) K</b>	<b>10.00</b>
<b>Willow, Heart Leaf (<i>Salix rigida</i>) MW/US</b>	<b>10.00</b>
<b>Willow, Prairie (<i>Salix Humilus Microphyllus</i>) K</b>	<b>10.00</b>
<b>Willow, Pussy (<i>Salix discolor</i>) K</b>	<b>12.00</b>
<b>Willow, Shining (<i>Salix lucida</i>) K</b>	<b>10.00</b>
<b>Willow, Silky (<i>Salix sericea</i>) K</b>	<b>10.00</b>
<b>Winecups (<i>Callirhoe digitata</i>) MW/US</b>	<b>6.00</b>
<b>Wingstem, Ozark (<i>Verbesina helianthoides</i>) K</b>	<b>7.00</b>
<b>Wingstem, White (<i>Verbesina virginica</i>) K</b>	<b>5.00</b>
<b>Wingstem, Yellow (<i>Verbersina occidentalis</i>) K</b>	<b>5.00</b>
<b>Wintergreen (<i>Gaultheria procumbens</i>) K</b>	<b>9.00</b>
<b>Wintergreen, Spotted (<i>Chimaphila maculata</i>) K</b>	<b>12.00</b>
<b>Wisteria, Kentucky (<i>Wisteria macrostachya</i>) K</b>	<b>17.00</b>
<b>Witch Hazel, Common (<i>Hamamelis virginiana</i>) K</b>	<b>15.00</b>
<b>Witch Hazel, Vernal (<i>Hamamelis vernalis</i>) EUS</b>	<b>15.00</b>
<b>Wolfberry (<i>Symphoricarpos occidentalis</i>) E/US</b>	<b>10.00</b>
<b>Wood Betony / Loosewort (<i>Pedicularis canadensis</i>) K</b>	<b>7.00</b>
<b>Wood Sorrel, Violet (<i>Oxalis vioacea</i>) K</b>	<b>12.00</b>
<b>Wormwood (<i>Artemisia absinthium</i>) M/H</b>	<b>6.00</b>
<b>Wormwood, Mugwort (<i>Artemisia vulgaris</i>) M/H</b>	<b>4.00</b>
<b>Yam, Wild (<i>Dioscorea villosa</i>) K</b>	<b>9.00</b>
<b>Yarrow (<i>Achillea millefolium</i>) M/H</b>	<b>4.00</b>
<b>Yellow-root (<i>Xanthorhiza simplicissima</i>) K</b>	<b>12.00</b>
<b>Yellow-wood (<i>Cladrastis lutea</i>) K</b>	<b>15.00</b>
<b>Yew, Canadian (<i>Taxus canadensis</i>) K</b>	<b>10.00</b>
<b>Zinnia, Berry Basket Mix (<i>Zinnia elegans</i>) A</b>	<b>3.00</b>
<b>Zinnia, Cool Crayon Mix Cutting (<i>Zinnia elegans</i>) A</b>	<b>3.00</b>
<b>Zinnias, Blue Point (<i>Zinnia elegans</i>) A</b>	<b>3.00</b>