

| Description | Price |
|---|--------------|
| Agastache, Apricot Sprite (Agastache aurantiaca) M/H | 3.00 |
| Agastache, 'Heather Queen' cara A | 3.00 |
| Agave (Manfreda virginica) K | 7.00 |
| Agrimony (Agrimonia eupatoria) M/H | 5.00 |
| Alder, Green (Alnus Crispa) NE/US | 10.00 |
| Alder, Smooth (Alnus serrulata) K | 15.00 |
| Alexander, Golden (Zizia aurea) K | 5.00 |
| Alexander, Heart-leaf Golden (Zizia aptera) K | 7.00 |
| Allheal (Prunella vulgaris) M/H | 4.00 |
| Alnus rugosa (Speckled Alder) K | 15.00 |
| Aloe vera (Aloe barbadensis) M/H | 6.00 |
| Alumroot (Heuchera americana) K | 6.00 |
| Alumroot, Downy (Heuchera villosa) K | 6.00 |
| Alumroot, richardsonii (Heuchera richardsonii) MW/US | 7.00 |
| Alyssum, Summer Peaches (Lobularia maritima) A | 3.00 |
| Amorpha, Smooth (Amorpha nitens) K | 10.00 |
| Anagallis arvensis (Pimpernel) M/H | 4.00 |
| Anemone, Canada (Anemone canadensis) K | 6.00 |
| Anemone, Carolina (Anemone caroliniana) K | 12.00 |
| Anemone, False Rue (Enemion biternatum) K | 7.00 |
| Anemone, Rue (Anemonella thalictroides) K | 9.00 |
| Anemone, Wood (Anemone quinquefolia) K | 7.00 |
| Angelica, Great (Angelica atropurpurea) K | 6.00 |
| Anise (Pimpinella anisum) M/H | 5.00 |
| Apple Blossom Grass (Gaura lindheimeri) SW/US | 5.00 |
| Arbutus, Trailing (Epigaea repens) K | 20.00 |
| Arrow Grass (Trigochin maritima) NE/US | 5.00 |
| Arrowhead (Sagittaria latifolia) K | 6.00 |
| Artichoke, Jerusalem (Helianthus tuberosus) K | 7.00 |
| Arum, Arrow (Peltandra virginica) K | 12.00 |
| Ash, American Mountain (Sorbus americana) N/US | 15.00 |
| Ash, Blue (Fraxinus quadrangulata) K | 20.00 |
| Ash, Prickly (Zanthoxylum americanum) K | 15.00 |
| Ash, Showy Mountain (Sorbus decora) E/US | 15.00 |
| Aspen, Big Tooth (Populus grandidentata) K | 17.00 |
| Aspen, Quaking (Populus tremuloides) K | 17.00 |
| Aster, Aromatic (Aster oblongifolius) K | 5.00 |
| Aster, Arrow-leaved (Aster sagittifolius) K | 7.00 |
| Aster, Blue Wood (Symphyotrichum cordifolium) [Aster cordifolius] K | 5.00 |
| Aster, Calico 'Lady in Black' (Aster lateriflorus) | 7.00 |
| Aster, Calico (Aster lateriflorus) K | 5.00 |
| Aster, Claspig (Symphyotrichum patens) K | 6.00 |
| Aster, Golden (Chrysopsis villosa) K | 5.00 |
| Aster, Hardy (Symphyotrichum dumosum 'Woods Light Blue') [Aster dumosus] | 6.00 |
| Aster, Hardy (Symphyotrichum dumosum 'Woods Pink') [Aster dumosus] | 6.00 |
| Aster, Hardy (Symphyotrichum Dumosum 'Woods Purple') [Aster dumosus] | 6.00 |
| Aster, Hardy (Symphyotrichum dumosum) [Aster dumosus] | 4.50 |
| Aster, Large-leaved (Aster macrophyllus) K | 6.00 |
| Aster, Lowrie's Blue Wood (Symphyotrichum lowrleanum) K | 6.00 |

| | |
|--|--------------|
| Aster, Maryland Golden (<i>Chrysopsis mariana</i>) K | 6.00 |
| Aster, New England, Pink (<i>Aster novae-angliae</i> variaton) | 8.00 |
| Aster, New York (<i>Aster novi-belgii</i>) K | 5.00 |
| Aster, New-England (<i>Aster novae-angliae</i>) K | 5.00 |
| Aster, Prairie / Oldfield Lavender (<i>Symphotrichum priceae</i>) K | 7.00 |
| Aster, Prostrata 'Snow Flurry', (<i>Aster ericoides</i>) (syn. 'Prostrata') K | 6.00 |
| Aster, Rockcastle (<i>Eurybia saxicastellii</i>) K | 10.00 |
| Aster, Short's (<i>Aster shortii</i>) K | 5.00 |
| Aster, Showy (<i>Aster spectabilis</i>) E/US | 6.00 |
| Aster, Silky (<i>Aster sericeus</i>) K | 7.00 |
| Aster, Sky Blue (<i>Aster azureus</i>) K | 5.00 |
| Aster, Sky Blue (<i>Aster azureus</i>) Ky geno | 7.00 |
| Aster, Smooth (<i>Aster laevis</i>) K | 5.00 |
| Aster, Sneezewort (<i>Aster ptarmicoides</i>) K | 6.00 |
| Aster, Stiff (<i>Aster linarifolius</i>) K | 6.00 |
| Aster, Stoke's (<i>Stokesia laevis</i>) SE/US | 6.00 |
| Aster, Swamp (<i>Aster puniceus</i>) K | 5.00 |
| Aster, White Wood (<i>Aster divaricatus</i>) K | 5.00 |
| Aster, Willow (<i>Aster praealtus</i>) K | 9.00 |
| Aster, Woodland (<i>Aster anomalus</i>) K | 5.00 |
| Aster, Zigzag (<i>Symphotrichum prenanthoides</i>) K | 7.00 |
| Astragalus crassocarpus (Ground Plum) Cen/US | 7.00 |
| Azalea, Carolina (<i>Rhododendron carolinianum</i>) E/US | 15.00 |
| Azalea, Cumberland (<i>Rhododendron cumberlandense</i>) K | 20.00 |
| Azalea, Dwarf (<i>Rhododendron atlanticum</i>) E/USA | 15.00 |
| Azalea, Flame (<i>Rhododendron calendulaceum</i>) K | 12.00 |
| Azalea, Mountain Rosebay (<i>Rhododendron catawbiense</i>) K | 12.00 |
| Azalea, Piedmont (<i>Rhododendron canescens</i>) K | 15.00 |
| Azalea, Pinkshell (<i>Rhododendron vaseyi</i>) E/US | 12.00 |
| Azalea, Pinxter-Bloom (<i>Rhododendron periclymenoides</i>) K | 12.00 |
| Azalea, Plum Leaf (<i>Rhododendron prunifolium</i>) | 15.00 |
| Azalea, Roseshell (<i>Rhododendron prinophyllum</i>) K | 12.00 |
| Azalea, Smooth (<i>Rhododendron arborescens</i>) K | 12.00 |
| Azalea, Swamp (<i>Rhododendron viscosum</i>) E/US | 12.00 |
| Balloon Flower (<i>Platycondon grandiflorus</i>) M/H | 6.00 |
| Baneberry, Red (<i>Actea rubra</i>) N/US | 17.00 |
| Baneberry, White (<i>Actaea pachypoda</i>) K | 12.00 |
| Basil, African (<i>Ocimum canum</i>) M/H | 3.00 |
| Basil, Cameo Container (<i>Ocimum basiicum</i>) | 1.00 |
| Basil, Citrus (<i>Ocimum spp</i>) M/H | 3.00 |
| Basil, Genovese (<i>Ocimum basilicum</i>) M/H | 3.00 |
| Basil, Greek (<i>Ocimum minimum</i>) M/H | 3.00 |
| Basil, Itslisl Pesto (<i>Ocimum basilicum</i>) | 1.00 |
| Basil, Kilimanjaro (<i>Ocimum kilmandscharicum</i>) M/H | 3.00 |
| Basil, Lime (<i>Ocimum spp</i>) M/H | 3.00 |
| Basil, Queenette True Thai (<i>Ocimum basilicum</i>) | 1.00 |
| Basil, Sacred (<i>Ocimum tenuiflorum</i>) M/H | 4.00 |
| Basil, Sweet Lettuce (<i>Ocimum basilicum</i>) M/H | 3.00 |
| Basil, Tai (<i>Ocimum basilicum</i>) M/H | 3.00 |
| Basil, Wild (<i>Clinopodium vulgare</i>) M/H | 6.00 |

| | |
|--|--------------|
| Basil, Wild (<i>Satureja vulgaris</i>) K | 5.00 |
| Basswood, American Linden (<i>Tilia americana</i>) K | 15.00 |
| Bayberry, Northern (<i>Myrica pensylvanica</i>) E/US | 15.00 |
| Bearberry (<i>Arctostaphylos uva-ursi</i>) E/US | 10.00 |
| Beardtongue, Appalacian (<i>Penstemon canescens</i>) K | 5.00 |
| Beardtongue, Dwarf (<i>Penstemon hirsutus</i> 'Pygmaeus') | 6.00 |
| Beardtongue, Eastern White (<i>Penstemon tenuiflorus</i>) K | 7.00 |
| Beardtongue, Foxglove (<i>Penstemon digitalis</i>) K | 5.00 |
| Beardtongue, Hairy (<i>Penstemon hirsutus</i>) K | 5.00 |
| Beardtongue, Large Flowered (<i>Penstemon grandiflorus</i>) MW/US | 10.00 |
| Beardtongue, Navajo Red (<i>Penstemon barbatus</i>) M/H | 6.00 |
| Beardtongue, Pale (<i>Penstemon pallidus</i>) K | 5.00 |
| Beardtongue, Palmer (<i>Penstemon palmer</i>) W/US | 6.00 |
| Beardtongue, Pineleaf (<i>Penstemon pinifolius</i>) W/US | 6.00 |
| Beardtongue, Purple (<i>Penstemon cobaea</i>) E/US | 10.00 |
| Beardtongue, Rocky Mountain (<i>Penstemon strictus</i>) W | 6.00 |
| Beardtongue, Showy (<i>Penstemon laevigatus</i>) K | 10.00 |
| Beardtongue, Sky Pilot (<i>Penstemon serrulatus</i>) W/US | 6.00 |
| Beardtongue, Small's (<i>Penstemon smallii</i>) K | 5.00 |
| Beardtongue, Smooth (<i>Penstemon calycossus</i>) K | 5.00 |
| Beardtongue, Tube (<i>Penstemon tubaeflorus</i>) K | 7.00 |
| Beardtounge, Arkansas (<i>Penstemon Arkansas</i>) W/US | 7.00 |
| Beautyberry, American (<i>Callicarpa americana</i>) SE/US | 17.00 |
| Bedstraw, Yellow (<i>Galium verum</i>) M/H | 6.00 |
| Bee Balm (<i>Monarda didyma</i>) K | 5.00 |
| Bee Balm, Basil (<i>Monarda clinepodia</i>) K | 6.00 |
| Bee Balm, Russell's (<i>Monarda russeliana</i>) K | 7.00 |
| Beech (<i>Fagus grandifolia</i>) K | 15.00 |
| Belladonna (<i>Atropa belladonna</i>) M/H | 4.00 |
| Bellflower, Tall (<i>Campanula americana</i>) K | 5.00 |
| Bellwort / Great Merrybells (<i>Uvularia grandiflora</i>) K | 12.00 |
| Bergamot, Butterfly Mondara Bouquet (<i>Monarda hybrida</i>) A | 3.00 |
| Bergamot, Eastern (<i>Monarda bradburiana</i>) K | 5.00 |
| Bergamot, Lemon (<i>Monarda citriodora</i>) M/H | 3.00 |
| Bergamot, Wild (<i>Monarda fistulosa</i>) K | 6.00 |
| Betony (<i>Stachy's officinalis</i>) M/H | 6.00 |
| Birch, Gray (<i>Betula populifolia</i>) E/US | 12.00 |
| Birch, River (<i>Betula nigra</i>) K | 12.00 |
| Birch, Roundleaf (<i>Betula uber</i>) E/US | 17.00 |
| Birch, Sweet (<i>Betula lenta</i>) K | 12.00 |
| Birch, Yellow (<i>Betula alleghaniensis</i>) K | 12.00 |
| Bishops Cap (<i>Mitella diphylla</i>) K | 7.00 |
| Bittersweet (<i>Celastrus scandens</i>) K | 12.00 |
| Blackberry (<i>Rubus allegheniensis</i>) K | 12.00 |
| Bladdernut (<i>Staphylea trifolia</i>) K | 20.00 |
| Blazing Star, Button (<i>Liatris squarosa</i>) K | 6.00 |
| Blazing Star, Cusp (<i>Liatris mucronata</i>) MW/US | 7.00 |
| Blazing Star, Dotted (<i>Liatris punctata</i>) MW/US | 6.00 |
| Blazing Star, Dwarf (<i>Liatris cylindracea</i>) K | 6.00 |
| Blazing Star, Largeheaded (<i>Liatris ligulistylis</i>) MW/US | 6.00 |

| | |
|--|--------------|
| Blazing Star, New England (<i>Liatris scariosa novae-angliae</i>) K | 6.00 |
| Blazing Star, Northern (<i>Liatris scariosa</i>) E/US | 6.00 |
| Blazing Star, Prairie (<i>Liatris pycnostachya</i>) K | 6.00 |
| Blazing Star, Rough (<i>Liatris aspera</i>) K | 6.00 |
| Blazing Star, Savannah (<i>Liatris scariosa nieuwlandii</i>) NE/US | 6.00 |
| Blazing Star, Shaggy (<i>Liatris pilosa</i>) E/US | 6.00 |
| Blazing Star, Southern (<i>Liatris squarrulosa</i>) K | 7.00 |
| Blazing Star, Spiked (<i>Liatris spicata</i>) K | 6.00 |
| Blazing Star, Sweet (<i>Liatris acidota</i>) MW/US | 7.00 |
| Blazing Star, Tiny-Headed (<i>Liatris microcephala</i>) K | 6.00 |
| Blazing Star, Tiny-Headed White (<i>Liatris microcephalis alba</i>) | 7.00 |
| Bleeding Heart, Wild (<i>Dicentra eximia</i>) K | 9.00 |
| Bloodroot (<i>Sanguinaria canadensis</i>) K | 12.00 |
| Blue Flag, Slender (<i>Iris prismatica</i>) K | 7.00 |
| Blue Star (<i>Amsonia tabernaemontana</i>) K | 5.00 |
| Blue Star, Narrow-leaf (<i>Amsonia ciliata</i> v. <i>filiformis</i>) S/US | 8.00 |
| Blue Star, Thread-leaf (<i>Amsonia hubrichtii</i>) MW | 6.00 |
| Blueberry, Highbush (<i>Vaccinium corymbosum</i>) K | 17.00 |
| Blueberry, Hillside (<i>Vaccinium pallidum</i>) K | 15.00 |
| Blueberry, Lowbush (<i>Vaccinium angustifolium</i>) K | 12.00 |
| Blueberry, Velvet (<i>Vaccinium myrtilloides</i>) E/US | 12.00 |
| Blue-eyed Grass, Common (<i>Sisyrinchium albidum</i>) K | 6.00 |
| Blue-eyed Grass, Needle-tipped (<i>Sisyrinchium muctonatum</i>) K | 7.00 |
| Blue-eyed Grass, Prairie (<i>Sisyrinchium campestre</i>) M/US | 7.00 |
| Blue-eyed Grass, Stout (<i>Sisyrinchium angustifolium</i>) K | 6.00 |
| Blue-eyed Grass, White (<i>Sisyrinchium albidum</i>) K | 9.00 |
| Bluet, Glade (<i>Houstonia angustifolia</i>) K | 9.00 |
| Bluets, Longleaf (<i>Houstonia longifolia</i>) K | 12.00 |
| Bluets, Purple (<i>Houstonia purpurea</i>) K | 12.00 |
| Bog Bilberry (<i>Vaccinium uliginosum</i>) N/US | 12.00 |
| Boltonia (<i>Boltonia asteroides</i>) K | 5.00 |
| Boltonia, Pink (<i>Boltonia asteroides</i> 'Pink Beauty') | 5.00 |
| Boneset (<i>Eupatorium perfoliatum</i>) K | 5.00 |
| Boneset, Tall (<i>Eupatorium altissimum</i>) K | 7.00 |
| Borage (<i>Borago officinalis</i>) M/H | 3.00 |
| Bottlebursh Buckeye, Alabama (<i>Aesculus parviflora serotina</i>) SE/US | 15.00 |
| Bowman's Root (<i>Gillenia trifoliata</i>) K | 6.00 |
| Box Elder (<i>Acer negundo</i>) K | 10.00 |
| Breadroot, Purple (<i>Pedimelum subacaule</i>) SE/US | 12.00 |
| Buckeye, Bottlebrush (<i>Aesculus parviflora</i>) E | 15.00 |
| Buckeye, Dwarf Red (<i>Aesculus pavia</i>) K | 15.00 |
| Buckeye, Ohio (<i>Aesculus glabra</i>) K | 15.00 |
| Buckeye, Painted (<i>Aesculus sylvatica</i>) SE/US | 15.00 |
| Buckeye, Yellow (<i>Aesculus octandra</i>) K | 15.00 |
| Buckthorn, Carolina (<i>Rhamnus caroliniana</i>) K | 15.00 |
| Buffaloberry, Russett (<i>Shepherdia canadensis</i>) N | 20.00 |
| Bugbane (<i>Cimicifuga americana</i>) K | 12.00 |
| Bugloss, Viper's (<i>Echium vulgare</i>) M/H | 5.00 |
| Bulrush, Dark Green (<i>Scirpus atrovirens</i>) K | 5.00 |
| Bulrush, Softstem (<i>Scirpus tabernaemontani</i> [validus]) K | 6.00 |

| | |
|---|--------------|
| Bunchberry (<i>Cornus canadensis</i>) NE/US | 15.00 |
| Bunchflower (<i>Melanthium virginicum</i>) K | 7.00 |
| Bundleflower (<i>Desmanthus illinoensis</i>) K | 5.00 |
| Burnet (<i>Sanguisorba canadensis</i>) K | 12.00 |
| Bush-Honeysuckle, Dwarf (<i>Diervilla lonicera</i>) (E/US) | 12.00 |
| Bush-Honeysuckle, Southern (<i>Diervilla sessilifolia</i>) E/US | 12.00 |
| Buttercup, Early (<i>Ranunculus fascicularis</i>) K | 7.00 |
| Buttercup, Prairie (<i>Ranunculus rhomboideus</i>) N/US | 7.00 |
| Buttercup, Swamp (<i>Ranunculus hispidus</i>) K | 7.00 |
| Butterfly-Pea (<i>Clitoria ternatea</i>) M/H | 4.50 |
| Buttonbush (<i>Cephalanthus occidentalis</i>) K | 10.00 |
| Calendula (<i>Calendula camphora</i>) M/H | 3.00 |
| Camass, White (<i>Zigadenus elegans</i>) E/US | 12.00 |
| Cannaceae <i>Canna warscewizii</i> | 0.004 |
| Cardamon (<i>Elettaria cardamomum</i>) M/H | 6.00 |
| Carex sp (Sedge, Ghost) | 5.00 |
| Carolina Alspice (<i>Calycanthus floridus</i>) K | 15.00 |
| Carrot, Nantes (<i>Daucus carota sativus</i> 'Nantes') M/H | 4.00 |
| Carrots, Yellowstone / Nantes Forto mix | 1.00 |
| Catalpa (<i>Catalpa bignonioides</i>) K | 15.00 |
| Catnip, Catnip (<i>Nepeta cataria</i> ssp. <i>citriodora</i> 'Lemony') M/H | 6.00 |
| Catnip, Lemon (<i>Nepeta catarua</i> ssp. <i>citriodora</i> 'Lemony') | 4.00 |
| Catsfoot (<i>Antennaria dioica</i>) M/H | 3.00 |
| Cattail, Common (<i>Typha latifolia</i>) K | 4.50 |
| Cattail, Narrow Leaf (<i>Typha angustifolia</i>) K | 6.00 |
| Cedar, Eastern Red (<i>Juniperus virginiana</i>) K | 12.00 |
| Cedar, Western Red (<i>Thuja plicata</i>) W/US | 12.00 |
| Cedar, White (<i>Thuja occidentalis</i>) K | 12.00 |
| Celandine Poppy (<i>Stylophorum diphyllum</i>) K | 5.00 |
| Chamomile (<i>Matricaria recutita</i>) M/H | 3.00 |
| Chamomile, Roman (<i>Chamaemelum nobile</i>) M/H | 6.00 |
| Chard, Italian Silver Rib | 1.00 |
| Chaste Tree (<i>Vitex agnus-castus</i>) M/H | 10.00 |
| Chenopodium botrys (<i>Ambrosia</i>) M/H | 4.00 |
| Cherry, Choke (<i>Prunus virginiana</i>) K | 15.00 |
| Cherry, Creeping Sand (<i>Prunus pumila</i> Var. <i>depressa</i>) W/US | 15.00 |
| Cherry, Eastern Sand (<i>Prunus pumila</i>) E/US | 12.00 |
| Cherry, Pin (<i>Prunus pensylvanica</i>) K | 12.00 |
| Cherry, Wild Black (<i>Prunus serotina</i>) K | 12.00 |
| Chestnut, American (<i>Castanea dentata</i>) K | 20.00 |
| Chestnut, Dwarf (<i>Castanea pumila</i>) K | 15.00 |
| Chestnut, Species (<i>Castanea species</i>) | 10.00 |
| Chinese Milkvetch (<i>Astragalus membranaceus</i>) M/H | 5.00 |
| Chives (<i>Allium schoenoprasum</i>) M/H | 6.00 |
| Chives, Mauve Garlic (<i>Allium</i> sp.) M/H | 6.00 |
| Chokeberry, Appleleaf (<i>Aronia melanocarpa grandifolia</i>) K | 10.00 |
| Chokeberry, Black (<i>Aronia melanocarpa</i>) K | 10.00 |
| Chokeberry, Glossy Black (<i>Aronia melanocarpa elata</i>) E/US | 10.00 |
| Chokeberry, Purple (<i>Aronia prunifolia</i>) K | 10.00 |
| Chokeberry, Red (<i>Aronia arbutifolia</i>) K | 10.00 |

| | |
|---|--------------|
| Cinquefoil, Bush / Potentilla (Potentilla fruticosa) E/US | 10.00 |
| Cinquefoil, Wine-leaf / Three-toothed (Potentilla tridentata) E/US | 10.00 |
| Citronella Balm (Melissa officinalis 'Citronella) M/H | 6.00 |
| Clematis, Fremont's (Clematis fremontii) Cen/US | 15.00 |
| Clematis, Purple (Clematis verticillaris) E/US | 20.00 |
| Clematis, Virgin's Bower (Clematis virginiana) K | 12.00 |
| Clove-pink (dianthus caryophyllus 'Grenadin') M/H | 6.00 |
| Clover, Leafy Prairie (Petalostemum foliosum) E/US | 7.00 |
| Clover, Purple Prairie (Dalea purpurea) K | 5.00 |
| Clover, Round-headed Bush (Lespedeza capitata) K | 5.00 |
| Clover, Slender Bush (Lespedeza virginica) K | 6.00 |
| Clover, Violet Bush (Lespedeza violacea) K | 6.00 |
| Clover, White Prairie (Dalea candida) K | 5.00 |
| Cohosh, Black (Cimicifuga racemosa) K | 15.00 |
| Cohosh, Blue (Caulophyllum thalictroides) K | 12.00 |
| Coltsfoot (Tussilago farfara) M/H | 9.00 |
| Columbine, Wild (Aquilegia canadensis) K | 5.00 |
| Columbo, American (Frasera caroliniensis) K | 9.00 |
| Comfrey, Common (Symthytum officinale) M/H | 6.00 |
| Compass Plant (Silphium laciniatum) K | 6.00 |
| Coneflower, Appalacian (Echinacea laevigata) E/US | 10.00 |
| Coneflower, Bush's/Yellow (Echinacea paradoxa) MW/US | 5.00 |
| Coneflower, Glade (Echinacea simulata) K | 6.00 |
| Coneflower, Gray Headed (Ratibida pinnata) K | 6.00 |
| Coneflower, Greenheaded / Golden glow (Rudbeckia laciniata) K | 6.00 |
| Coneflower, Narrowleaved (Echinacea angustifolia) K | 5.00 |
| Coneflower, Orange (Rudbeckia fulgida) K | 5.00 |
| Coneflower, Pale Purple (Echinacea pallida) K | 5.00 |
| Coneflower, Purple (Echinacea purpurea) K | 5.00 |
| Coneflower, Reflexed (Echinacea atrorubens) MW/US | 7.00 |
| Coneflower, Sanguin (Echinacea sanguinea) MW/US | 6.00 |
| Coneflower, Tennessee (Echinacea tennesseensis) Tenn | 10.00 |
| Coral Bean (Erythrina herbaca) S/US | 6.00 |
| Coralberry (Symphoricarpos orbiculatus) K | 10.00 |
| Coreopsis, Eared (Coreopsis auriculata) K | 6.00 |
| Coreopsis, Fernleaf (Coreopsis verticillata) K | 5.00 |
| Coreopsis, Hairy (Coreopsis pubescens) K | 6.00 |
| Coreopsis, Lanceleaf (Coreopsis lanceolata) K | 5.00 |
| Coreopsis, Pink (Coreopsis rosea) E/US | 6.00 |
| Coreopsis, Prairie (Coreopsis palmata) E/US | 7.00 |
| Coreopsis, Tall (Coreopsis tripteris) K | 5.00 |
| Coreopsis, Whorled (Coreopsis Major) K | 6.00 |
| Corn Poppy (Papaver rhoeas) M/H | 5.00 |
| Cosmos Sonata Mix (Cosmos Bipinnatus) A | 3.00 |
| Cosmos, Double Click (Cosmos bipinnatus) A | 3.00 |
| Cosmos, White Cosmos Snow Sonata (Comos bipinnatus) A | 3.00 |
| Cottonwood (Populus deltoides) K | 17.00 |
| Cowslip (Primula veris) M/H | 6.00 |
| Crabapple, Prairie (Malus ioensis) K | 15.00 |
| Crabapple, Sweet (Malus coronarius) K | 15.00 |

| | |
|---|--------------|
| Cranberry, Large (<i>Vaccinium macrocarpon</i>) E/US | 12.00 |
| Cranberry, Mountain (<i>Vaccinium vitis-idaea majus</i>) N/US | 12.00 |
| Cranberry, Small (<i>Vaccinium oxycoccos</i>) NE/US | 12.00 |
| Crane-fly Orchid (<i>Tipularia discolor</i>) K | 15.00 |
| Cross Vine (<i>Bignonia capreolata</i>) K | 17.00 |
| Cucumber, Lemon (<i>Cucumis sativus</i> 'Lemon') | 4.00 |
| Cucumber, Wild (<i>Echinocystis lobata</i>) K | 7.00 |
| Culver's Root (<i>Veronicastrum virginicum</i>) K | 6.00 |
| Culver's Root, Pink (<i>Veronicastrum virginicum</i> 'La Towers') | 7.00 |
| Cumin (<i>Cuminum cyminum</i>) M/H | 4.00 |
| Cup Plant (<i>Silphium perfoliatum</i>) K | 5.00 |
| Cup Plant, Virginia (<i>Silphium connatum</i>) E/US | 7.00 |
| Currant, American Black (<i>Ribes americanum</i>) K | 12.00 |
| Currant, Golden / Clove (<i>Ribes odoratum</i>) E/US | 15.00 |
| Cypress, Bald (<i>Taxodium distichum</i>) K | 15.00 |
| Cypress, Pond (<i>Taxodium ascendens</i>) SE/US | 15.00 |
| Dawn Redwood (<i>Metasequoia gliptostroboides</i>) W | 20.00 |
| Dill, Bouquet (<i>Anethum graveolens</i>) M/H | 5.00 |
| Dittany (<i>Cunila organoides</i>) K | 7.00 |
| Dog Hobble (<i>Leucothoe fontanesiana</i>) K | 15.00 |
| Dogwood, Flowering (<i>Cornus florida</i>) K | 15.00 |
| Dogwood, Gray (<i>Cornus racemosa</i>) K | 12.00 |
| Dogwood, Pagoda (<i>Cornus alternifolia</i>) K | 12.00 |
| Dogwood, Pale (<i>Cornus obliqua</i>) NE/US | 15.00 |
| Dogwood, Redtwig (<i>Cornus sericea</i>) K | 15.00 |
| Dogwood, Rough-leaf (<i>Cornus drummondii</i>) K | 12.00 |
| Dogwood, Silky (<i>Cornus amomum</i>) K | 12.00 |
| Dogwood, Yellowtwig (<i>Cornus sericea</i>) E/US | 15.00 |
| Dragon Head (<i>Dracocephalum moldavica</i>) M/H | 1.60 |
| Dropwort (<i>Filipendula vulgaris</i>) M/H | 6.00 |
| Dumbo's Ears, (<i>Rudbeckia maxima</i>) MW/US | 6.00 |
| Dusty Miller (<i>Senecio cineraria</i>) M/H | 6.00 |
| Dutchman's Breeches (<i>Dicentra cucullaria</i>) K | 9.00 |
| Dutchman's Pipe (<i>Aristolochia macrophylla</i>) K | 17.00 |
| Dutchman's Pipe, Woolly (<i>Aristolochia tomentosa</i>) K | 17.00 |
| Eastern Gamagrass (<i>Tripsacum dactyloides</i>) K | 6.00 |
| Elderberry (<i>Sambucus canadensis</i>) K | 12.00 |
| Elderberry, Red-berried (<i>Sambucus racemosa</i>) K | 15.00 |
| Elecampane (<i>Inula helenium</i>) M/H | 6.00 |
| Elecampane, Magnificent (<i>Inula magnifica</i>) M/H | 4.00 |
| Elm, American (<i>Ulmus americana</i>) K | 12.00 |
| Elm, Slippery (<i>Ulmus rubra</i>) K | 8.00 |
| Ephedra, American (<i>Ephedra nevadensis</i>) M/H | 7.00 |
| Ephedra, Green (<i>Ephedra viridis</i>) M/H | 7.00 |
| False Foxglove, Fascicled (<i>Agalinas fasciculata</i>) K | 7.00 |
| False Foxglove, Purple (<i>Gerardia purpurea</i>) K | 6.00 |
| False Foxglove, Slender (<i>Gerardia tenifolia</i>) K | 6.00 |
| Fameflower (<i>Talinum calcaricum</i>) K | 6.00 |
| Farkleberry / Sparkleberry (<i>Vaccinium arboreum</i>) K | 20.00 |
| Featherbells, Eastern (<i>Stenanthium gramineum robustum</i>) K | 10.00 |

| | |
|--|--------------|
| Fennel, Smokey Bronze (Foenicium vulgare var.) | 4.00 |
| Fennel, Sweet (Foeniculum vulgare dulce) M/H | 4.00 |
| Fenugreek (Trigonella foenum-graecum) M/H | 4.00 |
| Fern, Beech (Phogopteris hexagonapter) K | 12.00 |
| Fern, Blunt Lobed (Woodsia obtusa) K | 7.00 |
| Fern, Bracken (Pteridium latiuscolum) K | 7.00 |
| Fern, Christmas (Polystichum acrostichoides) K | 7.00 |
| Fern, Cinnamon (Osmunda cinnamomea) K | 7.00 |
| Fern, Climbing (Lygodium palmatum) K | 15.00 |
| Fern, Common Grape (Bettrychium dissectum) K | 12.00 |
| Fern, Dixie Wood [Dryopteris x australis (D.celsa x ludoviciana)] SE/US | 7.00 |
| Fern, Fancy (Dryopteris intermedia) K | 7.00 |
| Fern, Goldies' / Giant Wood Fern (Dryopteris goldiana) K | 7.00 |
| Fern, Hairy Lip (Cheilanthes lanosa) K | 7.00 |
| Fern, Hay-scented (Dennstaedtia punctilobula) K | 7.00 |
| Fern, Interrupted (Osmunda claytoniana) K | 8.00 |
| Fern, Lady (Athyrium felix-femina) K | 7.00 |
| Fern, 'Lady in Red' (Athyrium felix-femina 'Lady in Red') | 7.00 |
| Fern, Leatherwood (Dryopteris marginalis) K | 7.00 |
| Fern, Log (Dryopteris celsa) K | 7.00 |
| Fern, Maidenhair (Adiantum pedatum) K | 12.00 |
| Fern, Marsh (Thelypteris palustris) K | 7.00 |
| Fern, Mountain Wood (Dryopteris campyloptera) K | 7.00 |
| Fern, Netted Chain (Woodwardia areolata) K | 7.00 |
| Fern, New York (Thelypteris noveboracensis) K | 7.00 |
| Fern, Ostrich (Matteuccia struthiopteris var pensylvanica) N/US | 7.00 |
| Fern, Rock Cap (Polypodium virginianum) SE/US | 9.00 |
| Fern, Royal (Osmunda regalis) K | 7.00 |
| Fern, Sensitive (Onoclea sensibilis) K | 6.00 |
| Fern, Silvery Glade (Deparia acrosichoides) K | 7.00 |
| Fern, Southern Lady (Athyrium filix-femina var. aspleniodes) K | 7.00 |
| Fern, Spleenwort (Asplenium platyneuron) K | 12.00 |
| Fern, Tennessee Ostrich (Diplazium pycnocarpon) K | 7.00 |
| Fern, Walking (Camptosorus shizophyllus) K | 12.00 |
| Fern, Wood (Dryopteris spinulosa) K | 8.00 |
| Fern, Wooly Lip (Cheilanthes tomentosa) K | 7.00 |
| Feverfew (Tanacetum parthenium) M/H | 6.00 |
| Figwort, Late (Scrophularia marilandica) K | 7.00 |
| Fireweed (Epilobium angustifolium) C/US | 7.00 |
| Flax, Brown (Linum usitatissimum) M/H | 3.00 |
| Flax, Grooved Yellow (Linum sulcatum) K | 9.00 |
| Flowering Spurge (Euphorbia corollata) K | 6.00 |
| Foamflower (Tiarella cordifolia) K | 7.00 |
| Foamflower, Clumping (Tiarella cordifolia var. collina) K | 7.00 |
| Fothergilla, Large (Fothergilla major) E/US | 15.00 |
| Fothergilla, Small (Fothergilla gardenii) E/US | 15.00 |
| Foxglove, Purple (Digitalis purpurea) M/H | 5.00 |
| Foxglove, Yellow (Digitalis grandiflora) M/H | 4.00 |
| Franklin Tree (Franklinia alatamaha) E/US | 25.00 |
| Free plant enclosed. Thank you for allowing us to substitute. | 0.00 |

| | |
|---|---------------|
| French Grass (<i>Orbexilum onobranchis</i>) K | 7.00 |
| Fringe-tree (<i>Chionanthus virginicus</i>) K | 15.00 |
| Galax (<i>Galax urceolata</i>) K | 12.00 |
| Garden Collection, Butterfly | 136.00 |
| Garden Collection, Hummingbird | 120.00 |
| Garden Collection, Sunny Side | 80.00 |
| Garden Collection, Woodland Niche | 71.00 |
| Garden Phlox, Lavendar (<i>Phlox paniculata</i> 'David's Lavendar') | 6.00 |
| Garden Phlox, Magenta (<i>Phlox paniculata</i> 'Nicky') | 6.00 |
| Garden Phlox, Pink (<i>Phlox paniculata</i> 'Robert Poore') | 6.00 |
| Garden Phlox, Purple/Blue (<i>Phlox paniculata</i> 'Blue paradise') | 6.00 |
| Garden Phlox, White (<i>Phlox paniculata</i> 'Delta Snow') | 6.00 |
| Gaura, Biennial (<i>Gaura biennis</i>) K | 5.00 |
| Gaura, Large-flowered (<i>Gaura longiflora</i>) K | 7.00 |
| Gaura, Scarlet (<i>Gaura coccinea</i>) C/US | 7.00 |
| Genista tinctoria (Dyer's Broom) M/H | 4.00 |
| Gentian, Bottle (<i>Gentiana clausa</i>) E/US | 9.00 |
| Gentian, Bottle (<i>Gentiana clausa</i>) E/US | 9.00 |
| Gentian, Cream (<i>Gentiana flavida</i>) K | 12.00 |
| Gentian, Downey (<i>Gentiana puberulanta</i>) K | 15.00 |
| Gentian, Fringed (<i>Gentiana crinita</i>) E/US | 9.00 |
| Gentian, Prairie (<i>Gentiana andrewsii</i>) K | 9.00 |
| Gentian, Small Fringed (<i>Gentiana procera</i>) N/US | 12.00 |
| Gentian, Stiff (<i>Gentiana quinquefolia</i>) K | 12.00 |
| Gentian, White (<i>Gentiana alba</i>) K | 12.00 |
| Geranium, Wild (<i>Geranium maculatum</i>) K | 7.00 |
| Germander, Canadian (<i>Teucrium canadense</i>) K | 7.00 |
| Ginger, Wild (<i>Asarum canadense</i>) K | 7.00 |
| Ginkgo (<i>Ginkgo Biloba</i>) M/H | 15.00 |
| Ginseng (<i>Panax quinquefolia</i>) K | 15.00 |
| Ginseng, Dwarf (<i>Panax Trifolium</i>) K | 15.00 |
| Ginseng, Siberian (<i>Eleutherococcus senticosus</i>) M/H | 15.00 |
| Globemallow, Scarlet (<i>Sphaeralcea coccinea</i>) W/US | 7.00 |
| Goat's Rue (<i>Tephrosia virginiana</i>) K | 10.00 |
| Goatsbeard (<i>Aruncus dioicus</i>) K | 7.00 |
| Golden Marguerite / Dyer's Chamomile (<i>Anthemis tinctoria</i> 'Kelwayi') M/H | 6.00 |
| Goldenrod, Dwarf (<i>Solidago cutleri</i>) E/US | 6.00 |
| Goldenrod, Early (<i>Solidago juncea</i>) K | 5.00 |
| Goldenrod, Elm-leaved (<i>Solidago ulmifolia</i>) K | 6.00 |
| Goldenrod, Grassleaved (<i>Solidago graminifolia</i>) K | 5.00 |
| Goldenrod, Gray (<i>Solidago nemoralis</i>) K | 5.00 |
| Goldenrod, Licorice/Sweet (<i>Solidago odora</i>) K | 7.00 |
| Goldenrod, Ohio (<i>Solidago ohioensis</i>) GLR | 5.00 |
| Goldenrod, Riddell's (<i>Solidago riddellii</i>) E/US | 6.00 |
| Goldenrod, Rigid (<i>Solidago rigida</i>) K | 5.00 |
| Goldenrod, Rough-leaved (<i>Solidago rugosa</i>) K | 7.00 |
| Goldenrod, Showy (<i>Solidago speciosa</i>) K | 6.00 |
| Goldenrod, Woodland (<i>Solidago caesia</i>) K | 6.00 |
| Goldenrod, Zig-Zag (<i>Solidago flexicaulis</i>) K | 5.00 |
| Goldenseal (<i>Hydrastis canadensis</i>) K | 9.00 |

| | |
|--|--------------|
| Gooseberry, Missouri (<i>Ribes missouriense</i>) K | 15.00 |
| Grape, Muscadine (<i>Vitis rotundifolia</i>) K | 15.00 |
| Grass of Parnassus (<i>Parnassia glauca</i>) E/US | 9.00 |
| Grass, Beach (<i>Panicum amarum</i> 'Dewey Blue') E/US | 5.00 |
| Grass, Beak (<i>Diarrhena americana</i>) K | 6.00 |
| Grass, Beech / Panic (<i>Panicum amarum</i>) E/US | 5.00 |
| Grass, Big Bluestem (<i>Andropogon gerardii</i>) K | 5.00 |
| Grass, Blue Love (<i>Eragrostis elliotii</i>) SE/US | 6.00 |
| Grass, Bluejoint (<i>Calamagrostis canadensis</i>) K | 6.00 |
| Grass, Bottlebrush (<i>Elymus hystrix</i>) K | 5.00 |
| Grass, Broomsedge (<i>Andropogon virginicus</i>) K | 5.00 |
| Grass, Buffalo Grass (<i>Buchloe dactyloides</i>) W/US | 7.00 |
| Grass, Bushy Beard (<i>Andropogon glomeratus</i>) K | 6.00 |
| Grass, Common Hair (<i>Deschampsia flexuosa</i>) K | 6.00 |
| Grass, Fowl Manna (<i>Glyceria striata</i>) K | 6.00 |
| Grass, Freshwater Cordgrass (<i>Spartina pectinata</i>) K | 5.00 |
| Grass, French (<i>Psoralea onobrychis</i>) K | 7.00 |
| Grass, Indian (<i>Sorghastrum nutans</i>) K | 5.00 |
| Grass, June (<i>Koeleria macrantha</i>) K | 5.00 |
| Grass, Little Bluestem, (<i>Schizachyrium scoparium</i>) K | 6.00 |
| Grass, Mosquito/ Blue Grama (<i>Bouteloua gracilis</i>) E/US | 6.00 |
| Grass, Narrowleaf Woodoats (<i>Chasmanthium sessiliflorum</i>) SE/US | 6.00 |
| Grass, Pink Muhly (<i>Muhlenbergi capillaris</i>) K | 7.00 |
| Grass, Poverty Oat (<i>Danthonia spicata</i>) K | 5.00 |
| Grass, Prairie Dropseed (<i>Sporobolus heterolepis</i>) K | 7.00 |
| Grass, Prairie Switchgrass (<i>Panicum virgatum</i>) K | 5.00 |
| Grass, Prairie Switchgrass 'Cloud Nine' (<i>Panicum virgatum</i> 'Cloud Nine') | 7.00 |
| Grass, Prairie Switchgrass 'Dallas Blue' (<i>Panicum virgatum</i> 'Dallas Blue') | 7.00 |
| Grass, Prairie Switchgrass 'Heavy Metal' (<i>Panicum virgatum</i> 'Heavy Metal') | 7.00 |
| Grass, Prairie Switchgrass 'Northwind' (<i>Panicum virgatum</i> 'Northwind') | 7.00 |
| Grass, Prairie Switchgrass 'Shenandoah' (<i>Panicum virgatum</i> 'Shenandoah') | 7.00 |
| Grass, Prairie Switchgrass, 'Prairie Sky' (<i>Panicum virgatum</i> 'Prairie Sky') | 7.00 |
| Grass, Purple Love (<i>Eragrostis spectabilis</i>) K | 6.00 |
| Grass, River Oats (<i>Uniola latifolia</i>) K | 5.00 |
| Grass, Rye, Nodding Wild (<i>Elymus canadensis</i>) K | 5.00 |
| Grass, Rye, Silky Wild (<i>Elymus villosus</i>) K | 5.00 |
| Grass, Sand Dropseed (<i>Sporobolus crypandrus</i>) K | 7.00 |
| Grass, Silver Beard (<i>Andropogon ternarius</i>) K | 6.00 |
| Grass, Silver Cane Plume (<i>Saccharum giganteum</i>) E/US | 7.00 |
| Grass, Tawny Cotton (<i>Eriophorum virginicum</i>) K | 8.00 |
| Grass, Tufted Hair (<i>Deschampsia cespitosa</i>) K | 6.00 |
| Grass, Wool (<i>Scipus cyperinus</i>) K | 6.00 |
| Green and Gold (<i>Chrysogonum virginianum</i>) K | 6.00 |
| Green Dragon (<i>Arisaema dracontium</i>) K | 9.00 |
| Hackberry (<i>Celtis occidentalis</i>) K | 10.00 |
| Harebell (<i>Campanula rotundifolia</i>) E/US | 6.00 |
| Harebell, Southern (<i>Campanula divaricata</i>) K | 7.00 |
| Hawkweed, Hairy (<i>Hieracium longipilum</i>) K | 5.00 |
| Hawkweed, Rough (<i>Hieracium scabrum</i>) K | 5.00 |
| Hawthorn (<i>Crataegus macracantha</i>) E/US | 12.00 |

| | |
|---|--------------|
| Hawthorn, Cockspur (<i>Crataegus crus-galli</i>) K | 15.00 |
| Hawthorn, Dotted (<i>Crataegus punctata</i>) K | 15.00 |
| Hawthorn, Downy (<i>Crataegus mollis</i>) K | 15.00 |
| Hawthorn, Pear (<i>Crataegus celpodendron</i>) K | 15.00 |
| Hawthorn, Washington (<i>Crataegus phaenopyrum</i>) E/US | 15.00 |
| Hazelnut (<i>Corylus americana</i>) K | 15.00 |
| Hazelnut, Beaked (<i>Corylus cornuta</i>) E/US | 15.00 |
| Heartsease / Johnny jump up (<i>Viola tricolor</i>) M/H | 5.00 |
| Heliotrope, Mariane (<i>Heliotropium arborescens</i>)A | 3.00 |
| Hemlock, Carolina (<i>Tsuga caroliniana</i>) E/US | 15.00 |
| Hemlock, Eastern (<i>Tsuga canadensis</i>) K | 12.00 |
| Henbane (<i>Hyoscyamus niger</i>) M/H | 3.00 |
| Hepatica, Round-lobed (<i>Hepatica americana</i>) K | 12.00 |
| Hepatica, Sharp-lobed (<i>Hepatica acutiloba</i>) K | 12.00 |
| Hickory, Bitternut (<i>Carya cordiformis</i>) K | 15.00 |
| Hickory, Mockernut (<i>Carya tomentosa</i>) K | 15.00 |
| Hickory, Pignut (<i>Carya glabra</i>) K | 15.00 |
| Hickory, Shagbark (<i>Carya ovata</i>) K | 15.00 |
| Hickory, Shellbark (<i>Carya laciniosa</i>) K | 17.00 |
| Holly, American (<i>Ilex opaca</i>) K | 15.00 |
| Holly, Deciduous (<i>Ilex decidua</i>) K | 12.00 |
| Holly, Deciduous, female (<i>Ilex decidua</i>) K | 15.00 |
| Holly, Deciduous, male (<i>Ilex decidua</i>) K | 15.00 |
| Holly, Ink Berry (<i>Ilex glabra</i>) E/US | 12.00 |
| Holly, Mountain (<i>Nemopanthus mucronatus</i>) E/US | 20.00 |
| Holly, Winterberry (<i>Ilex verticillata</i>) K | 12.00 |
| Holly, Winterberry, female (<i>Ilex verticillata</i>) K | 17.00 |
| Holly, Winterberry, male (<i>Ilex verticillata</i>) K | 15.00 |
| Honeysuckle, Trumpet (<i>Lonicera sempervirens</i>) K | 12.00 |
| Honeysuckle, Wild (<i>Lonicera dioica</i>) K | 15.00 |
| Hop-Hornbeam / Ironwood (<i>Ostrya virginiana</i>) K | 15.00 |
| Hops (<i>Humulus lupulus</i>) M/H | 6.00 |
| Horehound (<i>Marrubium vulgare</i>) M/H | 6.00 |
| Horehound, Water (<i>Lycopus americanus</i>) K | 5.00 |
| Hornbeam, American (<i>Carpinus caroliniana</i>) K | 15.00 |
| Horsemint (<i>Monarda punctata</i>) K | 5.00 |
| Huckleberry, Black (<i>Gaylussacia baccata</i>) K | 15.00 |
| Hyacinth, Narrow Wild (<i>Camassia angusta</i>) M/US | 7.00 |
| Hyacinth, Wild (<i>Camassia scilloides</i>) K | 6.00 |
| Hydrangea, Oakleaf (<i>Hydrangea quercifolia</i>) E/US | 15.00 |
| Hydrangea, Showy (<i>Hydrangea arborescens grandiflora</i>) E/US | 15.00 |
| Hydrangea, Wild (<i>Hydrangea arborescens</i>) K | 15.00 |
| Hyssop, Anise (<i>Agastache foeniculum</i>) MW | 5.00 |
| Hyssop, Anise Rock (<i>Agastache rupestris</i>) W/US | 5.00 |
| Hyssop, Giant Purple (<i>Agastache scrophulariifolia</i>) K | 5.00 |
| Hyssop, Giant Yellow (<i>Agastache nepetoides</i>) K | 6.00 |
| Hyssop, Official (<i>Hyssopus officinalis</i>) M/H | 4.00 |
| Indian Cucumber Root (<i>Medeola virginiana</i>) K | 12.00 |
| Indian Hemp (<i>Apocynum cannabinum</i>) K | 5.00 |
| Indian Paintbrush (<i>Castilleja coccinea</i>) K | 12.00 |

| | |
|---|--------------|
| Indian Physic (<i>Porterabthus stipulatus</i>) [<i>Gillenia stipulata</i>] K | 5.00 |
| Indian Tobacco (<i>Lobelia inflata</i>) K | 3.00 |
| Indigo Bush (<i>Amorpha fruticosa</i>) K | 10.00 |
| Indigo, Dwarf Wild (<i>Baptisia minor</i>) C/US | 6.00 |
| Indigo, Dwarf (<i>Amorpha nana</i>) E/US | 10.00 |
| Indigo, False Blue (<i>Baptisia australis</i>) K | 5.00 |
| Indigo, False Cream (<i>Baptisia leucophaea</i>) K | 7.00 |
| Indigo, False White (<i>Baptisia lactea</i>, formerly <i>B. leucantha</i>) K | 5.00 |
| Indigo, False Yellow (<i>Baptisia tinctoria</i>) K | 10.00 |
| Indigo, Wild Yellow (<i>Baptisia sphaerocarpa</i>) MW/US | 7.00 |
| Iris, American Sweet Flag (<i>Acorus americanus</i>) K | 6.00 |
| Iris, Beach-head (<i>Iris setosa</i>) N/US | 7.00 |
| Iris, Blue Flag (<i>Iris versicolor</i>) K | 6.00 |
| Iris, Butterfly (<i>Iris Spuria</i>) non native | 10.00 |
| Iris, Copper (<i>Iris fulva</i>) K | 6.00 |
| Iris, Dwarf (<i>Iris verna</i>) K | 7.00 |
| Iris, Dwarf Crested (<i>Iris cristata</i>) K | 7.00 |
| Iris, Sweet Flag (<i>Acorus calamus</i>) K | 6.00 |
| Iris, Wild Yellow (<i>Iris pseudacorus</i>) K | 6.00 |
| Iris, Zigzag (<i>Iris brevicaulis</i>) K | 9.00 |
| Ironweed (<i>Vernonia altissima</i>) K | 5.00 |
| Ironweed, Arkansas (<i>Veronia arkansana</i>) E/US | 6.00 |
| Ironweed, Giant (<i>Veronia gigantea</i> ssp. <i>gigantea</i>) K | 7.00 |
| Ironweed, Missouri (<i>Vernonia missurica</i>) K | 7.00 |
| Ironweed, New York (<i>Vernonia noveboracensis</i>) K | 5.00 |
| Ironweed, Upland (<i>Vernonia glauca</i>) E/US | 5.00 |
| Ironweed, White New York (<i>Veronia noveboracensis</i> f. <i>albiflora</i>) K | 7.00 |
| Jack in the Pulpit (<i>Arisaema triphyllum</i>) K | 9.00 |
| Jacob's Ladder (<i>Polemonium reptans</i>) K | 5.00 |
| Jasmine, Carolina (<i>Gelsemium sempervirens</i>) S/US | 15.00 |
| Jewelweed, Yellow (<i>Impatiens pallida</i>) K | 4.50 |
| Joe-Pye-Weed (<i>Eupatorium fistulosum</i>) K | 5.00 |
| Joe-Pye-Weed, Purple / Sweet (<i>Eupatorium purpureum</i>) K | 5.00 |
| Joe-Pye-Weed, Spotted (<i>Eupatorium maculatum</i>) K | 5.00 |
| Joe-Pye-Weed, Three-nerved (<i>Eupatorium dubium</i>) E/US | 5.00 |
| Joe-Pye-Weed, White (<i>Eupatorium rugosum</i>) K | 4.50 |
| Jujube, Chinese (<i>Zizphus spinosa</i>) M/H | 8.00 |
| Juniper, Old Field (<i>Juniperus communis</i> var. <i>depressa</i>) E/US | 12.00 |
| Kentucky Coffee Tree (<i>Gymnocladus dioica</i>) K | 15.00 |
| King of the meadow (<i>Thalicturm polygamamum</i> [<i>pubescens</i>]) K | 7.00 |
| Ladies' Tresses (<i>Spiranthes odorata</i>) K | 15.00 |
| Lady's-slipper, Kentucky (<i>Cypripedium kentuckiense</i>) K | 15.00 |
| Lady's-slipper, Large yellow (<i>Cypripedium pubescens</i>) K | 15.00 |
| Lady's-slipper, Large-flowered Yellow (<i>Cypripedium parviflorum</i>) K | 15.00 |
| Lady's-slipper, Showy (<i>Cypripedium reginae</i>) K | 20.00 |
| Lady's-slipper, Showy White (<i>Cypripedium reginae</i> <i>albolabium</i>) SW/US | 20.00 |
| Larkspur (<i>Delphinium tricornis</i>) K | 9.00 |
| Larkspur, Prairie (<i>Delphinium virescens</i>) K | 7.00 |
| Larkspur, Tall (<i>Delphinium exaltatum</i>) K | 9.00 |
| Larkspur, Wild Blue (<i>Delphinium carolinianum</i>) K | 9.00 |

| | |
|--|--------------|
| Laurel, Bog (<i>Kalmia polifolia</i>) E/US | 15.00 |
| Laurel, Great (<i>Rhododendron maximum</i>) K | 12.00 |
| Laurel, Mountain (<i>Kalmia latifolia</i>) K | 15.00 |
| Laurel, Sheep (<i>Kalmia angustifolia</i>) E/US | 15.00 |
| Lavender, English - Munstead (<i>Lavendula angustifolia</i>-Munstead) M/H | 5.00 |
| Lavender, Fragrant Butterfly (<i>Lavandula stoechas penunculata</i>) M/H | 5.00 |
| Lavender, Lady (<i>Lavendula angustifolia</i>) M/H | 5.00 |
| Lavender, Purple Ribbon (<i>Lavendula stoechas</i>) M/H | 4.00 |
| Lavender, Spanish Eyes (<i>Lavendula multifida</i>) M/H | 4.00 |
| Leadplant (<i>Amorpha canescens</i>) MW/US | 10.00 |
| Leatherfeaf (<i>Chamaedaphne calyculata</i>) E/US | 15.00 |
| Leatherwood Tree (<i>Dirca palustris</i>) K | 20.00 |
| Leichtlin's Camas (<i>Camassia leichtlinii</i> v. <i>suksdorfii</i>) W/US | 7.00 |
| Lemongrass, Indian (<i>Cymbopogon flexuosus</i>) M/H | 5.00 |
| Leontopodium alpinum | 5.00 |
| Leucothoe, Redtwig Mountain (<i>Leucothoe recurva</i>) K | 12.00 |
| Leucothoe, Swamp (<i>Leucothoe racemosa</i>) E/US | 12.00 |
| Licorice, Official (<i>Glycyrrhiza glabra</i>) M/H | 6.00 |
| Life-of-Man (<i>Aralia racemosa</i>) K | 12.00 |
| Lily, Bluebead (<i>Clintonia umbellulata</i>) K | 15.00 |
| Lily, Canada (<i>Lilium canadense</i>) K | 17.00 |
| Lily, Leopard (<i>Belamcanda chinensis</i>) M/H | 6.00 |
| Lily, Michigan (<i>Lilium michiganense</i>) K | 17.00 |
| Lily, Prairie (<i>Lilium philadelphicum</i>) K | 10.00 |
| Lily, Spider (<i>Hymenocallis caroliniana</i>) K | 12.00 |
| Lily, Turk's-Cap (<i>Lilium superbum</i>) K | 12.00 |
| Lily, White Water (<i>Nymphaea odorata</i>) K | 15.00 |
| Lily, Yellow Water (<i>Nuphar lutea</i>) K | 15.00 |
| Lily-of-the-Valley (<i>Convallaria montana</i>) K | 9.00 |
| Lion's Foot (<i>Prenanthes alba</i>) K | 9.00 |
| Little Brown Jug (<i>Hexastylis arifolium</i>) K | 12.00 |
| Lizard Tail (<i>Saururus cernuus</i>) K | 6.00 |
| Lobelia, Great Blue (<i>Lobelia siphilitica</i>) K | 5.00 |
| Lobelia, Red / Cardinal Flower (<i>Lobelia cardinalis</i>) K | 5.00 |
| Lobelia, Spiked (<i>Lobelia spicata</i>) K | 6.00 |
| Lobelia, White (<i>Lobelia siphiliica</i> Var. <i>alba</i>) K | 5.00 |
| Locust, Honey (<i>Gleditsia triacanthos</i>) | 12.00 |
| Locust, Thornless Honey (<i>Gleditsia triacanthos</i> var <i>inermis</i>) K | 15.00 |
| Loosestrife, Lanceleaf (<i>Lysimachia lanceolata</i>) K | 5.00 |
| Loosestrife, Winged (<i>Lythrum alatum</i>) K | 6.00 |
| Lopseed (<i>Phryma leptostachya</i>) K | 6.00 |
| Lovage (<i>Levisticum officinale</i>) M/H | 6.00 |
| Love in the Mist (<i>Nigella damascena</i>) M/H | 3.00 |
| Lupine (<i>Lupinus perennis</i>) K | 7.00 |
| Lupine, Carolina (<i>Thermopsis caroliniana</i>) [<i>villosa</i>] K | 5.00 |
| Ma Huang (<i>Ephedra sinica</i>) M/H | 9.00 |
| Magnolia, Cucumber (<i>Magnolia acuminata</i>) K | 17.00 |
| Magnolia, Large Leaf (<i>Magnolia macrophylla</i>) K | 17.00 |
| Magnolia, Southern (<i>Magnolia grandiflora</i>) S/US | 17.00 |
| Magnolia, Sweetbay (<i>Magnolia virginiana</i>) E/US | 17.00 |

| | |
|---|--------------|
| Magnolia, Umbrella Leaf (<i>Magnolia tripetala</i>) K | 17.00 |
| Maleberry (<i>Lyonia ligustrina</i>) K | 20.00 |
| Mandarin, Yellow (<i>Disporium lanuginosum</i>) K | 12.00 |
| Maple, Black (<i>Acer nigrum</i>) K | 15.00 |
| Maple, Drummond Red (<i>Acer drummondii</i>) K | 15.00 |
| Maple, Flame Amur (<i>Acer ginnala</i>) E/US | 17.00 |
| Maple, Mountain (<i>Acer spicatum</i>) K | 15.00 |
| Maple, Red (<i>Acer rubrum</i>) K | 15.00 |
| Maple, Silver (<i>Acer saccharinum</i>) K | 10.00 |
| Maple, Striped (<i>Acer pensylvanicum</i>) K | 15.00 |
| Maple, Sugar (<i>Acer saccharum</i>) K | 15.00 |
| Maralroot (<i>Leuzea carthamoides 'Lujza')</i> M/H | 12.00 |
| Marbleseed (<i>Onosmodium molle</i>) K | 9.00 |
| Marigold, Red Gem (<i>Tagetes tenuifolia</i>) M/H | 4.50 |
| Marigold, Summer Splash (<i>Tagetes patula x erecta</i>) A | 3.00 |
| Marjoram, Oregano (<i>Origanum majorana</i>) M/H | 4.00 |
| Marsh Marigold (<i>Caltha palustris</i>) K | 5.00 |
| Marshmallow (<i>Althaea officinalis</i>) M/H | 4.00 |
| May Apple (<i>Podophyllum peltatum</i>) K | 12.00 |
| Meadow Beauty (<i>Rhexia virginiana</i>) K | 6.00 |
| Meadow Beauty, Pale (<i>Rhexia interior</i>) K | 7.00 |
| Meadow Rue, Early (<i>Thalictrum dioicum</i>) K | 7.00 |
| Meadow Rue, Purple (<i>Thalictrum dasycarpum</i>) K | 5.00 |
| Meadowsweet (<i>Spirea ulmaria / Filpendula ulmaria</i>) M/H | 5.00 |
| Meadowsweet, White (<i>Spirea ulmeria alba</i>) M/H | 6.00 |
| Meehania, Creeping Mint (<i>Meehania cordata</i>) K | 7.00 |
| Merrybells, Little (<i>Uvularia sessilifolia</i>) K | 9.00 |
| Mignonette (<i>Reseda odorata</i>) M/H | 5.00 |
| Milk-vetch, Canadian (<i>Astragalus canadensis</i>) K | 5.00 |
| Milk-vetch, Tennessee (<i>Astragalus tenesensis</i>) SE/US | 6.00 |
| Milkweed, Butterfly (<i>Asclepias tuberosa</i>) K | 6.00 |
| Milkweed, Climbing (<i>Mikania scandens</i>) K | 10.00 |
| Milkweed, Common (<i>Asclepias syriaca</i>) K | 5.00 |
| Milkweed, Green (<i>Asclepias viridis</i>) K | 12.00 |
| Milkweed, Marsh (<i>Asclepias incarnata</i>) K | 5.00 |
| Milkweed, Poke (<i>Asclepias exaltata</i>) K | 12.00 |
| Milkweed, Prairie (<i>Asclepias sullivantii</i>) K | 12.00 |
| Milkweed, Purple (<i>Asclepias purpurascens</i>) K | 7.00 |
| Milkweed, Sand (<i>Asclepias amplexicaulis</i>) K | 12.00 |
| Milkweed, Showy (<i>Asclepias speciosa</i>) E/US | 9.00 |
| Milkweed, Tall Green (<i>Asclepias hirtella</i>) K | 12.00 |
| Milkweed, White Marsh (<i>Asclepias incarnata "Ice Ballet"</i>) | 6.00 |
| Milkweed, Whorled (<i>Asclepias verticillata</i>) K | 6.00 |
| Minibush (<i>Menzesia pilosa</i>) E/US | 20.00 |
| Mint, Basil Mountain, (<i>Pycnanthemum clinopodiodes</i>) E/US | 6.00 |
| Mint, Hairy Mountain (<i>Pycnanthemum pilosum</i>) K | 5.00 |
| Mint, Hairy Wood (<i>Blephilia hirsuta</i>) (Wood Mint, Hairy) K | 6.00 |
| Mint, Short Tooth Mountain (<i>Pycnanthemum muticum</i>) K | 5.00 |
| Mint, Slender Mountain (<i>Pycnanthemum tenuifolium</i>) K | 5.00 |
| Mint, Torrey's Mountain (<i>Pycnanthemom torrei</i>) K | 7.00 |

| | |
|---|--------------|
| Mint, Virginia Mountain (<i>Pycnanthemum virginianum</i>) K | 5.00 |
| Mint, Wood (<i>Blephilia ciliata</i>) K | 6.00 |
| Mistflower (<i>Eupatorium coelestinum</i>) K | 5.00 |
| Mock-Orange, Appalachian (<i>Philadelphus inodorus</i>) K | 17.00 |
| Moleplant (<i>Euphorbia lathyri</i>) M/H | 6.00 |
| Monkey Flower (<i>Mimulus alatus</i>) K | 5.00 |
| Monkey Flower, Seep (<i>Mimulus guttatus</i>) E/US | 6.00 |
| Monkey-Face Orchid (<i>Plantanthera integrilabia</i>) K | 15.00 |
| Monkshood / Aconite (<i>Aconitum napellus</i>) M/H | 6.00 |
| Monkshood Vine, Southern (<i>Aconitum uncinatum</i>) K | 15.00 |
| Moonseed Vine (<i>Menispermum canadense</i>) K | 12.00 |
| Motherwort, Official (<i>Leonurus cardiaca</i>) M/H | 4.00 |
| Mountain Lover (<i>Paxistima canbyi</i>) K | 15.00 |
| Mulberry, Black (<i>Morus nigra</i>) K | 15.00 |
| Mulberry, Red (<i>Morus rubra</i>) K | 15.00 |
| Nasturtium Empress Of India (<i>Tropaeolum majus</i>) A | 3.00 |
| Nasturtium, Copper Sunset Mounding (<i>Tropaeolum majus</i>) A | 3.00 |
| Nasturtium, Creamsicle (<i>Tropaeolum majus</i>) A | 3.00 |
| Nettle, Stinging (<i>Urtica dioica</i>) K | 4.00 |
| Nine Bark (<i>Physocarpus opulifolius</i>) K | 15.00 |
| Oak, Basket (<i>Quercus michauxii</i>) K | 20.00 |
| Oak, Bear (<i>Quercus ilicifolia</i>) K | 20.00 |
| Oak, Black (<i>Quercus velutina</i>) K | 15.00 |
| Oak, Blackjack (<i>Quercus marilandica</i>) K | 15.00 |
| Oak, Bur (<i>Quercus macrocarpa</i>) K | 15.00 |
| Oak, Cherry Bark (<i>Quercus falcata pagodaefolia</i>) K | 15.00 |
| Oak, Chestnut (<i>Quercus prinus</i>) K | 15.00 |
| Oak, Chinkapin (<i>Quercus muehlenbergii</i>) K | 15.00 |
| Oak, Live (<i>Quercus virginiana</i>) SE/US | 15.00 |
| Oak, Northern Pin (<i>Quercus ellipsoidalis</i>) N/US | 15.00 |
| Oak, Northern Red (<i>Quercus borealis</i>) K | 15.00 |
| Oak, Nuttall (<i>Quercus nuttallii</i>) K | 15.00 |
| Oak, Overcup (<i>Quercus lyrata</i>) K | 15.00 |
| Oak, Pin (<i>Quercus palustris</i>) K | 15.00 |
| Oak, Post (<i>Quercus stellata</i>) K | 15.00 |
| Oak, Red (<i>Quercus rubra</i>) K | 15.00 |
| Oak, Scarlet (<i>Quercus coccinea</i>) K | 15.00 |
| Oak, Shingle (<i>Quercus imbricaria</i>) K | 15.00 |
| Oak, Shumard (<i>Quercus shumardii</i>) K | 15.00 |
| Oak, Spanish (<i>Quercus falcata</i>) K | 15.00 |
| Oak, Swamp Chestnut (<i>Quercus prinoides</i>) E/US | 15.00 |
| Oak, Swamp White (<i>Quercus bicolor</i>) K | 15.00 |
| Oak, White (<i>Quercus alba</i>) K | 15.00 |
| Oak, Willow (<i>Quercus phellos</i>) K | 15.00 |
| Obedient Plant (<i>Physostegia virginiana</i>) K | 5.00 |
| Onion, Nodding Pink (<i>Allium stellatum</i>) MW/US | 6.00 |
| Onion, Nodding Wild (<i>Allium cernuum</i>) K | 5.00 |
| Oregano, Greek (<i>Origanum heracleoticum</i>) M/H | 4.00 |
| Oregano, Wild (<i>Origanum vulgare</i>) M/H | 4.00 |
| Oregano, Zaatar (<i>Origanum syriacum</i>) M/H | 3.00 |

| | |
|---|--------------|
| Osage Orange (Maclura pomifera) S/US | 12.00 |
| Pachysandra, Allegheny Spurge (Pachysandra procumbens) K | 9.00 |
| Pan-Pacific Greens, Stirfry Mix A | 1.00 |
| Parsley, Chinese (Coriandrum sativum) M/H | 5.00 |
| Parsley, Curly (Petroselinum crispum - crispum) M/H | 3.00 |
| Parsley, Italian Flat (Petroselinum crispum neaplitanum) M/H | 3.00 |
| Partridge Berry (Mitchella repens) K | 12.00 |
| Partridge Pea (Cassia fasciculata) K | 25.00 |
| Partridge-pea (Chamaecrista fasciculata) [Cassia] K | 5.00 |
| Pasque Flower (Anemone patens wolfgangiana) MW/US | 6.00 |
| Pasque Flower (Anemone pulsatilla) M/H | 6.00 |
| Passion-flower, Maypop (Passiflora incarnata) K | 12.00 |
| Passion-flower, Yellow (Passiflora lutea) K | 20.00 |
| Paw Paw (Asimina triloba) K | 15.00 |
| Pea, Scurfy (Psoralea tenuiflora) K | 7.00 |
| Pearly Everlasting (Anaphalis margaritacea) K | 6.00 |
| Pearly Everlasting, Red (Antennaria dioica 'Rubra') M/US | 6.00 |
| Pecan (Carya illinoensis) K | 17.00 |
| Pennyroyal (Mentha pulegium) M/H | 6.00 |
| Persimmon (Diospyros virginiana) K | 15.00 |
| Petroselinum crispum (Sweet Curly Parsley) M/H | 1.00 |
| Petunia, Carolina (Ruellia caroliniensis) K | 5.00 |
| Petunia, Wild (Ruellia humilis) K | 5.00 |
| Phacelia (Phacelia bipinnatifida) K | 6.00 |
| Phlox, Blue Creeping (Phlox stolonifera 'Blue Ridge') K | 6.00 |
| Phlox, Carolina (Phlox carolinia 'Miss Lingard') E/US | 6.00 |
| Phlox, Carolina (Phlox carolinia Var. angusta) E/US | 6.00 |
| Phlox, Chattahoochee (Phlox x 'Chatahoochee') E/US | 6.00 |
| Phlox, Creeping (Phlox stolonifera) K | 6.00 |
| Phlox, Creeping / Moss (Phlox subulata) K | 6.00 |
| Phlox, Downy (Phlox pilosa) K | 6.00 |
| Phlox, Drummondii (Mountain Pink) A | 4.50 |
| Phlox, Garden (Phlox paniculata) K | 5.00 |
| Phlox, Marsh (Phlox glaberrima interior) K | 7.00 |
| Phlox, Meadow (Phlox maculata) K | 6.00 |
| Phlox, Pale Wild Blue (Phlox divaricata 'May breeze') E/US | 6.00 |
| Phlox, Purple Creeping (Phlox stolonifera 'Sherwood Purple') K | 6.00 |
| Phlox, Sand (Phlox bifida) K | 4.50 |
| Phlox, Smooth (Phlox amoena) K | 4.50 |
| Phlox, Three-flowered (Phlox glaberrima) K | 6.00 |
| Phlox, Wild Blue (Phlox divaricata) K | 6.00 |
| Phlox, Wild Blue Purple (Phlox divaricata 'Parksville Beach') K | 6.00 |
| Phlox, Wild Sweet William (Phlox divaricata, 'London Grove Blue') E/US | 6.00 |
| Pimpernel, Yellow (Taenedia integerrima) K | 7.00 |
| Pine, Eastern White (Pinus strobus) K | 12.00 |
| Pine, Loblolly (Pinus taeda) K | 15.00 |
| Pine, Pitch (Pinus rigida) K | 15.00 |
| Pine, Virginia (Pinus virginiana) K | 17.00 |
| Pink, Compact Wild (Silene caroliniana ssp. wherryi) E/US | 7.00 |
| Pink, Fire (Silene virginica) K | 6.00 |

| | |
|---|--------------|
| Pink, Indian (<i>Spigelia marilandica</i>) K | 9.00 |
| Pink, Meadow (<i>Sabatia angularis</i>) K | 6.00 |
| Pink, Pennsylvania Wild (<i>Silene caroliniana</i> ssp. <i>pennsylvanica</i>) E/US | 7.00 |
| Pink, Swamp (<i>Helonias bullata</i>) E/US | 10.00 |
| Pink, Sweet (<i>Dianthus x hybrida</i> 'Rainbow Loveliness') A | 3.00 |
| Pink, Wild (<i>Silene caroliniana</i>) K | 5.00 |
| Plantain, Great Indian (<i>Cacalia muhlenbergii</i>) K | 7.00 |
| Plantain, Robin's (<i>Erigeron pulchellus</i>) K | 7.00 |
| Plum, American (<i>Prunus americana</i>) K | 12.00 |
| Plum, Chickasaw (<i>Prunus angustifolia</i>) K | 15.00 |
| Poppies, Legion of Honor (<i>Papaver rhoeas</i>) A | 3.00 |
| Poppy Mallow (<i>Callirhoe papaver</i>) MW/US | 7.00 |
| Poppy Mallow, Bush's (<i>Callirhoe bushii</i>) MW/US | 7.00 |
| Poppy Mallow, Clustered (<i>Callirhoe triangulata</i>) MW/US | 12.00 |
| Poppy Mallow, Purple (<i>Callirhoe involucrata</i>) MW/US | 7.00 |
| Poppy, California (<i>Eshscholzia californica</i>) M/H | 3.00 |
| Poppy, Hungarian (<i>Papavar somniferum h</i>) M/H | 3.00 |
| Poppy, Hungarian Breadseed (<i>Papaver spp.</i>) A | 3.00 |
| Poppy, Pepperbox Breadseed (<i>Papaver spp.</i>) A | 3.00 |
| Poppy, Zahir (<i>Papavar somniferum z</i>) M/H | 3.00 |
| Porcelainberry, Heart-leaf (<i>Ampelopsis cordata</i>) K | 10.00 |
| Powdery Thalia (<i>Thalia dealbata</i>) SE/US | 15.00 |
| Prairie Dock (<i>Silphium terebinthinaceum</i>) K | 6.00 |
| Prairie Smoke (<i>Geum triflorum</i>) N | 6.00 |
| Prickly-Pear (<i>Opuntia humifusa</i>) K | 15.00 |
| Primrose, Evening (<i>Oenothera biennis</i>) K | 4.50 |
| Primrose, Large-flowering Evening (<i>Oenothera grandiflora</i>) K | 5.00 |
| Primrose, Missouri (<i>Oenothera missouriensis</i>) MW/US | 6.00 |
| Primrose, Showy (<i>Oenothera speciosa</i>) K | 6.00 |
| Primrose, stemless / sessile (<i>Oenothera triloba</i>) K | 12.00 |
| Princess Pine (<i>Lycopodium obscurum</i>) K | 20.00 |
| Pumpkin, Cinderella's Carriage A | 1.00 |
| Purple Rocket (<i>Iodanthus pinnatifidus</i>) K | 6.00 |
| Pussytoes (<i>Antennaria plantaginifolia</i>) K | 6.00 |
| Pussytoes, Single-headed (<i>Antennaria solitaria</i>) K | 6.00 |
| Putty Root (<i>Aplectrum hyemale</i>) K | 15.00 |
| Pyrethrum (<i>Chrysanthemum coccineum</i>) M/H | 4.00 |
| Pyrethrum, Painted Daisy (<i>Tanacetum coccineum</i>) M/H | 6.00 |
| Queen of the Prairie (<i>Filipendula rubra</i>) N/US | 7.00 |
| Quinine, Wild (<i>Parthenium integrifolium</i>) K | 5.00 |
| Ragwort, Golden (<i>Senecio aureus</i>) K | 5.00 |
| Ragwort, Prairie (<i>Senecio plattensis</i>) K | 7.00 |
| Raspberry, Black (<i>Rubus occidentalis</i>) K | 12.00 |
| Raspberry, Northern Red (<i>Rubus idaeus canadensis</i>) NE/US | 12.00 |
| Rattlebox (<i>Crotalaria sagittalis</i>) K | 5.00 |
| Rattlesnake Master (<i>Eryngium yuccifolium</i>) K | 6.00 |
| Rattlesnake Plantain (<i>Goodyera pubescens</i>) K | 17.00 |
| Rattlesnake Plantain, Dwarf (<i>Goodyera repens</i>) K | 17.00 |
| Rattlesnake Root (<i>Prenanthes racemosa</i>) E/US | 7.00 |
| Redbud (<i>Cercis canadensis</i>) K | 10.00 |

| | |
|--|--------------|
| Reed, Broadfruit Bur (<i>Sparganium eurycarpum</i>) K | 7.00 |
| Rock Cress (<i>Arabis hirsuta</i>) non-native | 5.00 |
| Rose Mallow (<i>Hibiscus moscheutos</i>) K | 6.00 |
| Rose Mallow, Scarlet (<i>Hibiscus coccineus</i>) SE/US | 6.00 |
| Rose Mallow, Smooth (<i>Hibiscus laevis</i> [<i>militaris</i>]) K | 6.00 |
| Rose Mallow, Swamp (<i>Hibiscus palustris</i>) E/US | 6.00 |
| Rose Mallow, Woolly Swamp (<i>Hibiscus lasiocarpus</i>) K | 6.00 |
| Rose Verbena (<i>Verbena canadensis</i>) K | 5.00 |
| Rose, Carolina (<i>Rosa carolina</i>) K | 15.00 |
| Rose, Dog (<i>Rosa canina</i>) M/H | 10.00 |
| Rose, Meadow (<i>Rosa blanda</i>) K | 15.00 |
| Rose, Prairie (<i>Rosa setigera</i>) K | 15.00 |
| Rose, Seet Briar (<i>Rosa rubiginosa</i>) M/H | 10.00 |
| Rose, Swamp (<i>Rosa palustris</i>) K | 15.00 |
| Rose, Virginia (<i>Rosa virginiana</i>) K | 15.00 |
| Rose, Wild Prairie (<i>Rosa arkansana</i>) Cen/US | 12.00 |
| Rose, Wood's (<i>Rosa woodsii</i>) W/US | 15.00 |
| Rosemary (<i>Rosmarinus officinalis</i>) M/H | 6.00 |
| Rosemary, Bog (<i>Andromeda glaucophylla</i>) NE/US | 12.00 |
| Rosinweed (<i>Silphium integrifolium</i>) K | 6.00 |
| Rosinweed, Cut-leaf (<i>Silphium pinnatifidum</i>) K | 7.00 |
| Rosinweed, Whorled (<i>Silphium trifoliatum</i>) K | 6.00 |
| Royal Catchfly (<i>Silene regia</i>) K | 6.00 |
| Rue, Carolina Tassel (<i>Trautvetteria caroliniensis</i>) K | 8.00 |
| Running Ground Pine (<i>Lycopodium clavatum</i>) K | 20.00 |
| Rupturewort (<i>Herniaria glabra</i>) M/H | 6.00 |
| Rush, Black (<i>Juncus gerardii</i>) K | 6.00 |
| Rush, Common (<i>Juncus effusus</i>) K | 5.00 |
| Rush, Corkscrew (<i>Juncus effusus</i> 'spiralis') K | 7.00 |
| Rush, Creeping Spike (<i>Eleocharis erythropoda</i>) K | 6.00 |
| Rush, Curly Wurly, Corkscrew Rush (<i>Juncus effusus</i>) K | 7.00 |
| Rush, Dwarf Scouring (<i>Equisetum scirpodes</i>) N/US | 7.00 |
| Rush, Giant Spiral (<i>Juncus effusus</i> 'Unicorn') K | 7.00 |
| Rush, Needle Spike (<i>Eleocharis acicularis</i>) K | 5.00 |
| Rush, Pickerel (<i>Pontederia cordata</i>) K | 6.00 |
| Rush, Scouring (<i>Equisetum hyemale</i>) K | 4.50 |
| Rush, Slender Path (<i>Juncus tenuis</i>) K | 6.00 |
| Sage, Blue (<i>Salvia azurea</i>) K | 6.00 |
| Sage, Clary (<i>Salvia sclarea</i>) M/H | 4.00 |
| Sage, Garden (<i>Salvia officinalis</i>) M/H | 5.00 |
| Sage, Lyre leafed (<i>Salvia lyrata</i> var. <i>purpurea</i>) 'Purple Knockout' K | 5.00 |
| Sage, Lyre-leaf (<i>Salvia lyrata</i>) K | 6.00 |
| Sage, Meadow (<i>Salvia pratensis</i>) M/H | 6.00 |
| Sage, Pineapple (<i>Salvia elegans</i>) M/H | 5.00 |
| Sage, Scarlet (<i>Salvia coccinea</i>) M/H | 4.00 |
| Sage, White (<i>Salvia apiana</i>) M/H | 5.00 |
| Saint John's-wort (<i>Hypericum densiflorum</i>) K | 10.00 |
| Saint John's-wort, Dotted (<i>Hypericum virginicum</i>) K | 7.00 |
| Saint John's-wort, Golden (<i>Hypericum frondosum</i>) K | 15.00 |
| Saint John's-wort, Great (<i>Hypericum pyramidatum</i>) E/US | 10.00 |

| | |
|--|--------------|
| Saint John's-wort, Kalm (<i>Hypericum kalmianum</i>) MW/US | 10.00 |
| Saint John's-wort, Round-fruited (<i>Hypericum sphaerocarpum</i>) K | 12.00 |
| Saint John's-wort, Shrubby (<i>Hypericum prolificum</i>) K | 10.00 |
| Saint John's-wort, Spotted (<i>Hypericum punctatum</i>) K | 7.00 |
| Saltwort (<i>salsola komarovii</i>) M/H | 5.00 |
| Sassafras (<i>Sassafras albidum</i>) K | 15.00 |
| Saxifrage, Early (<i>Saxifraga virginiensis</i>) K | 12.00 |
| Saxifrage, Swamp (<i>Saxifraga pensylvanica</i>) K | 12.00 |
| Scurvygrass (<i>Cochlraria officinalis</i>) M/H | 5.00 |
| Sea Lavender (<i>Limonium latifolium</i>) M/H | 7.00 |
| Seabuckthorn (<i>Hippophae rhamnoides</i>) M/H | 10.00 |
| Seaholly (<i>Eryngium campestr</i>) M/H | 10.00 |
| Sedge, Appalachian (<i>Carex appalachian</i>) K | 6.00 |
| Sedge, Barberpole (<i>Scirpus microcarpus</i>) K | 7.00 |
| Sedge, Blue Satin (<i>Carex platyphylla</i>) K | 6.00 |
| Sedge, Blue Wood (<i>Carex flaccosperma</i>) K | 6.00 |
| Sedge, Broad-leaved Woolly (<i>Carex pellita</i>) K | 10.00 |
| Sedge, Curley-styled Wood (<i>Carex rosea</i>) K | 7.00 |
| Sedge, Dwarf Varigated 'Oehme' (<i>Carex muskingumensis</i> 'Oehme') C/US | 6.00 |
| Sedge, Emoryi (<i>Carex emoryi</i>) K | 6.00 |
| Sedge, Fox (<i>Carex vulpinoidea</i>) K | 5.00 |
| Sedge, Frank's (<i>Carex frankii</i>) K | 5.00 |
| Sedge, Gray (<i>Carex amphibola</i>) K | 6.00 |
| Sedge, Gray's (<i>Carex grayi</i>) K | 5.00 |
| Sedge, Hairy Green (<i>Carex hirsutella</i>) K | 7.00 |
| Sedge, Long-awned Bracted (<i>Carex gravida</i>) K | 7.00 |
| Sedge, Lurid (<i>Carex lurida</i>) K | 5.00 |
| Sedge, Miniature Palm (<i>Carex muskingumensis</i> 'Little Midge') C/US | 6.00 |
| Sedge, Palm (<i>Carex muskingumensis</i>) K | 6.00 |
| Sedge, Pennsylvania (<i>Carex pensylvanica</i>) K | 6.00 |
| Sedge, Seersucker (<i>Carex plantaginea</i>) K | 6.00 |
| Sedge, Tussock (<i>Carex stricta</i>) K | 6.00 |
| Sedum, Allegheny Spurge (<i>Sedum telephioides</i>) K | 6.00 |
| Sedum, Nevii Stonecrop (<i>Sedum nevii</i>) SE/US | 6.00 |
| Sedum, Three-leaved (<i>Sedum ternatum</i>) K | 6.00 |
| Sedum, Widow's Cross (<i>Sedum pulchellum</i>) K | 6.00 |
| Seedbox (<i>Ludwigia alternifolia</i>) K | 5.00 |
| Senna, Wild (<i>Cassia hebecarpa</i>) K | 7.00 |
| Senna, Wild (<i>Cassia marilandica</i>) K | 7.00 |
| Sensitive Briar, Littleleaf (<i>Schrankia microphylla</i>) K | 5.00 |
| Serviceberry, Allegheny (<i>Amelanchier laevis</i>) K | 15.00 |
| Serviceberry, Apple (<i>Amelanchier x grandiflora</i>) E/US | 15.00 |
| Serviceberry, Downy (<i>Amelanchier arborea</i>) K | 15.00 |
| Serviceberry, Running (<i>Amelanchier stolonifera</i>) EUS | 12.00 |
| Serviceberry, Shadblow (<i>Amelanchier canadensis</i>) K | 15.00 |
| Shooting Star (<i>Dodecatheon meadia</i>) K | 9.00 |
| Shooting Star, Dark Throated (<i>Dodecatheon pulchellum</i>) W/US | 10.00 |
| Shooting Star, Purple (<i>Dodecatheon amethystinum</i>) C/US | 15.00 |
| Shortia galacifolia (Oconee Bells) SE/US | 10.00 |
| Sideoats Grama (<i>Bouteloua curtipendula</i>) K | 5.00 |

| | |
|--|--------------|
| Silene armenia (Sweet William catchfly) | 6.00 |
| Silverbell, Carolina (Halesia carolina) K | 15.00 |
| Silverbell, Mountain (Halesia monticola) E/US | 20.00 |
| Skullcap, Baical (Scutellaria baicalensis) M/H | 4.00 |
| Skullcap, Barbat (Scutellaria barbata) M/H | 4.00 |
| Skullcap, Heart-leaved (Scutellaria ovata) K | 6.00 |
| Skullcap, Hyssop (Scutellaria incana) K | 5.00 |
| Skullcap, Official (Scutellaria lateriflora) K | 6.00 |
| Smartweed, Pennsylvania (Polygonum pennsylvanicum) K | 5.00 |
| Smoketree, American (Cotinus obovatus) K | 15.00 |
| Snailseed Vine (Cocculus carolinus) K | 12.00 |
| Sneezeweed (Helenium autumnale) K | 5.00 |
| Sneezeweed, Purple-headed (Helenium nudiflorum) K | 5.00 |
| Snow Wreath (Neviusia alabamensis) SE/US | 20.00 |
| Snowbell, Fragrant (Styrax americanus) K | 30.00 |
| Snowbell, Frangrant (Styrax obassia) Japan | 25.00 |
| Snowberry (Symphoricarpus albus) K | 10.00 |
| Snowberry, Creeping (Gaultheria hispidula) NE/US | 15.00 |
| Solomon's Seal (Polygonatum biflorum) K | 12.00 |
| Solomon's Seal, False (Smilicina racemosa) K | 12.00 |
| Sourwood (Oxydendrum arboreum) K | 20.00 |
| Spearmint (Mentha spicata) M/H | 6.00 |
| Spearmint, Improved (Mentha spicata 'Kentucky Colonel') M/H | 6.00 |
| Species Collection, Aster K | 38.00 |
| Species Collection, Blazing Stars | 26.00 |
| Species Collection, Goldenrods | 38.00 |
| Species Collection, Milkweed | 26.00 |
| Species Collection, Phlox | 26.00 |
| Species Collection, Sunflowers | 26.00 |
| Spicebush (Lindera benzoin) K | 15.00 |
| Spiderwort, Dwarf (Tradescantia longipe) W/US | 9.00 |
| Spiderwort, Dwarf Blue (Tradescantia longipes 'Blue') M/US | 9.00 |
| Spiderwort, Dwarf Pink (Tradescantia longipes 'Pink') M/US | 9.00 |
| Spiderwort, Ohio (Tradescantia ohiensis) K | 5.00 |
| Spiderwort, Prairie (Tradescantia bracteata) K | 6.00 |
| Spiderwort, Virginia (Tradescantia virginiana) K | 5.00 |
| Spikenard, Devil's Club (Aralia spinosa) K | 15.00 |
| Spring Beauty (Claytonia virginica) K | 9.00 |
| Spring Beauty, Carolina (Claytonia caroliniana) K | 12.00 |
| Spruce, White (Picea glauca) N/US | 12.00 |
| Squirrel Corn (Dicentra canadensis) K | 9.00 |
| Staggerbush (Lyonia mariana) E/US | 12.00 |
| Star Flower (Smilacina stellata) E/US | 12.00 |
| Star Grass, Yellow (Hypoxis hirsuta) K | 12.00 |
| Starry Champion (Silene stellata) K | 6.00 |
| Steeplebush (Spirea tomentosa) K | 12.00 |
| Steeplebush, White (Spiraea alba) K | 12.00 |
| Stevia (Stevia rebaudiana) M/H | 6.00 |
| Stewartia (Stewartia ovata) K | 30.00 |
| Stock (Mattiola incana) A | 3.00 |

| | |
|---|--------------|
| Stonecrop, Ditch (<i>Penthorum sedoides</i>) K | 5.00 |
| Stoneroot (<i>Collinsonia canadensis</i>) K | 6.00 |
| Strawberry Bush (<i>Euonymus americanus</i>) K | 12.00 |
| Strawberry Bush, Running (<i>Euonymus obovatus</i>) K | 15.00 |
| Strawberry, Wild (<i>Fragaria virginiana</i>) K | 6.00 |
| Sugarberry (<i>Celtis laevigata</i>) K | 10.00 |
| Sumac, Flameleaf (<i>Rhus copallina</i>) K | 12.00 |
| Sumac, Fragrant (<i>Rhus aromatica</i>) K | 10.00 |
| Sumac, Smooth (<i>Rhus glabra</i>) K | 10.00 |
| Sumac, Staghorn (<i>Rhus typhina</i>) K | 10.00 |
| Summersweet (<i>Clethra alnifolia</i>) K | 12.00 |
| Summersweet, Mountain / Mountain Pepperbush (<i>Clethra acuminata</i>) K | 12.00 |
| Sundrops (<i>Oenothera fruticosa</i>) K | 6.00 |
| Sunflower, Cinnamon Sun (<i>Helianthus annuus</i>) A | 3.00 |
| Sunflower, Downy (<i>Helianthus mollis</i>) K | 5.00 |
| Sunflower, Eggert's (<i>Helianthus eggerii</i>) K | 9.00 |
| Sunflower, Maximillon (<i>Helianthus maximiliani</i>) K | 6.00 |
| Sunflower, Narrow-leaved (<i>Helianthus angustifolius</i>) K | 7.00 |
| Sunflower, Ox-eye (<i>Heliopsis helianthoides</i>) K | 5.00 |
| Sunflower, Saw-toothed (<i>Helianthus grosseserratus</i>) MW/US | 5.00 |
| Sunflower, Showy (<i>Helianthus laetiflorus</i>) E/US | 6.00 |
| Sunflower, Tall / Swamp (<i>Helianthus giganteus</i>) K | 9.00 |
| Sunflower, Thin-leaved (<i>Helianthus decapetalus</i>) K | 6.00 |
| Sunflower, Tiny Headed (<i>Helianthus microcephalus</i>) K | 6.00 |
| Sunflower, Van Gogh (<i>Helianthus annuus</i>) A | 3.00 |
| Sunflower, Western (<i>Helianthus occidentalis</i>) K | 5.00 |
| Sunflower, Woodland (<i>Helianthus divaricatus</i>) K | 7.00 |
| Susan, Black-eyed (<i>Rudbeckia hirta</i>) K | 5.00 |
| Susan, Brown-eyed (<i>Rudbeckia triloba</i>) K | 5.00 |
| Susan, Sweet / Sweet Coneflower (<i>Rudbeckia subtomentosa</i>) K | 5.00 |
| Swamp Candles (<i>Lysimachia terrestris</i>) K | 7.00 |
| Sweet Cicely (<i>Myrrhis odorata</i>) M/H | 6.00 |
| Sweet Cicely (<i>Osmorhiza claytonii</i>) K | 6.00 |
| Sweet Gale (<i>Myrica gale</i>) N/US | 17.00 |
| Sweet grass (<i>Hierochlow odorata</i>) E/US | 6.00 |
| Sweet Pea, Painted Lady (<i>Lathyrus odoratus</i>) A | 3.00 |
| Sweet Peas, Zinfandel (<i>Lathyrus odotatus</i>) A | 3.00 |
| Sweet Shrub (<i>Calycanthus fertilis</i>) K | 15.00 |
| Sweetfern Sage (<i>Comptonia peregrina</i>) K | 12.00 |
| Sweetgum (<i>Liquidambar styraciflua</i>) K | 20.00 |
| Sycamore (<i>Platanus occidentalis</i>) K | 17.00 |
| Tamarack / American Larch (<i>Larix laricina</i>) N/US | 15.00 |
| Tarragon, French (<i>Artemisia dracunculus sativa</i>) M/H | 4.00 |
| Tea, Inland (<i>Ceanothus ovatus</i>) NE | 12.00 |
| Tea, Labrador (<i>Ledum groenlandicum</i>) E/US | 12.00 |
| Tea, New Jersey (<i>Ceanothus americanus</i>) K | 12.00 |
| Thimbleberry (<i>Rubus parviflorus</i>) MW/US | 15.00 |
| Thimbleberry, Purple-bloom (<i>Rubus odoratus</i>) K | 15.00 |
| Thimbleflower (<i>Anemone virginiana</i>) K | 5.00 |
| Thoroughwort, Hyssop-leaved, (<i>Eupatorium hyssopifolium</i>) K | 5.00 |

| | |
|---|--------------|
| Thyme, Coconut (Thymus sp-coc) M/H | 4.00 |
| Thyme, Creeping (Thymus serphyllum) M/H | 4.00 |
| Thyme, English (Thymus vulgaris) M/H | 4.00 |
| Thyme, Lavender (Thymus thracicus) M/H | 4.00 |
| Thyme, Orange Spice (Thymus TM95) M/H | 4.00 |
| Thyme, Wooley (Thymus pseudolanuginosus) M/H | 4.00 |
| Tick Trefoil, Cluster-leaf (Desmodium glutinosum) K | 7.00 |
| Tick Trefoil, Hairy Bracted (Desmodium cuspidatum longifolium) K | 7.00 |
| Tick Trefoil, Showy (Desmodium canadense) K | 6.00 |
| Tithonia, Torch (Tithonia rotundifolia) A | 3.00 |
| Tobacco, Midewiwan Sacred (Nicotiana rustica) M/H | 6.00 |
| Tomato: Amish Gold | 4.00 |
| Tomato: Arkansas marvel | 4.00 |
| Tomato: Aunt Ginny's Purple | 4.00 |
| Tomato: Aunt Lucy's Italian Paste | 4.00 |
| Tomato: Beefsteak | 4.00 |
| Tomato: Big Beef | 4.00 |
| Tomato: Black Cherry | 4.00 |
| Tomato: Black Crimson | 4.00 |
| Tomato: Black Prince | 4.00 |
| Tomato: Black Sea Man | 4.00 |
| Tomato: Bloody Butcher | 4.00 |
| Tomato: Blue Fruit | 4.00 |
| Tomato: Box Car Willie | 4.00 |
| Tomato: Brandywine, Red | 4.00 |
| Tomato: Cherokee Purple | 4.00 |
| Tomato: Evergreen | 4.00 |
| Tomato: Flamme | 4.00 |
| Tomato: Garden Peach | 4.00 |
| Tomato: Ghost Cherry | 4.00 |
| Tomato: Gigantesque | 4.00 |
| Tomato: Gold Medal | 4.00 |
| Tomato: Grandfather Ashlock | 4.00 |
| Tomato: Granny Cantrell's German Pink | 4.00 |
| Tomato: Homer Fike's Yellow Oxheart | 4.00 |
| Tomato: Japanese Black Trifele | 4.00 |
| Tomato: Kentucky Beefsteak | 4.00 |
| Tomato: Marianna's Peace | 4.00 |
| Tomato: Matt's Wild Cherry | 4.00 |
| Tomato: Mortgage Lifter, Radiator Charlie's | 4.00 |
| Tomato: Mortgage Lifter, Bi-Color | 4.00 |
| Tomato: Piccolo | 4.00 |
| Tomato: Rutgers Improved | 4.00 |
| Tomato: Silvery Fir Tree | 4.00 |
| Tomato: Super Snow White | 4.00 |
| Tomato: Tigerella | 4.00 |
| Tomato: Tim's Black Ruffles | 4.00 |
| Tomato: Yellow Ruffled | 4.00 |
| Toothache Plant (Spilanthes acmella) M/H | 6.00 |
| Toothwort, Five-parted (Dentaria laciniata) K | 10.00 |

| | |
|---|--------------|
| Tormentil (<i>Potentilla tormentilla</i>) M/H | 4.00 |
| Touch-me-not, Spotted (<i>Impatiens capensis</i>) K | 4.50 |
| Trillium, Yellow form of trillium erectum (<i>Trillium erectum luteum</i>) K | 15.00 |
| Trillium, Dwarf White (<i>Trillium Pusillum</i>) K | 15.00 |
| Trillium, Large Flowering White (<i>Trillium grandiflorum</i>) K | 15.00 |
| Trillium, Large Yellow (<i>Trillium luteum</i>) K | 15.00 |
| Trillium, Nodding / Bent (<i>Trillium flexipes</i>) K | 15.00 |
| Trillium, Prairie (<i>Trillium recurvatum</i>) K | 15.00 |
| Trillium, Red (<i>Trillium erectum</i>) K | 15.00 |
| Trillium, Red Toadshade (<i>Trillium sessile</i>) K | 15.00 |
| Trillium, Toad Shade (<i>Trillium cuneatum</i>) K | 15.00 |
| Trout Lily, Yellow (<i>Erythronium americanum</i>) K | 9.00 |
| Trout Lily/Dogtooth Violet, White (<i>Erythronium albidum</i>) K | 12.00 |
| Trumpet Creeper (<i>Campsis radicans</i>) K | 10.00 |
| Tuliptree (<i>Liriodendron tulipifera</i>) K | 15.00 |
| Tupelo, Black (<i>Nyssa sylvatica</i>) K | 15.00 |
| Turtlehead, Pink (<i>Chelone obliqua</i>) K | 6.00 |
| Turtlehead, Purple (<i>Chelone lyonii</i> 'Hot Lips') E/US | 7.00 |
| Turtlehead, White (<i>Chelone glabra</i>) K | 6.00 |
| Twinleaf (<i>Jeffersonia diphylla</i>) K | 15.00 |
| Twisted Stalk (<i>Streptopus roses</i>) K | 15.00 |
| Umbrella Leaf (<i>Diphylleia cymosa</i>) SE/US | 10.00 |
| Unicorn Root (<i>Aletris farinosa</i>) K | 12.00 |
| Valerian, Official (<i>Valeriana officinalis</i>) M/H | 4.00 |
| Verbena, Lemon (<i>Aloysia triphylla</i>) M/H | 6.00 |
| Vervain, Blue (<i>Verbena hastata</i>) K | 5.00 |
| Vervain, Hoary (<i>Verbena stricta</i>) K | 5.00 |
| Viburnum, American Cranberry (<i>Viburnum trilobum</i>) EUS | 15.00 |
| Viburnum, Arrow-wood (compact) (<i>Viburnum dentatum</i>) K | 15.00 |
| Viburnum, Arrow-wood (<i>Viburnum dentatum</i>) K | 15.00 |
| Viburnum, Black-haw (<i>Viburnum prunifolium</i>) K | 15.00 |
| Viburnum, Downy Arrow-Wood (<i>Viburnum dentatum pubescens</i>) E/US | 15.00 |
| Viburnum, Hobblebush (<i>Viburnum lantanoides [alnifolium]</i>) K | 10.00 |
| Viburnum, Kentucky (<i>Viburnum molle</i>) K | 20.00 |
| Viburnum, Mapleleaf (<i>Viburnum acerifolium</i>) K | 15.00 |
| Viburnum, Nannyberry (<i>Viburnum lentago</i>) K | 15.00 |
| Viburnum, Possum-haw (<i>Viburnum nudum</i>) K | 15.00 |
| Viburnum, Southern Black-haw (<i>Viburnum rufidulum</i>) K | 15.00 |
| Viburnum, Winterthur Possum-haw (<i>Viburnum Nudum</i> 'Winterthur') | 15.00 |
| Viburnum, Withrod / Northern Wild Raisin (<i>Viburnum cassinoides</i>) K | 15.00 |
| Violet, Bird's Foot (<i>Viola pedata</i>) K | 9.00 |
| Violet, Blue (<i>Viola papilionacea</i>) K | 5.00 |
| Violet, Britton's (<i>Viola brittoniana</i>) NE/US | 6.00 |
| Violet, Canada (<i>Viola canadensis</i>) K | 6.00 |
| Violet, Crowfoot / Prairie (<i>Viola pedatifida</i>) MW/US | 9.00 |
| Violet, Glade (<i>Viola egglestonii</i>) K | 7.00 |
| Violet, Green (<i>Hybanthus concolor</i>) K | 6.00 |
| Violet, Labrador (<i>Viola labradorica</i>) NE/US | 6.00 |
| Violet, Long-Spurred (<i>Viola Rostrata</i>) K | 7.00 |
| Violet, Prairie (<i>Viola nuttallii</i>) C/US | 6.00 |

| | |
|--|--------------|
| Violet, Striped (<i>Viola striata</i>) K | 6.00 |
| Violet, Sweet (<i>Viola odorata</i>) M/H | 6.00 |
| Violet, White (<i>Viola blanda</i>) K | 6.00 |
| Violet, Yellow (<i>Viola pubescens</i>) K | 5.00 |
| Virginia Bluebells (<i>Mertensia virginica</i>) K | 12.00 |
| Virginia Creeper (<i>Parthenocissus quinquefolia</i>) K | 12.00 |
| Virginia Sweetspire (<i>Itea virginica</i>) K | 12.00 |
| Virginia Willow, Little Henry (<i>Itea virginica</i> 'Sprich') E/US | 12.00 |
| Visnaga (<i>Ammi visnaga</i>) M/H | 6.00 |
| Wafer-ash (<i>Ptelea trifoliata</i>) K | 15.00 |
| Wahoo (<i>Euonymus atropurpureus</i>) K | 15.00 |
| Wallflower, Scented Gold (<i>Erysimum perovskianum</i>) A | 3.00 |
| Walnut, Black (<i>Juglans nigra</i>) K | 12.00 |
| Walnut, White / Butternut (<i>Juglans cinerea</i>) K | 15.00 |
| Water Avens (<i>Geum rivale</i>) E&W/US | 10.00 |
| Water Plantain (<i>Alisma subcordatum</i>) K | 6.00 |
| Water Plantain Large-flowered (<i>Alisma triviale</i>) E/US | 7.00 |
| Watercress (<i>Nasturtium officinale</i>) M/H | 6.00 |
| Waterleaf, Great (<i>Hydrophyllum appendiculatum</i>) K | 7.00 |
| Waterleaf, Virginia (<i>Hydrophyllum virginianum</i>) K | 9.00 |
| Whitlow Grass (<i>Draba verna</i>) K | 7.00 |
| Willow, Black (<i>Salix nigra</i>) K | 10.00 |
| Willow, Coyote (<i>Salix humilis</i>) K | 10.00 |
| Willow, Heart Leaf (<i>Salix rigida</i>) MW/US | 10.00 |
| Willow, Prairie (<i>Salix Humilus Microphyllus</i>) K | 10.00 |
| Willow, Pussy (<i>Salix discolor</i>) K | 12.00 |
| Willow, Shining (<i>Salix lucida</i>) K | 10.00 |
| Willow, Silky (<i>Salix sericea</i>) K | 10.00 |
| Winecups (<i>Callirhoe digitata</i>) MW/US | 6.00 |
| Wingstem, Ozark (<i>Verbesina helianthoides</i>) K | 7.00 |
| Wingstem, White (<i>Verbesina virginica</i>) K | 5.00 |
| Wingstem, Yellow (<i>Verbersina occidentalis</i>) K | 5.00 |
| Wintergreen (<i>Gaultheria procumbens</i>) K | 9.00 |
| Wintergreen, Spotted (<i>Chimaphila maculata</i>) K | 12.00 |
| Wisteria, Kentucky (<i>Wisteria macrostachya</i>) K | 17.00 |
| Witch Hazel, Common (<i>Hamamelis virginiana</i>) K | 15.00 |
| Witch Hazel, Vernal (<i>Hamamelis vernalis</i>) EUS | 15.00 |
| Wolfberry (<i>Symphoricarpos occidentalis</i>) E/US | 10.00 |
| Wood Betony / Loosewort (<i>Pedicularis canadensis</i>) K | 7.00 |
| Wood Sorrel, Violet (<i>Oxalis vioacea</i>) K | 12.00 |
| Wormwood (<i>Artemisia absinthium</i>) M/H | 6.00 |
| Wormwood, Mugwort (<i>Artemisia vulgaris</i>) M/H | 4.00 |
| Yam, Wild (<i>Dioscorea villosa</i>) K | 9.00 |
| Yarrow (<i>Achillea millefolium</i>) M/H | 4.00 |
| Yellow-root (<i>Xanthorhiza simplicissima</i>) K | 12.00 |
| Yellow-wood (<i>Cladrastis lutea</i>) K | 15.00 |
| Yew, Canadian (<i>Taxus canadensis</i>) K | 10.00 |
| Zinnia, Berry Basket Mix (<i>Zinnia elegans</i>) A | 3.00 |
| Zinnia, Cool Crayon Mix Cutting (<i>Zinnia elegans</i>) A | 3.00 |
| Zinnias, Blue Point (<i>Zinnia elegans</i>) A | 3.00 |